

Voy insertar nuevos datos

The screenshot shows a REST client interface with a POST request to `http://localhost:4000/Prueba/`. The response is a 200 OK status with a 5 ms response time and 846 B of data. The response body is a JSON array of three book records, displayed in a dark-themed editor with line numbers 2 through 28.

```
2  {
3    "id": "598d7600-f693-4b7a-b907-406791bab58c",
4    "titulo": "cien",
5    "autor": "gabo",
6    "año_publicacion": 1968,
7    "genero": "real",
8    "editorial": "sudameri",
9    "idioma": "espanish",
10   "paginas": 418
11 },
12 {
13   "id": "9ca55e6e-db73-43e5-a6b7-65a2c046ff64",
14   "titulo": "1984",
15   "autor": "George Orwell",
16   "año_publicacion": 1949,
17   "genero": "Distopía",
18   "editorial": "Secker & Warburg",
19   "idioma": "Inglés",
20   "paginas": 328
21 },
22 {
23   "id": "5428885a-dedc-4613-a998-4d619cd124bb",
24   "titulo": "El amor en los tiempos del cólera",
25   "autor": "Gabriel García Márquez",
26   "año_publicacion": 1985,
27   "genero": "Realismo mágico",
28   "editorial": "Oveja Negra",
29 }
```

lo creamos y vemos que si se crearon correctamente

The screenshot shows the Postman interface with a new request configured. The method is POST and the URL is http://localhost:4000/Prueba/. The request body is set to x-www-form-urlencoded. The body is a form with the following fields:

Key	Value	Description
id	d8245ce9-e152-43ce-b95b-e82b0f325...	
titulo	cientosss	
autor	gabriel	
año_publicacion	1969	
genero	realismos	
editorial	sudamerica	
idioma	español	

The response is shown in the bottom panel, indicating a 201 Created status. The response body is a JSON object:

```
{
  "id": "1777bb87-6846-499b-b5d4-95a96f6418f7",
  "titulo": "cientosss",
  "autor": "gabriel",
  "año_publicacion": 1969,
  "genero": "realismos",
  "editorial": "sudamerica",
  "idioma": "español",
  "paginas": 420
}
```

The bottom status bar shows Postbot, Runner, Start Proxy, Cookies, Vault, Trash, and a help icon.

Y revisamos con el get y si quedo bien

The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** http://localhost:4000/Prueba/
- Status:** 200 OK
- Time:** 8 ms
- Size:** 1.06 KB
- Body Type:** JSON

The JSON response is as follows:

```
[{"id": "1743", "titulo": "El amor en los tiempos del c\u00f3lera", "autor": "Gabriel Garc\u00eda M\u00e1rquez", "a\u00f1o_publicacion": 1985, "genero": "Realismo m\u00e1gico", "editorial": "Oveja Negra", "idioma": "Espa\u00f1ol", "paginas": 348}, {"id": "d6b9e802-b18d-4ef6-a160-b340b9f4c5db", "titulo": "El amor en los tiempos del c\u00f3lera", "autor": "Gabriel Garc\u00eda M\u00e1rquez", "a\u00f1o_publicacion": 1985, "genero": "Realismo m\u00e1gico", "editorial": "Oveja Negra", "idioma": "Espa\u00f1ol", "paginas": 348}, {"id": "1777bb87-6846-499b-b5d4-95a96f6418f7", "titulo": "cientossss", "autor": "gabriel", "a\u00f1o_publicacion": 1969, "genero": "realismos", "editorial": "sudamerica", "idioma": "espa\u00f1ol", "paginas": 420}]
```

Update antes

The screenshot shows the Postman application interface. At the top, it says "New Collection / New Request". The request method is "GET" and the URL is "http://localhost:4000/Prueba/". The "Body" tab is selected, showing a table with the following data:

Key	Value	Description
id	d8245ce9-e152-43ce-b95b-e82b0f325...	
titulo	cien	
autor	gabo	
año_publicacion	1968	
genero	real	
editorial	sudameri	

Below the table, the "Body" tab shows the response in JSON format:

```
[{"id": "598d7600-f693-4b7a-b907-406791bab58c", "titulo": "Cien años de soledad", "autor": "Gabriel García Márquez", "año_publicacion": 1967, "genero": "Realismo mágico", "editorial": "Sudamericana", "idioma": "Español", "paginas": 417}]
```

The status bar at the bottom indicates "200 OK" with a response time of "6 ms" and a size of "899 B".

El update despues

The screenshot displays the Postman interface for a PATCH request. The URL is `http://localhost:4000/Prueba/id/598d7600-f693-4b7a-b907-406791bab58c`. The request body is formatted as x-www-form-urlencoded and contains the following data:

Key	Value	Description
id	d8245ce9-e152-43ce-b95b-e82b0f325...	
titulo	cien	
autor	gabo	
año_publicacion	1968	
genero	real	
editorial	sudameri	

The response status is 200 OK, with a response time of 20 ms and a body size of 409 B. The response body is shown in JSON format:

```
1 {
2   "id": "598d7600-f693-4b7a-b907-406791bab58c",
3   "titulo": "cien",
4   "autor": "gabo",
5   "año_publicacion": 1968,
6   "genero": "real",
7   "editorial": "sudameri",
8   "idioma": "espanish",
9   "paginas": 418
10 }
```

The bottom status bar includes icons for Postbot, Runner, Start Proxy, Cookies, Vault, Trash, and a zoom level of 100%.


Luego buscamos todos los libros y vemos que se actualizo el libro

The screenshot shows the Postman interface for a GET request to `http://localhost:4000/Prueba/`. The request is successful, returning a `200 OK` status with a response time of 5 ms and a body size of 846 B. The response body is displayed in JSON format, showing an array of book objects. The first object in the array is highlighted, showing the following details:


Key	Value	Description
<input checked="" type="checkbox"/> id	d8245ce9-e152-43ce-b95b-e82b0f325...	
<input checked="" type="checkbox"/> titulo	cien	
<input checked="" type="checkbox"/> autor	gabo	
<input checked="" type="checkbox"/> año_publicacion	1968	
<input checked="" type="checkbox"/> genero	real	
<input checked="" type="checkbox"/> editorial	sudameri	

```
1 [
2   {
3     "id": "598d7600-f693-4b7a-b907-406791bab58c",
4     "titulo": "cien",
5     "autor": "gabo",
6     "año_publicacion": 1968,
7     "genero": "real",
8     "editorial": "sudameri",
9     "idioma": "espanish",
10    "paginas": 418
11  },
12  ]
```

Ahora vamos a utilizar el delete



utilizamos el método delete y lo elimina



y ahora nos aparece que ese id no existe

GET New Request • POST post • PUT put + No environment

New Collection / New Request Save Share

GET http://localhost:4000/Prueba/id/6e6b08cd-b54f-43f0-91ad-f2f75b2596e1 Send

Params Authorization Headers (8) Body • Scripts Settings Cookies

Body Cookies Headers (7) Test Results 404 Not Found • 5 ms • 356 B • Save Response

{ } JSON Preview Visualize

```
1 {
2   "message": "Datos con Id '6e6b08cd-b54f-43f0-91ad-f2f75b2596e1' no existe!",
3   "error": "Not Found",
4   "statusCode": 404
5 }
```

Postbot Runner Start Proxy Cookies Vault Trash ? + 100 %