

# PHP Version 8.3.21



<b>System</b>	Linux sd1985.colombiasolutions.com 4.18.0-513.24.1.lve.el8.x86_64 #1 SMP Tue Apr 16 14:24:26 UTC 2024 x86_64
<b>Build Date</b>	May 8 2025 11:49:54
<b>Build System</b>	Linux buildfarm08-new.corp.cloudlinux.com 4.18.0-553.8.1.el8_10.x86_64 #1 SMP Tue Jul 2 07:26:33 EDT 2024 x86_64 x86_64 x86_64 GNU/Linux
<b>Configure Command</b>	<pre> './configure' '--disable-dependency-tracking' '--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--sysconfdir=/etc' '--datadir=/usr/share' '--includedir=/usr/include' '--libdir=/usr/lib64' '--libexecdir=/usr/libexec' '--sharedstatedir=/var/lib' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--build=x86_64-redhat-linux-gnu' '--host=x86_64-redhat-linux-gnu' '--target=x86_64-redhat-linux-gnu' '--program-prefix=' '--prefix=/opt/alt/php83' '--exec-prefix=/opt/alt/php83' '--bindir=/opt/alt/php83/usr/bin' '--sbindir=/opt/alt/php83/usr/sbin' '--sysconfdir=/opt/alt/php83/etc' '--datadir=/opt/alt/php83/usr/share' '--includedir=/opt/alt/php83/usr/include' '--libdir=/opt/alt/php83/usr/lib64' '--libexecdir=/opt/alt/php83/usr/libexec' '--localstatedir=/var' '--sharedstatedir=/usr/com' '--mandir=/opt/alt/php83/usr/share/man' '--infodir=/opt/alt/php83/usr/share/info' '--cache-file=../config.cache' '--with-libdir=lib64' '--with-config-file-path=/opt/alt/php83/etc' '--with-config-file-scan-dir=/opt/alt/php83/link/conf' '--disable-debug' '--enable-calendar' '--enable-exif' '--enable-ftp' '--enable-huge-code-pages' '--enable-jit' '--enable-shared=yes' '--enable-shmop' '--enable-static=no' '--enable-xml' '--with-bz2' '--with-freetype=/usr' '--with-gettext' '--with-gmp=shared' '--with-gnu-ld=yes' '--with-iconv' '--with-jpeg=/usr' '--with-layout=GNU' '--with-mhash' '--with-password-argon2=/usr' '--with-pcre-jit' '--with-pic' '--with-readline' '--with-webp=/opt/alt/libwebp' '--with-xpm=/usr' '--with-zlib' '--with-zlib-dir=/usr' '--without-gdbm' '--without-pear' '--with-curl=/opt/alt/curlssl11/usr' '--with-openssl-dir=/opt/alt/openssl11' '--with-openssl=/opt/alt/openssl11' '--with-pcre-dir=/opt/alt/pcre2' '--with-avif' '--with-kerberos=/opt/alt/krb5/usr' '--with-apxs2' '--enable-fpm' '--with-fpm-systemd' '--enable-litespeed' '--enable-bcmath=shared' '--enable-dba=shared' '--with-db4=/usr' '--enable-dom=shared' '--enable-fileinfo=shared' '--enable-gd=shared' '--enable-intl=shared' '--enable-mbregex' '--enable-mbstring=shared' '--enable-mysqld=shared' '--enable-opcache' '--enable-pcntl' '--enable-pdo=shared' '--enable-phar=shared' '--enable-posix=shared' '--enable-soap=shared' '--enable-sockets=shared' '--enable-sysvsem=shared' '--enable-sysvshm=shared' '--enable-sysvmsg=shared' '--enable-xmlreader=shared' '--enable-xmlwriter=shared' '--with-enchanted=shared,/usr' '--with-external-gd' '--with-mysql-sock=/var/lib/mysql/mysql.sock' '--with-mysqli=shared,mysqld' '--with-pdo-mysql=shared,mysqld' '--with-pdo-odbc=shared,unixODBC,/usr' '--with-ldap=shared' '--with-ldap=shared,/usr' '--with-tidy=shared,/usr' '--with-unixODBC=shared,/usr' '--with-zip=shared' '--with-pdo-pgsql=shared,/usr' '--with-pgsql=shared,/usr' '--with-imap=shared,/opt/alt/libc-client11' '--with-imap-ssl=/opt/alt/openssl11' '--with-ldap=shared,/opt/alt/openldap11' '--with-ldap-sasl' '--with-pdo-dblib=shared,/opt/alt/freetds11/usr' '--with-snmp=shared,/opt/alt/net-snmp11/usr' '--with-pdo-sqlite=shared,/opt/alt/sqlite/usr' '--with-sqlite3=/opt/alt/sqlite/usr' '--with-pdo-oci=shared,instantclient,/usr/lib/oracle/21/client64/lib' '--with-sodium=shared,/usr' '--with-ffi=shared,/usr' '--with-pdo-firebird=shared' '--with-xsl=shared,/usr' 'build_alias=x86_64-redhat-linux-gnu' 'host_alias=x86_64-redhat-linux-gnu' 'target_alias=x86_64-redhat-linux-gnu' 'PKG_CONFIG=/usr/bin/pkg-config' 'PKG_CONFIG_PATH=/opt/alt/curlssl11/usr/lib64/pkgconfig:/opt/alt/sqlite/usr/lib64/pkgconfig:/opt/alt/openssl11/lib64/pkgconfig:/opt/alt/sqlite/usr/lib64/pkgconfig:/opt/alt/pcre2/usr/lib64/pkgconfig:/opt/alt/libzip/usr/lib64/pkgconfig:/opt/alt/krb5/usr/lib64/pkgconfig:/opt/alt/libxml2/usr/lib64/pkgconfig:/opt/alt/libicu/usr/lib64/pkgconfig:/opt/alt/libgd/lib64/pkgconfig:/usr/lib64/pkgconfig:/usr/share/pkgconfig' 'CFLAGS=-O2 -g -pipe -Wall -Werror=format-security -Wp,-D_FORTIFY_SOURCE=2 -Wp,-D_GLIBCXX_ASSERTIONS -fexceptions -fstack-protector-strong -grecord-gcc-switches -specs=/usr/lib/rpm/redhat/redhat-hardened-cc1 -specs=/usr/lib/rpm/redhat/redhat-annobin-cc1 -m64 -mtune=generic -fasynchronous-unwind-tables -fstack-clash-protection -fcf-protection -Dmp_bitcnt_t=long -fno- </pre>

	strict-aliasing -Wno-pointer-sign -l/opt/alt/libxml2/usr/include/libxml2 -l/opt/alt/libicu/usr/include -l/opt/alt/libgd/include -l/usr/include/libpng16 -l/usr/include/freetype2 -l/usr/include/uuid -DAVIF_DLL -l/opt/alt/krb5/usr/include -l/opt/alt/curlssl11/usr/include -l/opt/alt/openssl11/include -l/opt/alt/libssh211/usr/include -l/opt/alt/sqlite/usr/include -l/opt/alt/pcr2/usr/include -l/opt/alt/libzip/usr/include -mshstk 'LD_FLAGS= -L/opt/alt/krb5/usr/lib64 -L/opt/alt/cyrus-sasl/lib64 -Wl,-rpath=/opt/alt/krb5/usr/lib64,-rpath=/opt/alt/cyrus-sasl/lib64 -L/opt/alt/openssl11/lib64 -L/opt/alt/libc-client11/lib64 -L/opt/alt/openldap11/lib64 -L/opt/alt/net-snmp11/usr/lib64 -L/opt/alt/libssh211/usr/lib64 -L/opt/alt/libzip/usr/lib64 -Wl,-rpath=/opt/alt/openssl11/lib64,-rpath=/opt/alt/t1lib/usr/lib64,-rpath=/opt/alt/pcr2/usr/lib64,-rpath=/opt/alt/openldap11/lib64,-rpath=/opt/alt/freetds11/usr/lib64,-rpath=/opt/alt/net-snmp11/usr/lib64,-rpath=/opt/alt/libssh211/usr/lib64,-rpath=/opt/alt/libc-client11/lib64,-rpath=/opt/alt/libzip/usr/lib64 -Wl,-rpath=/opt/alt/curlssl11/usr/lib64 -Wl,-rpath=/opt/alt/sqlite/usr/lib64 -Wl,-rpath=/opt/alt/libxml2/usr/lib64,-rpath=/opt/alt/libicu/usr/lib64,-rpath=/usr/lib64,-rpath=/opt/alt/libwebp/lib64 ' 'KERBEROS_CFLAGS=-l/opt/alt/krb5/usr/include' 'KERBEROS_LIBS=-L/opt/alt/krb5/usr/lib64' 'WEBP_LIBS=-L/opt/alt/libwebp/lib64 -Wl,-rpath=/opt/alt/libwebp/lib64' 'SASL_CFLAGS=-l/opt/alt/cyrus-sasl/include' 'SASL_LIBS=-L/opt/alt/cyrus-sasl/lib64'
<b>Server API</b>	Isapi V8.1 CloudLinux 1.3
<b>Virtual Directory Support</b>	disabled
<b>Configuration File (php.ini) Path</b>	/opt/alt/php83/etc
<b>Loaded Configuration File</b>	/opt/alt/php83/etc/php.ini
<b>Scan this dir for additional .ini files</b>	/opt/alt/php83/link/conf
<b>Additional .ini files parsed</b>	/opt/alt/php83/link/conf/alt_php.ini
<b>PHP API</b>	20230831
<b>PHP Extension</b>	20230831
<b>Zend Extension</b>	420230831
<b>Zend Extension Build</b>	API420230831,NTS
<b>PHP Extension Build</b>	API20230831,NTS
<b>Debug Build</b>	no
<b>Thread Safety</b>	disabled
<b>Zend Signal Handling</b>	enabled
<b>Zend Memory Manager</b>	enabled
<b>Zend Multibyte Support</b>	provided by mbstring
<b>Zend Max Execution Timers</b>	disabled
<b>IPv6 Support</b>	enabled
<b>DTrace Support</b>	disabled
<b>Registered PHP Streams</b>	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
<b>Registered Stream Socket Transports</b>	tcp, udp, unix, udg, ssl, sslv3, tls, tlsv1.0, tlsv1.1, tlsv1.2, tlsv1.3
<b>Registered Stream Filters</b>	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:  
Zend Engine v4.3.21, Copyright (c) Zend Technologies with Zend OPcache v8.3.21, Copyright (c), by Zend Technologies



## Configuration

### bcmath

BCMath support	enabled
----------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

### bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.6, 6-Sept-2010

### calendar

Calendar support	enabled
------------------	---------

### Core

PHP Version	8.3.21
-------------	--------

Directive	Local Value	Master Value
allow_url_fopen	On	On
allow_url_include	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
auto_append_file	<i>no value</i>	<i>no value</i>

auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	UTF-8	UTF-8
default_mimetype	text/html	text/html
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
enable_post_data_reading	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	error_log	error_log
error_log_mode	0644	0644
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	22527	22527
expose_php	On	On
extension_dir	/opt/alt/php83/usr/lib64/php/modules	/opt/alt/php83/usr/lib64/php/modules
fiber.stack_size	<i>no value</i>	<i>no value</i>
file_uploads	On	On
hard_timeout	2	2
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off

<b>ignore_user_abort</b>	Off	Off
<b>implicit_flush</b>	Off	Off
<b>include_path</b>	./opt/alt/php83/usr/share/pear:/opt/alt/php83/usr/share/p hp:/usr/share/pear:/usr/share/php	./opt/alt/php83/usr/share/pear:/opt/alt/php83/usr/share/p hp:/usr/share/pear:/usr/share/php
<b>input_encoding</b>	<i>no value</i>	<i>no value</i>
<b>internal_encoding</b>	<i>no value</i>	<i>no value</i>
<b>log_errors</b>	On	On
<b>mail.add_x_header</b>	Off	Off
<b>mail.force_extra_parameters</b>	<i>no value</i>	<i>no value</i>
<b>mail.log</b>	<i>no value</i>	<i>no value</i>
<b>mail.mixed_lf_and_crlf</b>	Off	Off
<b>max_execution_time</b>	30	30
<b>max_file_uploads</b>	20	20
<b>max_input_nesting_level</b>	64	64
<b>max_input_time</b>	60	60
<b>max_input_vars</b>	1000	1000
<b>max_multipart_body_parts</b>	-1	-1
<b>memory_limit</b>	256M	256M
<b>open_basedir</b>	<i>no value</i>	<i>no value</i>
<b>output_buffering</b>	4096	4096
<b>output_encoding</b>	<i>no value</i>	<i>no value</i>
<b>output_handler</b>	<i>no value</i>	<i>no value</i>
<b>post_max_size</b>	128M	128M
<b>precision</b>	14	14
<b>realpath_cache_size</b>	4096K	4096K
<b>realpath_cache_ttl</b>	120	120
<b>register_argc_argv</b>	Off	Off
<b>report_memleaks</b>	On	On
<b>report zend_debug</b>	Off	Off
<b>request_order</b>	GP	GP
<b>sendmail_from</b>	<i>no value</i>	<i>no value</i>
<b>sendmail_path</b>	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i

<b>serialize_precision</b>	-1	-1
<b>short_open_tag</b>	Off	Off
<b>SMTP</b>	localhost	localhost
<b>smtp_port</b>	25	25
<b>sys_temp_dir</b>	<i>no value</i>	<i>no value</i>
<b>syslog.facility</b>	LOG_USER	LOG_USER
<b>syslog.filter</b>	no-ctrl	no-ctrl
<b>syslog.ident</b>	php	php
<b>unserialize_callback_func</b>	<i>no value</i>	<i>no value</i>
<b>upload_max_filesize</b>	128M	128M
<b>upload_tmp_dir</b>	<i>no value</i>	<i>no value</i>
<b>user_dir</b>	<i>no value</i>	<i>no value</i>
<b>user_ini.cache_ttl</b>	300	300
<b>user_ini.filename</b>	.user.ini	.user.ini
<b>variables_order</b>	GPCS	GPCS
<b>xmlrpc_error_number</b>	0	0
<b>xmlrpc_errors</b>	Off	Off
<b>zend.assertions</b>	-1	-1
<b>zend.detect_unicode</b>	On	On
<b>zend.enable_gc</b>	On	On
<b>zend.exception_ignore_args</b>	On	On
<b>zend.exception_string_param_max_len</b>	15	15
<b>zend.max_allowed_stack_size</b>	0	0
<b>zend.multibyte</b>	Off	Off
<b>zend.reserved_stack_size</b>	0	0
<b>zend.script_encoding</b>	<i>no value</i>	<i>no value</i>
<b>zend.signal_check</b>	Off	Off

## ctype

<b>ctype functions</b>	enabled
------------------------	---------

## curl

<b>cURL support</b>	enabled
<b>cURL Information</b>	8.13.0
<b>Age</b>	11
<b>Features</b>	
<b>AsynchDNS</b>	Yes
<b>CharConv</b>	No
<b>Debug</b>	No
<b>GSS-Negotiate</b>	No
<b>IDN</b>	Yes
<b>IPv6</b>	Yes
<b>krb4</b>	No
<b>Largefile</b>	Yes
<b>libz</b>	Yes
<b>NTLM</b>	Yes
<b>NTLMWB</b>	No
<b>SPNEGO</b>	Yes
<b>SSL</b>	Yes
<b>SSPI</b>	No
<b>TLS-SRP</b>	Yes
<b>HTTP2</b>	Yes
<b>GSSAPI</b>	Yes
<b>KERBEROS5</b>	Yes
<b>UNIX_SOCKETS</b>	Yes
<b>PSL</b>	Yes
<b>HTTPS_PROXY</b>	Yes
<b>MULTI_SSL</b>	No
<b>BROTLI</b>	No
<b>ALTSVC</b>	Yes
<b>HTTP3</b>	No
<b>UNICODE</b>	No
<b>ZSTD</b>	No
<b>HSTS</b>	Yes

<b>GSASL</b>	No
<b>Protocols</b>	dict, file, ftp, ftps, gopher, gophers, http, https, imap, imaps, ldap, ldaps, mqtt, pop3, pop3s, rtsp, scp, sftp, smb, smbs, smtp, smtps, telnet, tftp, ws, wss
<b>Host</b>	x86_64-redhat-linux-gnu
<b>SSL Version</b>	OpenSSL/1.1.1w
<b>ZLib Version</b>	1.2.11
<b>libSSH Version</b>	libssh2/1.11.1

Directive	Local Value	Master Value
<b>curl.cainfo</b>	<i>no value</i>	<i>no value</i>

## date

<b>date/time support</b>	enabled
<b>timelib version</b>	2022.12
<b>"Olson" Timezone Database Version</b>	2025.2
<b>Timezone Database</b>	internal
<b>Default timezone</b>	UTC

Directive	Local Value	Master Value
<b>date.default_latitude</b>	31.7667	31.7667
<b>date.default_longitude</b>	35.2333	35.2333
<b>date.sunrise_zenith</b>	90.833333	90.833333
<b>date.sunset_zenith</b>	90.833333	90.833333
<b>date.timezone</b>	UTC	UTC

## dom

<b>DOM/XML</b>	enabled
<b>DOM/XML API Version</b>	20031129
<b>libxml Version</b>	2.10.2
<b>HTML Support</b>	enabled
<b>XPath Support</b>	enabled
<b>XPointer Support</b>	enabled



Schema Support	enabled
RelaxNG Support	enabled

## enchant

enchant support	enabled
Libenchant Version	1.6.0

myspell	Myspell Provider	/usr/lib64/enchant/libenchant_myspell.so
---------	------------------	--

## exif

EXIF Support	enabled
Supported EXIF Version	0220
Supported filetypes	JPEG, TIFF
Multibyte decoding support using mbstring	enabled
Extended EXIF tag formats	Canon, Casio, Fujifilm, Nikon, Olympus, Samsung, Panasonic, DJI, Sony, Pentax, Minolta, Sigma, Foveon, Kyocera, Ricoh, AGFA, Epson

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

## fileinfo

fileinfo support	enabled
libmagic	543

## filter

Input Validation and Filtering	enabled
--------------------------------	---------

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

## ftp

FTP support	enabled
FTPS support	enabled

## gd

GD Support	enabled
GD headers Version	2.3.3
GD library Version	2.3.3
FreeType Support	enabled
FreeType Linkage	with freetype
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XPM Support	enabled
XBM Support	enabled
WebP Support	enabled
BMP Support	enabled
AVIF Support	enabled
TGA Read Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	On	On

## gettext

GetText Support	enabled
-----------------	---------

## hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512/224 sha512/256 sha512 sha3-224 sha3-256 sha3-384 sha3-512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost gost-crypto adler32 crc32 crc32b crc32c fnv132 fnv1a32 fnv164 fnv1a64 joaat murmur3a murmur3c murmur3f xxh32 xxh64 xxh3 xxh128 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

MHASH support	Enabled
MHASH API Version	Emulated Support

## iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.28

Directive	Local Value	Master Value
iconv.input_encoding	<i>no value</i>	<i>no value</i>
iconv.internal_encoding	<i>no value</i>	<i>no value</i>
iconv.output_encoding	<i>no value</i>	<i>no value</i>

## igbinary

igbinary support	enabled
igbinary version	3.2.15
igbinary APCu serializer ABI	no
igbinary session support	yes

Directive	Local Value	Master Value
igbinary.compact_strings	On	On

## imagick

imagemagick module	enabled
imagemagick module version	3.7.0
imagemagick classes	Imagick, ImagickDraw, ImagickPixel, ImagickPixelIterator, ImagickKernel
Imagick compiled with ImageMagick version	ImageMagick 7.1.1-43 Q16-HDRI x86_64 22550 <a href="https://imagemagick.org">https://imagemagick.org</a>
Imagick using ImageMagick library version	ImageMagick 7.1.1-43 Q16-HDRI x86_64 22550 <a href="https://imagemagick.org">https://imagemagick.org</a>
ImageMagick copyright	(C) 1999 ImageMagick Studio LLC
ImageMagick release date	2024-12-22
ImageMagick number of supported formats:	280
ImageMagick supported formats	3FR, 3G2, 3GP, A, AAI, AI, APNG, ART, ARW, ASHLAR, AVCI, AVI, AVIF, AVS, B, BAYER, BAYERA, BGR, BGRA, BGRO, BIE, BMP, BMP2, BMP3, BRF, C, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CR3, CRW, CUBE, CUR, CUT, DATA, DCM, DCR, DCRAW, DCX, DDS, DFONT, DNG, DOT, DPX, DXT1, DXT5, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, EXR, FARBFELD, FAX, FF, FFF, FILE, FITS, FL32, FLV, FRACTAL, FTP, FTS, FTXT, G, G3, G4, GIF, GIF87, GRADIENT, GRAY, GRAYA, GROUP4, GV, HALD, HDR, HEIC, HEIF, HISTOGRAM, HRZ, HTM, HTML, HTTP, HTTPS, ICB, ICO, ICON, IIQ, INFO, INLINE, IPL, ISOBRL, ISOBRL6, J2C, J2K, JBG, JBIG, JNG, JNX, JP2, JPC, JPE, JPEG, JPG, JPM, JPS, JPT, JSON, K, K25, KDC, LABEL, M, M2V, M4V, MAC, MAP, MASK, MAT, MATTE, MDC, MEF, MIFF, MKV, MNG, MONO, MOS, MOV, MP4, MPC, MPEG, MPG, MPO, MRW, MSL, MSVG, MTV, MVG, NEF, NRW, NULL, O, ORA, ORF, OTB, OTF, PAL, PALM, PAM, PANGO, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PES, PFA, PFB, PFM, PGM, PGX, PHM, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG00, PNG24, PNG32, PNG48, PNG64, PNG8, PNM, POCKETMOD, PPM, PS, PS2, PS3, PSB, PSD, PTIF, PWP, QOI, R, RADIAL-GRADIENT, RAF, RAS, RAW, RGB, RGB565, RGBA, RGBO, RGF, RLA, RLE, RMF, RSVG, RW2, RWL, SCR, SCREENSHOT, SCT, SFW, SGI, SHTML, SIX, SIXEL, SPARSE-COLOR, SR2, SRF, SRW, STEGANO, STI, STRIMG, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TM2, TTC, TTF, TXT, UBRL, UBRL6, UIL, UYVY, VDA, VICAR, VID, VIFF, VIPS, VST, WBMP, WEBM, WEBP, WMF, WMV, WMZ, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YAML, YCBCR, YCBCRA, YUV

Directive	Local Value	Master Value
imagemagick.allow_zero_dimension_images	0	0
imagemagick.locale_fix	0	0
imagemagick.progress_monitor	0	0
imagemagick.set_single_thread	1	1
imagemagick.shutdown_sleep_count	10	10
imagemagick.skip_version_check	0	0

imap

IMAP c-Client Version	2007f
SSL Support	enabled
Kerberos Support	enabled

Directive	Local Value	Master Value
imap.enable_insecure_rsh	Off	Off

## intl

Internationalization support	enabled
ICU version	64.2
ICU Data version	64.2
ICU TZData version	2019a
ICU Unicode version	12.1

Directive	Local Value	Master Value
intl.default_locale	<i>no value</i>	<i>no value</i>
intl.error_level	0	0
intl.use_exceptions	Off	Off

## json

json support	enabled
--------------	---------

## libxml

libXML support	active
libXML Compiled Version	2.10.2
libXML Loaded Version	21002
libXML streams	enabled

## mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	6.8.2

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.http_input	<i>no value</i>	<i>no value</i>
mbstring.http_output	<i>no value</i>	<i>no value</i>
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.regex_retry_limit	1000000	1000000
mbstring.regex_stack_limit	100000	100000
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

## memcached

memcached support	enabled
Version	3.2.0
libmemcached version	1.0.18
SASL support	yes
Session support	yes
igbinary support	yes
json support	no
msgpack support	no

Directive	Local Value	Master Value
memcached.compression_factor	1.3	1.3
memcached.compression_threshold	2000	2000
memcached.compression_type	fastlz	fastlz

memcached.default_binary_protocol	Off	Off
memcached.default_connect_timeout	0	0
memcached.default_consistent_hash	Off	Off
memcached.serializer	igbinary	igbinary
memcached.ssess_binary_protocol	On	On
memcached.ssess_connect_timeout	0	0
memcached.ssess_consistent_hash	On	On
memcached.ssess_consistent_hash_type	ketama	ketama
memcached.ssess_lock_expire	0	0
memcached.ssess_lock_max_wait	not set	not set
memcached.ssess_lock_retries	5	5
memcached.ssess_lock_wait	not set	not set
memcached.ssess_lock_wait_max	150	150
memcached.ssess_lock_wait_min	150	150
memcached.ssess_locking	On	On
memcached.ssess_number_of_replicas	0	0
memcached.ssess_persistent	Off	Off
memcached.ssess_prefix	memc.ssess.key.	memc.ssess.key.
memcached.ssess_randomize_replica_read	Off	Off
memcached.ssess_remove_failed_servers	Off	Off
memcached.ssess_sasl_password	<i>no value</i>	<i>no value</i>
memcached.ssess_sasl_username	<i>no value</i>	<i>no value</i>
memcached.ssess_server_failure_limit	0	0
memcached.store_retry_count	0	0

## mysqli

Mysqli Support	enabled
Client API library version	mysqli 8.3.21
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
mysqli.allow_local_infile	Off	Off
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.local_infile_directory	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.rollback_on_cached_plink	Off	Off

## mysqli

mysqli	enabled
Version	mysqli 8.3.21
Compression	supported
core SSL	supported
extended SSL	supported
Command buffer size	4096
Read buffer size	32768
Read timeout	86400
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a
Loaded plugins	mysqli,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password,auth_plugin_caching_sha2_password,auth_plugin_sha256_password
API Extensions	mysqli

## odbc

ODBC Support	enabled
--------------	---------



Active Persistent Links	0
Active Links	0
ODBC library	unixODBC
ODBCVER	0x0380
ODBC_CFLAGS	-I/usr/include
ODBC_LFLAGS	-L/usr/lib64
ODBC_LIBS	-lodbc

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_cursortype	Static cursor	Static cursor
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	<i>no value</i>	<i>no value</i>
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

## openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.1.1w 11 Sep 2023
OpenSSL Header Version	OpenSSL 1.1.1w 11 Sep 2023
Openssl default config	/opt/alt/openssl11/etc/pki/tls/openssl.cnf

Directive	Local Value	Master Value
openssl.cafile	<i>no value</i>	<i>no value</i>
openssl.capath	<i>no value</i>	<i>no value</i>

## pcntl

<b>pcntl support</b>	enabled
----------------------	---------

## pcre

<b>PCRE (Perl Compatible Regular Expressions) Support</b>	enabled
<b>PCRE Library Version</b>	10.42 2022-12-12
<b>PCRE Unicode Version</b>	14.0.0
<b>PCRE JIT Support</b>	enabled
<b>PCRE JIT Target</b>	x86 64bit (little endian + unaligned)

Directive	Local Value	Master Value
<b>pcre.backtrack_limit</b>	1000000	1000000
<b>pcre.jit</b>	Off	Off
<b>pcre.recursion_limit</b>	100000	100000

## PDO

<b>PDO support</b>	enabled
<b>PDO drivers</b>	mysql, odbc, pgsql, sqlite

## pdo\_mysql

<b>PDO Driver for MySQL</b>	enabled
<b>Client API version</b>	3.3.14

Directive	Local Value	Master Value
<b>pdo_mysql.default_socket</b>	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock

## PDO\_ODBC

<b>PDO Driver for ODBC (unixODBC)</b>	enabled
<b>ODBC Connection Pooling</b>	Enabled, strict matching

## pdo\_pgsql

<b>PDO Driver for PostgreSQL</b>	enabled
<b>PostgreSQL(libpq) Version</b>	13.20

## pdo\_sqlite

<b>PDO Driver for SQLite 3.x</b>	enabled
<b>SQLite Library</b>	3.45.2

## pgsql

<b>PostgreSQL Support</b>	enabled
<b>PostgreSQL (libpq) Version</b>	13.20
<b>Multibyte character support</b>	enabled
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0

Directive	Local Value	Master Value
<b>pgsql.allow_persistent</b>	On	On
<b>pgsql.auto_reset_persistent</b>	Off	Off
<b>pgsql.ignore_notice</b>	Off	Off
<b>pgsql.log_notice</b>	Off	Off
<b>pgsql.max_links</b>	Unlimited	Unlimited
<b>pgsql.max_persistent</b>	Unlimited	Unlimited

## Phar

<b>Phar: PHP Archive support</b>	enabled
<b>Phar API version</b>	1.1.1
<b>Phar-based phar archives</b>	enabled
<b>Tar-based phar archives</b>	enabled
<b>ZIP-based phar archives</b>	enabled
<b>gzip compression</b>	enabled
<b>bzip2 compression</b>	enabled
<b>OpenSSL support</b>	enabled

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
 Phar fully realized by Gregory Beaver and Marcus Boerger.  
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
<b>phar.cache_list</b>	<i>no value</i>	<i>no value</i>
<b>phar.readonly</b>	On	On
<b>phar.require_hash</b>	On	On

## posix

<b>POSIX support</b>	enabled
----------------------	---------

## pspell

<b>PSpell Support</b>	enabled
-----------------------	---------

## random

<b>Version</b>	8.3.21
----------------	--------

## readline

<b>Readline Support</b>	enabled
<b>Readline library</b>	7.0

Directive	Local Value	Master Value
<b>cli.pager</b>	<i>no value</i>	<i>no value</i>
<b>cli.prompt</b>	\b >	\b >

## Reflection

<b>Reflection</b>	enabled
-------------------	---------

## session

<b>Session Support</b>	enabled
<b>Registered save handlers</b>	files user memcached
<b>Registered serializer handlers</b>	php_serialize php php_binary igbinary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_samesite	<i>no value</i>	<i>no value</i>
session.cookie_secure	Off	Off
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.lazy_write	On	On
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/opt/alt/php83/var/lib/php/session	/opt/alt/php83/var/lib/php/session
session.serialize_handler	php	php
session.sid_bits_per_character	5	5
session.sid_length	26	26
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On

<b>session.use_only_cookies</b>	On	On
<b>session.use_strict_mode</b>	Off	Off
<b>session.use_trans_sid</b>	Off	Off

## shmop

<b>shmop support</b>	enabled
----------------------	---------

## SimpleXML

<b>SimpleXML support</b>	enabled
<b>Schema support</b>	enabled

## soap

<b>Soap Client</b>	enabled
<b>Soap Server</b>	enabled

Directive	Local Value	Master Value
<b>soap.wsdl_cache</b>	1	1
<b>soap.wsdl_cache_dir</b>	/tmp	/tmp
<b>soap.wsdl_cache_enabled</b>	On	On
<b>soap.wsdl_cache_limit</b>	5	5
<b>soap.wsdl_cache_ttl</b>	86400	86400

## sockets

<b>Sockets Support</b>	enabled
------------------------	---------

## SPL

<b>SPL support</b>	enabled
<b>Interfaces</b>	OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
<b>Classes</b>	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator,

LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

## sqlite3

SQLite3 support	enabled
SQLite Library	3.45.2

Directive	Local Value	Master Value
sqlite3.defensive	On	On
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

## standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	Off	On
assert.bail	Off	Off
assert.callback	<i>no value</i>	<i>no value</i>
assert.exception	On	On
assert.warning	On	On
auto_detect_line_endings	Off	Off
default_socket_timeout	60	60
from	<i>no value</i>	<i>no value</i>
session.trans_sid_hosts	<i>no value</i>	<i>no value</i>
session.trans_sid_tags	a=href,area=href,frame=src,form=	a=href,area=href,frame=src,form=
unserialize_max_depth	4096	4096
url_rewriter.hosts	<i>no value</i>	<i>no value</i>
url_rewriter.tags	form=	form=

<b>user_agent</b>	<i>no value</i>	<i>no value</i>
-------------------	-----------------	-----------------

## tidy

<b>Tidy support</b>	enabled
<b>libTidy Version</b>	5.6.0
<b>libTidy Release</b>	2017/11/25

Directive	Local Value	Master Value
<b>tidy.clean_output</b>	Off	Off
<b>tidy.default_config</b>	<i>no value</i>	<i>no value</i>

## timezonedb

<b>Alternative Timezone Database</b>	enabled
<b>Timezone Database Version</b>	2024.2

## tokenizer

<b>Tokenizer Support</b>	enabled
--------------------------	---------

## xml

<b>XML Support</b>	active
<b>XML Namespace Support</b>	active
<b>libxml2 Version</b>	2.10.2

## xmlreader

<b>XMLReader</b>	enabled
------------------	---------

## xmlwriter

<b>XMLWriter</b>	enabled
------------------	---------



## xsl

<b>XSL</b>	enabled
<b>libxslt Version</b>	1.1.32
<b>libxslt compiled against libxml Version</b>	2.9.7
<b>EXSLT</b>	enabled
<b>libexslt Version</b>	1.1.32

## Zend OPcache

<b>Opcode Caching</b>	Up and Running
<b>Optimization</b>	Enabled
<b>SHM Cache</b>	Enabled
<b>File Cache</b>	Disabled
<b>JIT</b>	Disabled
<b>Startup</b>	OK
<b>Shared memory model</b>	mmap
<b>Cache hits</b>	0
<b>Cache misses</b>	1
<b>Used memory</b>	9168704
<b>Free memory</b>	125049024
<b>Wasted memory</b>	0
<b>Interned Strings Used memory</b>	2640992
<b>Interned Strings Free memory</b>	5747616
<b>Cached scripts</b>	1
<b>Cached keys</b>	1
<b>Max keys</b>	16229
<b>OOM restarts</b>	0
<b>Hash keys restarts</b>	0
<b>Manual restarts</b>	0
<b>Start time</b>	2025-06-30T18:25:08+0000
<b>Last restart time</b>	none
<b>Last force restart time</b>	none

Directive	Local Value	Master Value
<b>opcache.blacklist_filename</b>	<i>no value</i>	<i>no value</i>
<b>opcache.dups_fix</b>	Off	Off
<b>opcache.enable</b>	On	On
<b>opcache.enable_cli</b>	Off	Off
<b>opcache.enable_file_override</b>	Off	Off
<b>opcache.error_log</b>	<i>no value</i>	<i>no value</i>
<b>opcache.file_cache</b>	<i>no value</i>	<i>no value</i>
<b>opcache.file_cache_consistency_checks</b>	On	On
<b>opcache.file_cache_only</b>	Off	Off
<b>opcache.file_update_protection</b>	2	2
<b>opcache.force_restart_timeout</b>	180	180
<b>opcache.huge_code_pages</b>	Off	Off
<b>opcache.interned_strings_buffer</b>	8	8
<b>opcache.jit</b>	tracing	tracing
<b>opcache.jit_bisect_limit</b>	0	0
<b>opcache.jit_blacklist_root_trace</b>	16	16
<b>opcache.jit_blacklist_side_trace</b>	8	8
<b>opcache.jit_buffer_size</b>	0	0
<b>opcache.jit_debug</b>	0	0
<b>opcache.jit_hot_func</b>	127	127
<b>opcache.jit_hot_loop</b>	64	64
<b>opcache.jit_hot_return</b>	8	8
<b>opcache.jit_hot_side_exit</b>	8	8
<b>opcache.jit_max_exit_counters</b>	8192	8192
<b>opcache.jit_max_loop_unrolls</b>	8	8
<b>opcache.jit_max_polymorphic_calls</b>	2	2
<b>opcache.jit_max_recursive_calls</b>	2	2
<b>opcache.jit_max_recursive_returns</b>	2	2
<b>opcache.jit_max_root_traces</b>	1024	1024
<b>opcache.jit_max_side_traces</b>	128	128
<b>opcache.jit_max_trace_length</b>	1024	1024

<b>opcache.jit_prof_threshold</b>	0.005	0.005
<b>opcache.lockfile_path</b>	/tmp	/tmp
<b>opcache.log_verbosity_level</b>	1	1
<b>opcache.max_accelerated_files</b>	10000	10000
<b>opcache.max_file_size</b>	0	0
<b>opcache.max_wasted_percentage</b>	5	5
<b>opcache.memory_consumption</b>	128	128
<b>opcache.opt_debug_level</b>	0	0
<b>opcache.optimization_level</b>	0x7FFEBFFF	0x7FFEBFFF
<b>opcache.preferred_memory_model</b>	<i>no value</i>	<i>no value</i>
<b>opcache.preload</b>	<i>no value</i>	<i>no value</i>
<b>opcache.preload_user</b>	<i>no value</i>	<i>no value</i>
<b>opcache.protect_memory</b>	Off	Off
<b>opcache.record_warnings</b>	Off	Off
<b>opcache.restrict_api</b>	<i>no value</i>	<i>no value</i>
<b>opcache.revalidate_freq</b>	2	2
<b>opcache.revalidate_path</b>	Off	Off
<b>opcache.save_comments</b>	On	On
<b>opcache.use_cwd</b>	On	On
<b>opcache.validate_permission</b>	Off	Off
<b>opcache.validate_root</b>	Off	Off
<b>opcache.validate_timestamps</b>	On	On

## zip

<b>Zip</b>	enabled
<b>Zip version</b>	1.22.3
<b>Libzip version</b>	1.10.1
<b>BZIP2 compression</b>	Yes
<b>XZ compression</b>	Yes
<b>ZSTD compression</b>	Yes
<b>AES-128 encryption</b>	Yes

AES-192 encryption	Yes
AES-256 encryption	Yes

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.11
Linked Version	1.2.11

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

Additional Modules

Module Name
litespeed

Environment

Variable	Value
PATH	/usr/local/bin:/bin:/usr/bin

PHP Variables

Variable	Value
\$_COOKIE['timezone']	America/Bogota
\$_COOKIE['cpsession']	idtcs360:xwne06TSW8LkdAqH,6262e55beeb5e4dff0549a7b4f96bc
\$_SERVER['PATH']	/usr/local/bin:/bin:/usr/bin
\$_SERVER['HTTP_ACCEPT']	text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7

<b>\$_SERVER['HTTP_ACCEPT_ENCODING']</b>	gzip, deflate, br, zstd
<b>\$_SERVER['HTTP_ACCEPT_LANGUAGE']</b>	es-419,es;q=0.9
<b>\$_SERVER['HTTP_COOKIE']</b>	timezone=America/Bogota; cpsession=idtcs360%3axwne06TSW8LkdAqH%2c6262e55beeb5e4dff0549a7b4f96bc
<b>\$_SERVER['HTTP_HOST']</b>	idt.cs360.com.co
<b>\$_SERVER['HTTP_USER_AGENT']</b>	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/137.0.0.0 Safari/537.36
<b>\$_SERVER['HTTP_SEC_CH-UA']</b>	"Google Chrome";v="137", "Chromium";v="137", "Not/A)Brand";v="24"
<b>\$_SERVER['HTTP_SEC_CH-UA-MOBILE']</b>	?0
<b>\$_SERVER['HTTP_SEC_CH-UA-PLATFORM']</b>	"macOS"
<b>\$_SERVER['HTTP_UPGRADE_INSECURE_REQUESTS']</b>	1
<b>\$_SERVER['HTTP_SEC_FETCH_SITE']</b>	none
<b>\$_SERVER['HTTP_SEC_FETCH_MODE']</b>	navigate
<b>\$_SERVER['HTTP_SEC_FETCH_USER']</b>	?1
<b>\$_SERVER['HTTP_SEC_FETCH_DEST']</b>	document
<b>\$_SERVER['HTTP_PRIORITY']</b>	u=0, i
<b>\$_SERVER['HTTP_X_HTTPS']</b>	1
<b>\$_SERVER['DOCUMENT_ROOT']</b>	/home/idtcs360/public_html
<b>\$_SERVER['REMOTE_ADDR']</b>	181.61.205.164
<b>\$_SERVER['REMOTE_PORT']</b>	10927
<b>\$_SERVER['SERVER_ADDR']</b>	198.27.87.155
<b>\$_SERVER['SERVER_NAME']</b>	idt.cs360.com.co
<b>\$_SERVER['SERVER_ADMIN']</b>	webmaster@idt.cs360.com.co
<b>\$_SERVER['SERVER_PORT']</b>	443
<b>\$_SERVER['REQUEST_SCHEME']</b>	https
<b>\$_SERVER['REQUEST_URI']</b>	/
<b>\$_SERVER['HTTPS']</b>	on
<b>\$_SERVER['protossI']</b>	s
<b>\$_SERVER['HTTP_AUTHORIZATION']</b>	<i>no value</i>
<b>\$_SERVER['X_SPDY']</b>	HTTP2
<b>\$_SERVER['SSL_PROTOCOL']</b>	TLSv1.3
<b>\$_SERVER['SSL_CIPHER']</b>	TLS_AES_128_GCM_SHA256
<b>\$_SERVER['SSL_CIPHER_USEKEYSIZE']</b>	128

<b>\$_SERVER['SSL_CIPHER_ALGKEYSIZE']</b>	128
<b>\$_SERVER['SCRIPT_FILENAME']</b>	/home/idtcs360/public_html/index.php
<b>\$_SERVER['QUERY_STRING']</b>	<i>no value</i>
<b>\$_SERVER['SCRIPT_URI']</b>	https://idt.cs360.com.co/
<b>\$_SERVER['SCRIPT_URL']</b>	/
<b>\$_SERVER['SCRIPT_NAME']</b>	/index.php
<b>\$_SERVER['SERVER_PROTOCOL']</b>	HTTP/1.1
<b>\$_SERVER['SERVER_SOFTWARE']</b>	LiteSpeed
<b>\$_SERVER['REQUEST_METHOD']</b>	GET
<b>\$_SERVER['X-LSCACHE']</b>	on
<b>\$_SERVER['PHP_SELF']</b>	/index.php
<b>\$_SERVER['REQUEST_TIME_FLOAT']</b>	1751307908.2248
<b>\$_SERVER['REQUEST_TIME']</b>	1751307908

## PHP Credits

### PHP Group

Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski

### Language Design & Concept

Andi Gutmans, Rasmus Lerdorf, Zeev Suraski, Marcus Boerger

### PHP Authors

Contribution	Authors
<b>Zend Scripting Language Engine</b>	Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Marcus Boerger, Dmitry Stogov, Xinchun Hui, Nikita Popov
<b>Extension Module API</b>	Andi Gutmans, Zeev Suraski, Andrei Zmievski
<b>UNIX Build and Modularization</b>	Stig Bakken, Sascha Schumann, Jani Taskinen, Peter Kokot
<b>Windows Support</b>	Shane Caraveo, Zeev Suraski, Wez Furlong, Pierre-Alain Joye, Anatol Belski, Kalle Sommer Nielsen
<b>Server API (SAPI) Abstraction Layer</b>	Andi Gutmans, Shane Caraveo, Zeev Suraski
<b>Streams Abstraction Layer</b>	Wez Furlong, Sara Golemon
<b>PHP Data Objects Layer</b>	Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
<b>Output Handler</b>	Zeev Suraski, Thies C. Arntzen, Marcus Boerger, Michael Wallner

<b>Consistent 64 bit support</b>	Anthony Ferrara, Anatol Belski
----------------------------------	--------------------------------

<b>SAPI Modules</b>	
<b>Contribution</b>	<b>Authors</b>
<b>Apache 2.0 Handler</b>	Ian Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code)
<b>CGI / FastCGI</b>	Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov
<b>CLI</b>	Edin Kadribasic, Marcus Boerger, Johannes Schlueter, Moriyoshi Koizumi, Xinchun Hui
<b>Embed</b>	Edin Kadribasic
<b>FastCGI Process Manager</b>	Andrei Nigmatulin, dreamcat4, Antony Dovgal, Jerome Loyet
<b>litespeed</b>	George Wang
<b>phpdbg</b>	Felipe Pena, Joe Watkins, Bob Weinand

<b>Module Authors</b>	
<b>Module</b>	<b>Authors</b>
<b>BC Math</b>	Andi Gutmans
<b>Bzip2</b>	Sterling Hughes
<b>Calendar</b>	Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong
<b>COM and .Net</b>	Wez Furlong
<b>ctype</b>	Hartmut Holzgraefe
<b>cURL</b>	Sterling Hughes
<b>Date/Time Support</b>	Derick Rethans
<b>DB-LIB (MS SQL, Sybase)</b>	Wez Furlong, Frank M. Kromann, Adam Baratz
<b>DBA</b>	Sascha Schumann, Marcus Boerger
<b>DOM</b>	Christian Stocker, Rob Richards, Marcus Boerger
<b>enchant</b>	Pierre-Alain Joye, Ilia Alshanetsky
<b>EXIF</b>	Rasmus Lerdorf, Marcus Boerger
<b>FFI</b>	Dmitry Stogov
<b>fileinfo</b>	Ilia Alshanetsky, Pierre Alain Joye, Scott MacVicar, Derick Rethans, Anatol Belski
<b>Firebird driver for PDO</b>	Ard Biesheuvel
<b>FTP</b>	Stefan Esser, Andrew Skalski
<b>GD imaging</b>	Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger, Mark Randall
<b>GetText</b>	Alex Plotnick

<b>GNU GMP support</b>	Stanislav Malyshev
<b>Iconv</b>	Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi
<b>IMAP</b>	Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R Kalowsky
<b>Input Filter</b>	Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky
<b>Internationalization</b>	Ed Batutis, Vladimir Jordanov, Dmitry Lakhtyuk, Stanislav Malyshev, Vadim Savchuk, Kirti Velankar
<b>JSON</b>	Jakub Zelenka, Omar Kilani, Scott MacVicar
<b>LDAP</b>	Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas
<b>LIBXML</b>	Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo
<b>Multibyte String Functions</b>	Tsukada Takuya, Rui Hirokawa
<b>MySQL driver for PDO</b>	George Schlossnagle, Wez Furlong, Ilia Alshanetsky, Johannes Schlueter
<b>MySQLi</b>	Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel
<b>MySQLnd</b>	Andrey Hristov, Ulf Wendel, Georg Richter, Johannes Schlüter
<b>OCI8</b>	Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Harald Radi, Antony Dovgal, Andi Gutmans, Wez Furlong, Christopher Jones, Oracle Corporation
<b>ODBC driver for PDO</b>	Wez Furlong
<b>ODBC</b>	Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky
<b>Opcache</b>	Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Dmitry Stogov, Xinchun Hui
<b>OpenSSL</b>	Stig Venaas, Wez Furlong, Sascha Kettler, Scott MacVicar, Eliot Lear
<b>Oracle (OCI) driver for PDO</b>	Wez Furlong
<b>pcntl</b>	Jason Greene, Arnaud Le Blanc
<b>Perl Compatible Regexp</b>	Andrei Zmievski
<b>PHP Archive</b>	Gregory Beaver, Marcus Boerger
<b>PHP Data Objects</b>	Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
<b>PHP hash</b>	Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner, Scott MacVicar
<b>Posix</b>	Kristian Koehn
<b>PostgreSQL driver for PDO</b>	Edin Kadribasic, Ilia Alshanetsky
<b>PostgreSQL</b>	Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris Kings-Lynne
<b>Pspell</b>	Vlad Krupin
<b>random</b>	Go Kudo, Tim Dusterhus, Guiliam Xavier, Christoph M. Becker, Jakub Zelenka, Bob Weinand, Máté Kocsis, and Original RNG implementors
<b>Readline</b>	Thies C. Arntzen
<b>Reflection</b>	Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter



<b>Sessions</b>	Sascha Schumann, Andrei Zmievski
<b>Shared Memory Operations</b>	Slava Poliakov, Ilia Alshanetsky
<b>SimpleXML</b>	Sterling Hughes, Marcus Boerger, Rob Richards
<b>SNMP</b>	Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrance, Johann Hanne, Boris Lytochkin
<b>SOAP</b>	Brad Lafountain, Shane Caraveo, Dmitry Stogov
<b>Sockets</b>	Chris Vandomelen, Sterling Hughes, Daniel Beulshausen, Jason Greene
<b>Sodium</b>	Frank Denis
<b>SPL</b>	Marcus Boerger, Etienne Kneuss
<b>SQLite 3.x driver for PDO</b>	Wez Furlong
<b>SQLite3</b>	Scott MacVicar, Ilia Alshanetsky, Brad Dewar
<b>System V Message based IPC</b>	Wez Furlong
<b>System V Semaphores</b>	Tom May
<b>System V Shared Memory</b>	Christian Cartus
<b>tidy</b>	John Coggeshall, Ilia Alshanetsky
<b>tokenizer</b>	Andrei Zmievski, Johannes Schlueter
<b>XML</b>	Stig Bakken, Thies C. Arntzen, Sterling Hughes
<b>XMLReader</b>	Rob Richards
<b>XMLWriter</b>	Rob Richards, Pierre-Alain Joye
<b>XSL</b>	Christian Stocker, Rob Richards
<b>Zip</b>	Pierre-Alain Joye, Remi Collet
<b>Zlib</b>	Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti, Michael Wallner

PHP Documentation	
<b>Authors</b>	Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Hannes Magnusson, Philip Olson, Georg Richter, Damien Seguy, Jakub Vrana, Adam Harvey
<b>Editor</b>	Peter Cowburn
<b>User Note Maintainers</b>	Daniel P. Brown, Thiago Henrique Pojda
<b>Other Contributors</b>	Previously active authors, editors and other contributors are listed in the manual.

PHP Quality Assurance Team	
Ilia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick Rethans, Melvyn Sopacua, Pierre-Alain Joye, Dmitry Stogov, Felipe Pena, David Soria Parra, Stanislav Malyshev, Julien Pauli, Stephen Zarkos, Anatol Belski, Remi Collet, Ferenc Kovacs	

Websites and Infrastructure team	
PHP Websites Team	Rasmus Lerdorf, Hannes Magnusson, Philip Olson, Lukas Kahwe Smith, Pierre-Alain Joye, Kalle Sommer Nielsen, Peter Cowburn, Adam Harvey, Ferenc Kovacs, Levi Morrison
Event Maintainers	Damien Seguy, Daniel P. Brown
Network Infrastructure	Daniel P. Brown
Windows Infrastructure	Alex Schoenmaker

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).