Fundamentals of computational biology

Lecture notes

Camilo García-Botero

2022-07-30

Table of contents

Preface **6**
Learning features 6

Caution **7**

Challenges **8**

File format **8**

Introduction **9**

I The command line **10**

1 The command line **11**
1.1 Getting started with the command line 11
1.2 File paths 11
1.3 Basic Unix commands 12
1.3.1 Printing your working directory 13
1.3.2 Change to other directory 13
1.3.3 Listing files 14
1.3.4 Making new directories 14
1.3.5 Creating a file 14
1.3.6 Printing files to the screen 15
1.3.7 Removing files or directories 15
1.4 Anatomy of a command 15
1.5 Some greate operators 16
1.6 intermediate Unix commands 16

2 Introduction to the control of versions **17**

3 Git basics **18**

4 GitHub **19**

5 Control version workflow **20**

6 Package managers **21**
6.1 What is the importance of package managers . . 21
6.2 Conda environments and other package managers 21
6.3 Creating enviroments with Conda 21
6.4 Package managers for OS 21

7 Notions of HPC **22**
7.1 What is HPC 22
7.2 Some important concepts of the hardware 22
7.3 Using the Apolo cluster wirh Slurm 22

II Sequence analysis **23**

8 Introduction to sequence analysis **24**
8.1 Endless debate: bioinformatics vs. computational biology 24
8.2 The duality of DNA 24
8.3 The central ~~dogma~~ theory of molecular biology extended 24
8.4 Sequencing strategies 24
8.5 Sequencing over time 24
8.6 Some insights from sequencing genomes 24

9 Sanger analysis **25**
9.1 Databases exploration 25
9.2 Sanger sequencing methods 25
9.2.1 The chain termination method 25
9.2.2 Sanger with capillary electrophoresis . . . 25
9.2.3 Strengths and limitations of Sanger methods 25
9.3 Files from Sanger 25
9.4 Sanger processing workflow 25
9.5 The 16S rRNA and its relevance for sequencing . 25

10 Sequence alignments **26**
10.1 Why do we align sequences? 26
10.2 What is homology 26
10.3 Pairwise alignments algorihtms 26
10.3.1 Hamming distance 26

10.3.2 Edit distance 26
10.3.3 Needleman-Wunsch (global alignment) . . 26
10.3.4 Smith-Waterman (local alignment) 26
10.4 The genetic code and Scoring matrices 26
10.5 BLAST and its families 26
10.6 Multiple sequence alignments 26

11 Phylogenetics **27**
11.1 What is a phylogenetic tree 27
11.2 Mehtods for phylogenetic reconstruction 27
11.3 Building a phylogenetic reconstruction 27
11.3.1 Evolutionary substitution model 27
11.3.2 Maximum likelihood 27
11.3.3 Bayesian inference 27

12 NGS and TGS: principles **28**
12.1 Platforms yields 28
12.2 Reads main differences 28
12.3 Illumina principle (sequencing by synthesis) . . . 28
12.3.1 The fastq format 28
12.3.2 Quality assesment of Illumina 28
12.4 PacBio principle (sequencing by incorporation) . 28
12.4.1 Throughput evolution 28
12.4.2 Quality assesment of PacBio 28
12.5 Oxford Nanopore Technology (ONT) principle . 28
12.5.1 Platforms 28
12.5.2 The fast5 file format 28

III Genomics **29**

13 Genome assembly **30**
13.1 The problem of assembling genomes 30
13.2 Main algorithms for genome asssembly 30
13.2.1 Overlay, Layout, Consensus (OLS) 30
13.2.2 De Bruijn graphs 30
13.3 Main concepts of an assembly 30
13.3.1 Contigs, Unitigs, Scaffolds 30
13.4 A complete workflow for assembling genomes . . 30
13.5 Assessing genomes 30
13.5.1 Inspecting genome graphs 30

13.5.2 Genome completeness 30
13.6 Understanding genome difficulties 30

14 Genome annotation and visualizaiton **32**
14.1 *ab initio* annotation 32
14.2 Homolgy annotation 32
14.3 Annotation files 32
14.3.1 the GBK and GBFF 32
14.3.2 The GFF specificaitons 32
14.4 Visualizing genomes and annotations 32

16 Variant calling analysis **34**
16.1 Common mutations 34
16.2 Structural variants 34
16.3 Genome rearrengments 34
16.4 Read mapping algorithms and programs 34
16.4.1 Burrow-Wheeler-Alignment 34
16.4.2 BWA-MEM2 34
16.4.3 Minimap2 34
16.4.4 SAM, BAM and CRAM formats 34
16.5 Identifying mutations 34
16.5.1 Freebayes and Snippy 34
16.5.2 The VCF file 34

IV Structural bioinformatics **35**

17 Introduction to structural bioinformatics **36**
17.1 Protein structures 36
17.2 Identifying or predicting protein structures . . . 37
17.2.1 Secondary structure prediction 37
17.3 PDB database introduction 38

References **39**

Preface

> **Danger**
>
> This book is a work in progress

We started this book with the aim of compiling the lectures of the course Fundamentals of Computational Biology offered at Universidad EAFIT for undergrad students in Biology. The course has been taught from different perspectives from its creation, yet the last iteration was divided into three modules. i) introduction to Unix (4 lectures) ii) introduction to sequence analysis and genomics (7 lectures) and iii) principles of structural biology (4 lectures).

Lectures are focused on a theoretical-practical approach where basic concepts from biology, bioinformatics and computer science and interleave with the practice to solve challenges. Excercised or challenges are designed to improve stundents abilities that are likely to be involved in real-life problems in computational biology.

Learning features

> **Note**
>
> Sometimes other fields might add interested value to the understanding of the computational biology area. This feauture remarks some of them and aim to explain these intersections.

Tip

As you move forward in the computational biology field you will find that there are several tips and tricks (mainly from the command line) as well as some random CLI programs that can leverage your daily workflow as a researcher. Using this feature we highlight some of those that appeared to linger on the field.

Important

To help you consolidate your understanding we end most chapters with important messages or concepts that help you evaluate yourself as you move forward on the lessons.

Danger

Caution

When experimenting with the CLI and many other computational tools it is common to face several known errors and drawbacks. Then, we present some of them and how to sort them out.

Warning

Challenges

Since focused on a competences learning approach we have highlighted several real-life (but basic) *challenges* a researcher faces when approaching computational biology problem (from tool selection, usage and result analysis). Therefore the book section *challenges* presents a selection of these problems that will later be apporached by a computational biology strategy (mainly from the CLI).

File format

As many analysis specialize on data analysis, many formats arise that optimize the processing steps or the data storing steps. Some of these formats are keystones of bioinformatic analyses. We present examples of some formats an describe its main elements.

Introduction

Here we present a course centered book of the Fundamentals of Computational Biology. We will cover several topics, from using the unix tools, the importance of package manager systems (such as homebrew and conda), sequencing technologies, sequence alignments, molecular phylogenetics, genome assembly and annotation, and variant calling analysis.

Inlcude a section, maybe an appendix about how to handle errors Include s section about the windows subsistem for linux WSL and the ease of use for windows users

Part I

The command line

1 The command line

In this chapter we will explore the fundamentals of the command line interface (aka CLI). And the differences between Operating Systems (OS), Unix, CLI, Bash and Terminal.

As you will see the CLI is composed of several programs enabling the interaction with the machine, we will discuss some of the basics to navigate your machine, and some advance one that enable complex operations and automating tasks.

1.1 Getting started with the command line

Before landing into the CLI let us consider the Unix concept. The first question that comes in this section is: what is Unix? It simply is an operating system (OS). On another terms it is a set of programs that inter-operate with each other to let you communicate with the machine. A very important variant of Unix with a *libre* access is the very known OS Linux. The most important idea behind Unix based systems is the idea that we can use it to access information and hardware programmatically.

Almost every computer has a way to interact with or access to the inner elements of the computer. Such interface is called the terminal Fig. 1.1

1.2 File paths

Programs, files and directories on every machine display hierarchical paths (routes), starting out from the **root** (/). The **root**



Figure 1.1: A **terminal** app displaying common features of the command line interface

represents the beginning of all the software installed in the machine. And many other files are nested from there forming a tree-like structure for the paths Fig. 1.2

> **Tip**
>
> You can inspect the paths of a nested directory tree using `tree` command in you cli:
>
> ```
> tree -d -L 1
> ```

There are basically **two** ways to

1.3 Basic Unix commands

Given that the vast majority of file systems are orginzed in file paths, the first question when starting with the CLI is "where am I?". So Unix tool system is equiped with a bunch of commands but its basic ones are pretty much oriented to answer that question and navigating this text-based interface of files.



Figure 1.2: A figure displaying tree-like structure of the programs in a machine with macOS

The following three commands (`pwd`, `cd`, `ls`) will help you conquer the CLI.

1.3.1 Printing your working directory

To know where you are you can see your current location, that is to *print your working directory* using the `pwd` command.

```
pwd
```

1.3.2 Change to other directory

```
cd test-dir
```

> **Tip**
>
> Some basic arguments to navigate across your terminal:

```
cd .. # change backwards
cd ~  # change to the home
cd /  # change to the root
cd -  # change to previous dir
```

1.3.3 Listing files

```
ls
```

> Tip
>
> You can navigate your executed commands by typing ↑ or ↓.

1.3.4 Making new directories

```
mkdir test-dir
```

1.3.5 Creating a file

A simple command to create any file inside your terminal is `touch` it just create a file, but do not allow any editing.

```
touch new-file.txt
```

The `new-file.txt` is empty and created on your current location unless you assign another path when creating it. We suggest to take a look at Allison Horst, especially on how to name files depending on the *case* see **?@fig-naming-files**

1.3.6 Printing files to the screen

```
cat new-file.txt
```

> **Tip**
>
> When using the CLI at first its common to feal quite slow. Then, a very useful tip to boost the productivity from the command line is the autocompletion of commands by hitting `<tab>` after the initial command.

1.3.7 Removing files or directories

```
rm
```

```
rmdir
```

1.4 Anatomy of a command

There is still many conventions by wich the parts of a command line might be called, yet a very standard convention is presented in Figure 1.3



Figure 1.3: A simple command and a convention to call its main components

Some other for instance also tend to call the `option` as `flag`. This conventions are powerful becasue almost any command line interface display this structure (complex one add some other features and simple one tend to lack subcomands).

Challenge

Bacterial defense mechanisms to avoid bacteriophage infections are abundant. One of these is the resctriction-modification system (RM-System), which works by targeting a specific site called *motif*, shared by the phage and bacteria, with methylations. Motifs are commonly represented as a *motif logo* which is a probabilistic representation of the nucleotides in a given position. Find the number of times the motif from **?@fig-motif** appears on *B. tequilensis* EA-CB0015 genome using a command. Assume that probabilities are equal when multiple bases appeared at one site.

1.5 Some greate operators

1.6 intermediate Unix commands

```
sed
```

```
grep
```

For more explanations on the basic commands in the command line we suggest to visit the first chapters of *Computing skills for biologist* from Allesina and Wilmes (2019)

2 Introduction to the control of versions

3 Git basics

4 GitHub

5 Control version workflow

6 Package managers

6.1 What is the importance of package managers

6.2 Conda environments and other package managers

6.3 Creating enviroments with Conda

6.4 Package managers for OS

There are several package managers handling general purpose packages and apps. For MacOS the famous one is Homebrew and for Windowos several could be used such as Chocolatey and Scoop.

7 Notions of HPC

7.1 What is HPC

7.2 Some important concepts of the hardware

See Jakob's blog

7.3 Using the Apolo cluster wirh Slurm

Part II

Sequence analysis

8 Introduction to sequence analysis

In this chapter we will discuss several about several points of view about bioinformatics and computational biology, we will further consider several biological concepts that appear central to understand the manipulation of biological data.

8.1 Endless debate: bioinformatics vs. computational biology

8.2 The duality of DNA

8.3 The central ~~dogma~~ theory of molecular biology extended

8.4 Sequencing strategies

8.5 Sequencing over time

8.6 Some insights from sequencing genomes

9 Sanger analysis

This is a section about the first gen sequencing tech

9.1 Databases exploration

9.2 Sanger sequencing methods

9.2.1 The chain termination method

9.2.2 Sanger with capillary electrophoresis

9.2.3 Strengths and limitations of Sanger methods

9.3 Files from Sanger

9.4 Sanger processing workflow

9.5 The 16S rRNA and its relevance for sequencing

10 Sequence alignments

10.1 Why do we align sequences?

In search of homology and identy

10.2 What is homology

10.3 Pairwise alignments algorihtms

10.3.1 Hamming distance

10.3.2 Edit distance

10.3.2.1 Dynamic programming

10.3.3 Needleman-Wunsch (global alignment)

10.3.4 Smith-Waterman (local alignment)

10.4 The genetic code and Scoring matrices

10.5 BLAST and its families

psi-blast? true homologs, recurrent blast to polish scoring matrix during several generations to generate true homologs

10.6 Multiple sequence alignments

11 Phylogenetics

11.1 What is a phylogenetic tree

11.2 Mehtods for phylogenetic reconstruction

11.3 Building a phylogenetic reconstruction

11.3.1 Evolutionary substitution model

11.3.2 Maximum likelihood

11.3.3 Bayesian inference

12 NGS and TGS: principles

12.1 Platforms yields

12.2 Reads main differences

12.3 Illumina principle (sequencing by synthesis)

12.3.1 The fastq format

12.3.2 Quality assesment of Illumina

12.4 PacBio principle (sequencing by incorporation)

12.4.1 Throughput evolution

12.4.2 Quality assesment of PacBio

12.5 Oxford Nanopore Technology (ONT) principle

12.5.1 Platforms

12.5.2 The fast5 file format

Part III

Genomics

13 Genome assembly

13.1 The problem of assembling genomes

13.2 Main algorithms for genome asssembly

13.2.1 Overlay, Layout, Consensus (OLS)

13.2.2 De Bruijn graphs

13.3 Main concepts of an assembly

13.3.1 Contigs, Unitigs, Scaffolds

13.4 A complete workflow for assembling genomes

13.5 Assessing genomes

13.5.1 Inspecting genome graphs

13.5.2 Genome completeness

13.6 Understanding genome difficulties

- End of chromosomes
- Erros
- Lack of coverage
- Heterozigozity

- repeats

14 Genome annotation and visualizaiton

14.1 *ab initio* annotation

14.2 Homolgy annotation

14.3 Annotation files

14.3.1 the GBK and GBFF

14.3.2 The GFF specificaitons

14.4 Visualizing genomes and annotations

15

16 Variant calling analysis

16.1 Common mutations

16.2 Structural variants

16.3 Genome rearrengments

16.4 Read mapping algorithms and programs

16.4.1 Burrow-Wheeler-Alignment

16.4.2 BWA-MEM2

16.4.3 Minimap2

16.4.4 SAM, BAM and CRAM formats

16.5 Identifying mutations

16.5.1 Freebayes and Snippy

16.5.2 The VCF file

Part IV

Structural bioinformatics

17 Introduction to structural bioinformatics

Structural bioinformatics is a multidisciplinary area enriched by chemistry, physics, computer science and many others. Although, it could be focused on different biological macromolecules, here the emphasis will be focused on proteins.

One of the first protein structure elucidated was myoglobin and it triggered the study of the role of the structure of proteins and its biological functions

Identify a protein related to your study that could be further analyzed.

17.1 Protein structures

Difference between the levels of protein structure primary structure is the basic linear representation of aminoacids. Natural aminoacids and modified or rare aminoacids display physico-chemical rich information and could be represented by letters. Therefore in the genetic code we could find the one-letter code.

Secondary structures result from the spatial arrangement of aminoacids that interact with each closer neighbors. There are some remarkable secondary structures such as β-sheets, α-helix, coils (flexible) and others.

Tertiary structure informs about the structural disposition of the secondary structures that fold between each other due to hydrophobic interactions, disulfure bonds, and other chemical interactions forming a globular and dynamic structure. Thus, proteins could display multiple structural states depending

on the physical and energy stability (see the Levinthal's paradox).

Quaternary structures result from interaction of multiple tertiary structures. *The structure, therefore dictates the protein function.* This basic concept have triggered more recently a boom on the analysis of the structure of proteins.

17.2 Identifying or predicting protein structures

Xray crystallography, nuclear magnetic resonance (NMR) allows to encapsulated dynamic information of the protein in time Electron micrography (EM) and Cryo-EM. These experiment rely on highly specialized set ups and there are other drawbacks

To date, helium is scarce around the world, so labs all around are having trouble to get this element.

Modelling the structure whether *ab initio* or by *homology* also allow structure prediction. However these strategies

Recently AlphaFold

The protein database (PDB)

Protein topologies resulting from the folding: horshoe, beta-barrel and other could be identified

Structural classification of proteins (SCOP) when analyzing a new protein classification by class, architecture, topology (fold-family), homologous superfamily and sequence family

Importance of Gene Ontology

17.2.1 Secondary structure prediction

Secondary structures could also be represented in one letter (e.g.)

Functional domains could be predicted by sequence alignment and allow structural inference. Main predictions are based heavily on machine learning and are frequently accepted under a consensus of multiple tools.

There is a group of protein called intrinsically-disordered proteins that change in its tertiary structures quite frequently, therefore it prediction could be troublesome.

> ⚠ Exercise 01
>
> Submit 5lWM (JAK3) from the PDB on FASTA format on the JPRED and PSIPRED and compared with the experimentally predicted version of the protein. Analyse the predictions and tell are there differences between predictions? Which one is more accurate?

17.3 PDB database introduction

The PDB database is one of the most important and ancient open biological database where all new protein structures are submitted. It is an international consortium where several regions work together to curate information.

The PDB in Europe (PDBe) is not only for proteins but form many other *experimentally predicted* macro-molecules (protein-protein interactions, peptides, RNA and so on).

Protein structures are registered using a unique code of four characters.

X-ray crystallography: is a chemical state of the macro-molecule where it is immobilized, therefore information correspond to one state of the structure, then crystal protein is submitted to an x-ray beam to generate a diffraction pattern.

NMR spectroscopy: captures dynamic information of the protein, but generally resolves small proteins. The principle?

Electron microscopy adapted to cryo-preservation allow proteins visualization.

References

Allesina, Stefano, and Madlen Wilmes. 2019. "Computing Skills for Biologists," January. https://doi.org/10.2307/j.ctvc77jrc.