

Pentana Vehicle Sales
Dealer Reference Table — Construction & Analysis

Synogize Internal Technical Report
Prepared by Camilo Andres Uribe Guerra
April 2026

Contents

1	Executive Summary	3
2	Dataset Context	4
2.1	Source table	4
2.2	The dealer proxy key	4
2.3	Scope of this workstream	4
2.4	Position in the medallion architecture	4
3	Methodology	5
3.1	Initial approach and pivot	5
3.2	Search protocol	5
3.3	Output schema	5
3.4	Merge and deduplication	5
4	Match Outcome Analysis	6
4.1	Status definitions	6
4.2	Breakdown by count and VIN volume	7
4.3	Match status chart	8
5	Data Quality Findings	9
5.1	Invalid and PO Box postcodes	9
5.2	OEM / Importer headquarters	9
5.3	Systematic postcode swap clusters	9
5.4	Closed and terminated dealerships	10
5.5	Brand renames	10
6	Volume Analysis	11
6.1	Top 15 makes by VIN count	11
6.2	Makes by number of proxy keys	11
7	Geographic Distribution	12
7.1	State breakdown	12
7.2	Northern Territory and remote coverage	12
8	Dealer Group Dimension (DIM_DEALER_GROUP)	13
8.1	Overview	13
8.2	Group type breakdown	13
8.3	Algorithm	13

8.4	Top 20 dealer groups by VIN volume	14
8.5	Validation checks	15
8.6	Known limitations	15
9	Recommended Next Steps	17
9.1	Gold dimensions: DIM_DEALER and DIM_DEALER_GROUP	17
9.2	Handling non-MATCHED statuses	17
9.3	Data quality monitoring	17
9.4	Remaining long-tail keys	18
10	Dealer Land-Size Enrichment	19
11	Appendix: Output File Reference	20

1 Executive Summary

This report documents the end-to-end construction of the **Pentana Dealer Reference Table** (`69_dealer_reference_merged.csv`), a curated dimension asset that resolves every unique `DEALER_PROXY_KEY` in the Pentana Vehicle Sales dataset to a verified Australian automotive dealer record.

The proxy key is defined as:

`DEALERPOSTCODE_CLEAN || '||' || MAKE ⇒ DEALER_PROXY_KEY`

Key outcomes at a glance:

Metric	Value	Notes
Unique proxy keys resolved	1,910	180 distinct makes
Total vehicles (Silver layer)	5,075,776	1 row = 1 unique VIN (last Snowflake snapshot)
Fully matched keys	1,376	72.0%
Postcode-mismatch keys	400	20.9% — dealer found at adjacent postcode
No match found	98	5.1% — closed, invalid, or PO Box
Not found (low-volume search)	15	0.8% — no authorised dealer located
OEM / Importer HQ	11	0.6% — corporate address, not retail
Partial match	9	0.5% — multi-site or ambiguous

Combined, **93.5% of proxy keys** (`MATCHED` + `POSTCODE_MISMATCH` + `PARTIAL`) can be linked to a real, operating dealership. The reference table is ready to seed the Gold/Silver dealer dimension layer.

2 Dataset Context

2.1 Source table

The underlying data source is `PENTANA_DB.RAW.VEHICLE_SALES_NEW`, a raw vehicle sales table ingested from the Pentana DMS (Dealer Management System). The Silver core table contains **5,075,776 rows** after cleaning.

2.2 The dealer proxy key

The DMS stores dealer identity only as a postcode (`DEALERPOSTCODE_CLEAN`) and a vehicle make (`MAKE`). There is no dealer name, ABN, or franchise code in the raw data. The compound key `DEALERPOSTCODE_CLEAN|MAKE` therefore acts as a *proxy* for dealer identity throughout the pipeline.

2.3 Scope of this workstream

Keys with **51 or more VIN rows** were targeted for manual resolution across multiple research passes. A supplemental gap-research pass covered the remaining lower-volume and newly discovered keys, bringing the total to **2,142** researched proxy keys. Only 1 key (`NOT_SEARCHED`) and 24 keys (`NOT_FOUND`) remain unresolved.

2.4 Position in the medallion architecture



The dealer reference table feeds both the Silver dimension enrichment and the Gold `DIM_DEALER` table, enabling downstream joins on `DEALER_PROXY_KEY`.

3 Methodology

3.1 Initial approach and pivot

An early one-by-one search strategy was used for the top 55 highest-volume proxy keys. Although accurate, this approach did not scale — resolving 1,179 keys individually would have required over 1,100 separate web queries.

The session pivoted to a **make-level batch search strategy**: rather than looking up one postcode at a time, all known dealers for a given brand were retrieved in a single search using the OEM’s official dealer locator. This reduced the effective search count from $\sim 1,100$ to roughly 30–50 brand-level searches.

3.2 Search protocol

For each make, the following sources were consulted in order of priority:

1. Official OEM dealer-locator website (e.g. *toyota.com.au/dealer-locator*)
2. Google Maps / Google Business listings
3. State motor trader registration lookups
4. Automotive industry directories (carsguide, drive.com.au, redbook)
5. Industry news sources for closed/relocated dealers

3.3 Output schema

Each resolved record contains:

Column	Description
DEALER_PROXY_KEY	Compound key POSTCODE MAKE
DEALERPOSTCODE_CLEAN	Postcode from DMS
MAKE	Vehicle brand
VIN_ROWS	Number of VINs for this key
DEALER_NAME	Verified trading name
STREET_ADDRESS	Physical address
SUBURB	Suburb
STATE	Australian state/territory
POSTCODE_FOUND	Actual postcode of physical dealer
MATCH_STATUS	Resolution category (see §4)
NOTES	Freetext explanation for non-MATCHED rows

3.4 Merge and deduplication

Results were accumulated across multiple agent-level batch runs and merged into a single unified file. The top-55 manually researched keys took precedence over batch results during deduplication. The final file was sorted by **MAKE** ascending, **VIN_ROWS** descending.

4 Match Outcome Analysis

4.1 Status definitions

Each proxy key was assigned one of six resolution statuses after research. The table below gives the short definition; the paragraphs that follow explain the four non-trivial statuses in detail.

Status	Meaning
MATCHED	Dealer found at the exact postcode recorded in the DMS
POSTCODE_MISMATCH	Dealer identified, but operating at a different postcode than recorded
NO_MATCH	No active dealer found — closed, PO Box, or invalid postcode
OEM_HQ	Postcode is a brand importer/distributor HQ, not a retail dealer
PARTIAL	Dealer found but with structural ambiguity (multi-site or shared premises)
NOT_SEARCHED	Below the 51-VIN threshold; not researched in this pass

POSTCODE_MISMATCH — dealer exists, wrong postcode in the DMS

The dealer is real and operating, but the postcode stored in the DMS does not match the dealer's actual address. For example, the DMS contains 2232|SUZUKI, but Tynan Suzuki's actual postcode is 2224 (Kirrawee, not Sutherland). The vehicle was sold there — the DMS simply recorded the wrong postcode, likely due to how the dealer group registered in the system. These records are fully usable: the dealer is identified and the POSTCODE_FOUND column carries the verified address. Geographic joins should use POSTCODE_FOUND, not DEALERPOSTCODE_CLEAN.

NO_MATCH — no dealer found at all

Three distinct sub-cases fall under this status:

- **Closed dealerships** — the franchise permanently shut down after the VINs were recorded (e.g. Cardiff Honda closed September 2024; Tynan Honda's franchise was terminated by Honda Australia).
- **Invalid or PO Box postcodes** — 1001 (Sydney GPO), 6960 (Perth GPO), and 0000 can never correspond to a physical dealership. These are data entry errors or corporate mail addresses in the DMS.
- **Genuine gaps** — every available source was searched and no evidence of a dealer ever operating at that postcode for that brand was found.

NO_MATCH rows should be retained in DIM_DEALER with nulled address fields. Downstream facts will still join, but geographic and dealer-level aggregations will be null — which is the correct representation.

OEM_HQ — corporate headquarters, not a retail dealer

Postcode 2153 (Baulkham Hills, NSW) is the Inchcape/Trivett national campus — the importer and distributor for Honda, Kia, Jaguar, Subaru, and Deepal in Australia. Postcode 3061 (Campbellfield, VIC) is Ford Motor Company of Australia’s corporate headquarters. VINs logged against these postcodes are most likely pre-delivery movements, fleet allocations, or importer-direct transactions — not retail sales. They must be excluded from dealer performance reports and treated as a separate transaction type in the Gold layer (`IS_RETAIL_DEALER = FALSE`).

PARTIAL — found, but handle with care


Used when a dealer was found but something about the match is structurally ambiguous. Typical cases include a dealer group that operates a showroom and a service centre under the same trading name at two different postcodes (making it unclear which location generated the VIN), or two brands co-located on the same site where the DMS entry could refer to either. **PARTIAL** records should be joined like **MATCHED** for volume counts, but should not be used for dealer-level attribution or geographic pinpointing without further investigation.

4.2 Breakdown by count and VIN volume

Status	Keys	% Keys	VINs*	% VINs
MATCHED	1,376	72.0%	3,964,546	—
POSTCODE_MISMATCH	400	20.9%	635,661	—
NO_MATCH	98	5.1%	240,866	—
NOT_FOUND	15	0.8%	30	—
OEM_HQ	11	0.6%	117,223	—
PARTIAL	9	0.5%	34,929	—
NOT_SEARCHED	1	<0.1%	6,920	—
Total	1,910		VIN % pending Snowflake refresh	

*VIN counts for the original 1,544 base keys are from the last Snowflake snapshot. Re-run `12_dealer_reference_enrichment.py` to refresh VIN percentages against the full Silver table.

4.3 Match status chart



5 Data Quality Findings

5.1 Invalid and PO Box postcodes

Three postcodes in the dataset are structurally invalid as retail dealer locations:

Postcode	Type	Affected Makes
1001	Sydney GPO / PO Box range	FORD, MAZDA, NISSAN, others
6960	Perth GPO / PO Box range	FORD
0000	Invalid (null-like)	FORD

These keys represent corporate mail addresses or data entry errors in the DMS. They should be excluded from any geo-spatial analysis and flagged in the Gold dimension.

5.2 OEM / Importer headquarters

Eleven proxy keys resolve to brand importer or distributor headquarters rather than retail dealerships. All are concentrated at postcode 2153 (Baulkham Hills, NSW) — the address of the Inchcape Australia / Trivett corporate campus — plus Ford's Australian HQ at Campbellfield VIC (3061):

Proxy Key	Entity	Note
2153 SUBARU	Subaru Australia Head Office	OEM HQ (96,977 VINs)
2153 KIA	Inchcape Motors Australia	National Kia distributor
3061 FORD	Ford Motor Company of Aust. HQ	Corporate, not retail
2153 HONDA	Inchcape Australia	National Honda distributor
2153 JAGUAR	JLR Australia	National JLR importer
2153 MINI	Inchcape Australia	Corporate campus, not MINI
2153 CITROEN	Inchcape Australia	National Citroen distributor
2153 BENTLEY	Inchcape Australia (HQ)	Retail dealer is Alexandria 20
2153 SKODA	Inchcape Australia	OEM/distributor HQ
2153 AMERICAN MOTOR SPORT	Inchcape campus	Importer-direct, no retail deal
2153 DEEPAL	DEEPAL Australia (HQ)	National distributor (postal or

VINs at these keys likely represent fleet, pre-delivery, or importer-direct transactions. They should be modelled separately from retail dealer transactions.

5.3 Systematic postcode swap clusters

Several dealer groups are consistently recorded with the wrong postcode in the DMS. These are not data quality issues in the traditional sense — the dealer is real — but the DMS postcode does not match the dealer's actual address:

DMS Postcode	Actual Postcode	Dealer / Location	Explanation
4107	4105	Motorama (Moorooka, QLD)	Parts address vs.
4066	4068	Various (Toowong/Indooroopilly, QLD)	Suburb boundary
4560	4558	Cricks (Nambour/Maroochydore)	Adjacent suburbs
5000	5034	Multiple SA dealers	CBD postcode vs
2153	multiple	Inchcape NSW campus	OEM / corporate

5.4 Closed and terminated dealerships

The following notable closures were identified during research:

- **2232|HONDA** — Tynan Honda: franchise terminated by Honda Australia; no active replacement at that postcode.
- **2285|HONDA** — Cardiff Honda: permanently closed approximately September 2024.
- **3181|HONDA** — Former John Blair Honda: relocated and no longer an official Honda Centre.
- Multiple **HOLDEN** keys: brand discontinued in Australia in 2020; VINs represent historical records only.


5.5 Brand renames

Three makes in the dataset correspond to brands that have been renamed or restructured:

DMS Make	Current Brand	Note
SSANGYONG	KGM (formerly SsangYong)	Rebranded 2023
HOLDEN	GMSV (General Motors Specialty Vehicles)	Brand retired 2020; GMSV launched 2021
GREAT WALL	GWM (Great Wall Motors)	Corporate rename

6 Volume Analysis

6.1 Top 15 makes by VIN count



Mazda leads by a significant margin with over 206,000 VINs, followed by Ford (151,221) and Mitsubishi (98,435). The top three brands collectively account for **34.5%** of all VINs in the dataset.

6.2 Makes by number of proxy keys

The number of proxy keys per make reflects the dealer network density. Ford leads with 69 distinct postcode/brand combinations, reflecting a broad national footprint:


Make	Proxy Keys	Total VINs
FORD	69	151,221
MITSUBISHI	62	98,435
KIA	61	80,517
HYUNDAI	61	86,211
NISSAN	58	57,394
MAZDA	56	206,810
HOLDEN	52	25,488
MG	41	34,545
SUZUKI	40	—
VOLKSWAGEN	40	73,912

Mazda's high VIN volume relative to its key count (56 keys, highest VINs) indicates high throughput per dealer — consistent with Mazda's historically strong sales performance in the Australian market.

7 Geographic Distribution

7.1 State breakdown

The following chart shows the number of resolved dealer locations (MATCHED + POSTCODE_MISMATCH) per state/territory:



NSW (509), VIC (524), and QLD (425) account for **82.2%** of all resolved dealer locations. This distribution is consistent with Australian population concentration and the geographic footprint of the Pentana DMS network.

7.2 Northern Territory and remote coverage

Despite low absolute numbers, NT has 13 resolved locations covering Darwin (postcode 0820/0828) and Alice Springs (0870). These are critical for rural fleet and government vehicle analysis. The leading-zero issue (NT postcodes stored as 820 instead of 0820) was identified and corrected during the merge process.

8 Dealer Group Dimension (DIM_DEALER_GROUP)

8.1 Overview

A dedicated dealer group dimension was generated from the 2,142-row final reference table using a two-pass clustering algorithm implemented in `19_dealer_group_builder.py`. The dimension covers all proxy keys — resolved, unresolved, and independent — assigning each to exactly one dealer group.

Metric	Value	Notes
Total dealer groups	1,074	One row per group in DIM_DEALER_GROUP
Proxy keys assigned	2,142	100% coverage
Multi-state groups	0	All groups operate within one state
Groups with 5+ proxy keys	84	Large multi-brand or multi-site operators
Groups with 10+ proxy keys	11	Dominant dealer group entities
Largest group (proxy keys)	19	Peter Warren Motors, Liverpool NSW

8.2 Group type breakdown

Each group is assigned one of four types based on how it was formed:

Group Type	Groups	%	Proxy Keys	Description
MULTI_BRAND_SITE	356	33.1%	1,229	Same physical address, multiple brands (Pass 1)
INDEPENDENT	476	44.3%	476	Single proxy key; no clustering match found
NAME_PREFIX_GROUP	103	9.6%	298	Shared name root within same state (Pass 2)
UNRESOLVED	139	12.9%	139	NO_MATCH, OEM_HQ, or similar
Total	1,074		2,142	

The 356 MULTI_BRAND_SITE groups account for **57.4%** of all proxy keys, confirming that the majority of dealer activity is concentrated at shared physical campuses operated by multi-brand dealer groups.

8.3 Algorithm

The grouping uses a two-pass deterministic algorithm:

Pass 1 — Address clustering

Proxy keys sharing the same normalised STREET_ADDRESS + SUBURB + STATE are assigned to the same group (MULTI_BRAND_SITE). Address abbreviations (*St*, *Rd*, *Hwy*) are expanded before comparison. This pass identified **356 shared physical sites** containing two or more brands.

Pass 2 — Name-prefix clustering

Trailing brand/make words are stripped from each dealer name (e.g. *Cricks Highway Volkswagen* → *cricks highway*). Keys whose stripped name matches exactly and share the same state are joined into a `NAME_PREFIX_GROUP`. This recovers dealer groups that operate at nearby but distinct addresses under a common trading name (e.g. the Cricks, Sutherland Motor Group, and Melbourne City groups).

Pass 3 — Singletons

Any resolved proxy key not captured by Passes 1 or 2 becomes its own one-key `INDEPENDENT` group. Unresolved keys (`NO_MATCH`, `OEM_HQ`, etc.) become `UNRESOLVED` singleton groups.

The canonical group name is taken from the dealer with the highest VIN volume within the group, after stripping trailing brand words. Surrogate keys are assigned by descending total VIN volume so that the largest groups receive the lowest `DEALER_GROUP_SK` values.

8.4 Top 20 dealer groups by VIN volume

SK	Dealer Group	Type	State	Keys	VINs
1	Byd Brisbane	MULTI_BRAND_SITE	QLD	2	39,782
2	Melbourne	NAME_PREFIX_GROUP	VIC	4	36,301
3	West End Mazda Parramatta	INDEPENDENT	NSW	1	30,262
4	Liverpool	NAME_PREFIX_GROUP	NSW	2	30,021
5	Q Ford Springwood	MULTI_BRAND_SITE	QLD	3	29,975
6	Toowong	MULTI_BRAND_SITE	QLD	4	29,504
7	Sutherland	NAME_PREFIX_GROUP	NSW	3	27,450
8	Mackay	NAME_PREFIX_GROUP	QLD	5	26,514
9	<i>1001/FORD</i>	UNRESOLVED	—	1	24,215
10	Ringwood	MULTI_BRAND_SITE	VIC	3	21,841
11	Cricks Mitsubishi Nambour	MULTI_BRAND_SITE	QLD	14	20,089
12	Ferntree Gully	NAME_PREFIX_GROUP	VIC	3	19,361
13	Parramatta	NAME_PREFIX_GROUP	NSW	6	18,166
14	<i>1001/MAZDA</i>	UNRESOLVED	—	1	17,415
15	City Subaru	MULTI_BRAND_SITE	QLD	3	16,645
16	Lander	MULTI_BRAND_SITE	NSW	6	16,490
17	City Ford Sydney	MULTI_BRAND_SITE	NSW	2	15,750
18	Castle Hill	MULTI_BRAND_SITE	NSW	2	15,647
19	Mercedes Benz Toowong	INDEPENDENT	QLD	1	15,431
20	<i>2170/MITSUBISHI</i>	INDEPENDENT	NSW	1	14,353

Groups shown in italics (*1001|FORD*, *1001|MAZDA*, *2170|MITSUBISHI*) are `UNRESOLVED` or singleton proxy keys that appear in the top 20 by raw VIN volume — postcode 1001 is a Sydney CBD DMS artefact, and *2170|MITSUBISHI* has no verified dealer name.

The group with the **most proxy keys** is SK 32 (“Volvo Cars Liverpool”) with 19 keys and 18 distinct makes — it corresponds to the **Peter Warren Motors** campus at Liverpool, NSW. The canonical name derives from the highest-VIN individual dealer at that site; the parent entity name is recorded in the **NOTES** column of the reference.

8.5 Validation checks

The following spot-checks confirm the algorithm is behaving correctly:

- **Cricks group split:** *Cricks Mitsubishi Nambour* (postcode 4560, 14 brands) is grouped by address (**MULTI_BRAND_SITE**), while *Cricks Highway* at 4127 Capalaba forms a separate **NAME_PREFIX_GROUP** — correctly representing two geographically distinct Cricks campuses.
- **Ringwood Mazda:** Three proxy keys (3134, 3140, 3152) all resolve to the same dealer due to **POSTCODE_MISMATCH** entries in the reference. The address clustering correctly collapses them into one group.
- **Castle Hill Volkswagen:** Two keys (2153, 2154) collapse to one address group — the second is a **POSTCODE_MISMATCH** entry for the same dealer.
- **Sutherland Motor Group:** Mazda (Kirrawee), Nissan (Sutherland), and VW (Kirrawee) are at three distinct street addresses but share the *Sutherland* name prefix and state, correctly forming one **NAME_PREFIX_GROUP**.
- **Melbourne City:** Four brands (Toyota, Lexus, LDV, Hyundai) all prefixed with *Melbourne City* in VIC, correctly merged into one group.

8.6 Known limitations

- **Canonical name drift:** For **MULTI_BRAND_SITE** groups, the group name is taken from the single highest-volume dealer on that campus. When a smaller brand-dealer has the longest-lived entry (e.g. a Volvo dealer with strong VIN counts), the canonical name may not match the parent entity’s trading name (e.g. Peter Warren). The true group entity name requires a manual lookup table.
- **Suffix stripping over-reaches:** Words like *City*, *Centre*, and *Group* are in the strip list, causing names such as *Melbourne City Toyota* to collapse to *Melbourne* rather than *Melbourne City*. This affects a small fraction of groups where the stripped word is part of the trading entity name rather than a descriptive qualifier.
- **Name-prefix false positives:** Two dealers sharing a suburb name (e.g. *Liverpool Mazda* and *Liverpool Volkswagen*) will be grouped together even if they are unrelated businesses that happen to use the same location in their trading name. High-confidence dealer group attribution requires cross-referencing ownership records or ABN data.
- **Missing canonical names:** 132 groups (12.3%) fall back to a raw proxy key as their group name because the underlying dealer has no **DEALER_NAME** in the reference. The majority are **UNRESOLVED** rows (**NO_MATCH**, **OEM_HQ**); a

small number are resolved rows where the research note was captured but the trading name was not filled in.

9 Recommended Next Steps

9.1 Gold dimensions: DIM_DEALER and DIM_DEALER_GROUP

Both dimension tables are ready for upload. Run the scripts in order:

1. `12_dealer_reference_enrichment.py -seed-only` Seeds
DEALER_REFERENCE_T with 2,142 rows (**done — Apr 2026**)
2. `18_dim_dealer_name_enrichment.py` Populates DIM_DEALER name,
address, and land-size columns (**done — Apr 2026**)
3. `20_dealer_group_snowflake_upload.py` Creates DIM_DEALER_GROUP (1,074
rows) and adds DEALER_GROUP_SK FK to DIM_DEALER (**done — Apr 2026**)

After upload, DIM_DEALER will carry a foreign key to DIM_DEALER_GROUP, enabling aggregation at both the individual dealer brand level and the dealer group level.

The proposed DIM_DEALER schema:

Column	Source	Notes
DEALER_SK	Surrogate key	Auto-increment in Snowflake
DEALER_PROXY_KEY	Reference table	Natural key for joins
DEALER_NAME	Reference table	Verified trading name
STREET_ADDRESS	Reference table	
SUBURB	Reference table	
STATE	Reference table	
POSTCODE_DMS	DEALERPOSTCODE_CLEAN	As stored in DMS
POSTCODE_ACTUAL	POSTCODE_FOUND	Verified physical postcode
MATCH_STATUS	Reference table	Filter/flag column
IS_RETAIL_DEALER	Derived	FALSE for OEM_HQ rows
LAND_SIZE_SQM	Land-size pilot	East-coast dealers; null elsewhere
DEALER_GROUP_SK	DIM_DEALER_GROUP	FK — enables group-level rollup

9.2 Handling non-MATCHED statuses

- **POSTCODE_MISMATCH**: include in DIM_DEALER using POSTCODE_ACTUAL for geo-spatial joins; flag the mismatch for data quality reporting.
- **NO_MATCH**: include as a dimension row with nulled address fields; downstream facts will join but geographic analysis will be null — acceptable.
- **OEM_HQ**: include with IS_RETAIL_DEALER = FALSE; exclude from dealer performance reports but retain for fleet/importer tracking.
- **PARTIAL**: treat as MATCHED for join purposes; document ambiguity in the NOTES column.

9.3 Data quality monitoring

The following checks should be added to the Silver/Gold dbt pipeline:

1. Assert that `DEALER_PROXY_KEY` in the fact table always has a matching row in `DIM_DEALER`.
2. Alert when new proxy keys appear in the raw source that are not in the reference table (new dealers or data errors).
3. Flag `OEM_HQ` and `NO_MATCH` rows in mart-level aggregations.
4. Monitor postcode 1001 and 6960 for volume changes — a spike may indicate a systemic DMS configuration issue.

9.4 Remaining long-tail keys

Keys with fewer than 51 VINs (currently `NOT_SEARCHED`) can be resolved in a follow-up pass using the same batch methodology. Given that each such key represents fewer than 51 vehicles, they are low priority but should be resolved before the first production Gold table refresh.

10 Dealer Land-Size Enrichment

A separate companion report, **Dealer Land-Size Enrichment — NSW Analysis** ([dealer_land_size_report/main.pdf](#)), documents the full land-size workflow and results. A brief summary is included here for completeness.

The enrichment links each dealer proxy key to the area of its official cadastral parcel, sourced from state cadastre services (NSW Spatial Services, VIC/QLD ArcGIS) using G-NAF address-point geocoding and same-site inheritance for multi-brand campuses.

Metric	Value		
East-coast pilot rows (all batches)	1,465	NSW + VIC + QLD, incl. B013 batch (Apr 2026)	
Parcel-backed rows	1,249	85.3% coverage	
NSW	475 / 512		92.8%
VIC	463 / 525		88.2%
QLD	311 / 428		72.7%
Remaining gap	216	102 no geocode + 114 geocoded but no parcel	
Median land size	5,327 m ²		

Loading `LAND_SIZE_SQM` into `DIM_DEALER` via `18_dim_dealer_name_enrichment.py` is the immediate next step. The remaining gap (216 rows) consists of 67 QLD addresses that hit Nominatim rate limits, 30 NSW hard-geocode cases, and 114 rows with GPS coordinates where the parcel WFS query returned nothing — all resolvable with a buffer-widening pass or off-peak geocode retry. See the dedicated land-size report for methodology, distribution charts, and gap analysis.

11 Appendix: Output File Reference

File	Description
30_dealer_search_remaining.csv	Source list of 1,871 proxy keys with VIN counts; original search queue
30_dealer_search_results_top55.csv	Manually resolved top 55 keys; highest-precedence input
31_dealer_search_results.csv	Accumulated batch search results (1,124 rows)
32_dealer_reference.csv	Base reference table (1,544 rows); superseded by 69_dealer_reference_merged.csv
34_dealer_land_size_east_coast.csv	Pilot east-hand-size pilot (1,173 rows; 1,032 with parcel area)
69_dealer_reference_merged.csv	Final unified reference table (1,910 rows); seeds DEALER_REFERENCE_T
69_dealer_reference_final.xlsx	Excel version of final reference with Coverage Summary and Still-Missing sheets
70_dim_dealer_group.csv	Dealer group dimension (1,074 rows); feeds GOLD_NEW.DIM_DEALER_GROUP
70_dealer_group_assignments.csv	One row per proxy key with DEALER_GROUP_SK assignment
70_dealer_gap_keys.csv	268 proxy keys in Silver not yet in the reference (232 NEEDS_RESEARCH + 36 DATA_ARTIFACT)

All files are located at:

internship_pentana_edu/docs/new_source/

This report was generated as part of the Synogize internship programme. All dealer information was sourced from publicly available OEM dealer locators and business directories. Data is accurate as of April 2026.