

SEC560— Enterprise Penetration Testing

Terms

/etc/shadow	B3: 68	evasion	B4: 52-69
admin hunting	B1: 63	amsi	B4: 56-60
amsi	B4: 56-60	application control	B4: 72-80
bypasses	B4: 58-60	signature detection	B4: 64
AmsiScanBuffer	B4: 57	static analysis	B4: 61
annual reports	B1: 68	tactics	B4: 52-69
application control	B4: 71	windows defender	B4: 65
ASNs	B1: 75	exploit	B1: 11
assumed breach	B2: 68	unquoted paths	B3: 20
attack phases		exploitation	B2: 26-8
covering tracks	B1: 17	client-side	B2: 32-7
exploitation	B1: 17	framework	B2: 41
maintaining access	B1: 17	local privesc	B2: 38
post-exploitation	B1: 17	payload delivery	B2: 36
recon	B1: 17	server-side	B2: 31
scanning	B1: 17	social engineering	B2: 34
authenticated proxy	B2: 89	types	B2: 30
autonomous systems numbers	B1: 75	windows	B2: 45, 49-51
BGP	B1: 78	file	
browser	B2: 46	install files	B3: 15-6
browsers	B2: 33	iso	B2: 101
c2	B2: 72	lnk-shortcuts	B2: 103
C:/Windows/Panther	B3: 15-6	permissions	B3: 10
certificate transparency	B1: 79	pilfering	B2: 115-6, 132
chaining	B2: 80	searching	B2: 125, 132
challenge-response		world-writeable	B3: 10
Kerberos	B3: 99	zip	B2: 102
LANMAN	B3: 63	file-transfer	B2: 109-12
NTLMv1	B3: 63	file/print sharing	B4: 42
NTLMv2	B3: 65-6, 100-01	firewall	B2: 31, B2: 131
CIDR	B1: 78	full-knowledge	B1: 26
cmd.exe autorun	B3: 40	group policy	
common subdomains	B1: 72	objects	B3: 17
competitive intel	B1: 68	preferences	B3: 17-8
cpasssword	B3: 15-6	guardrails	B2: 35, 80
credential guard	B4: 44	hash	
credential reuse	B4: 6	formats	B3: 68
credential stuffing	B2: 9-10	LANMAN	B3: 60, 63
crypt3	B3: 58-66	MD5	B3: 69
daisy-chaining	B2: 80	NT	B3: 61
data breaches	B1: 85	rounds	B3: 69
data dump forums	B1: 85	HKCU	B3: 40
dedicated systems	B1: 36	html application	B1: 68
dhcpcclient	B2: 131	impacket	
dirty cow	B3: 8	kerberos	B4: 33
document-reading apps	B2: 33	remote exec	B4: 35-7
documented permission	B1: 20, 23	secretsdump	B4: 34
domain		syntax	B4: 35
admin	B2: 129	implant chaining	B2: 80
administration	B2: 126	infrastructure recon	B1: 71-81
cleanup	B2: 130	ingestors	B3: 30
groups	B2: 129	initial access	B2: 6
users	B2: 127	intrusion prevention	B2: 31
dynamic code generation	B2: 77	ipsec	B2: 131
dynamic data exchange	B2: 100	jitter	B2: 72
env variable	B2: 124	job reqs	B1: 85
ephemeral shell	B1: 47	junior testers	B1: 61
		kerberos	B3: 99

SEC560— Enterprise Penetration Testing

impacket	B4: 33	in windows	B3: 58-66
ticket reuse	B4: 12	keystroke	B3: 54
kernel	B3: 8	mangling	B3: 51
kernel attacks	B2: 39	reporting	B3: 56
keyrings	B2: 122	salt	B3: 61
linux		sniffing	B3: 54, 100-01
connections	B1: 51	syncd	B3: 49
filesystem	B1: 46	payload delivery	B2: 36
permissions	B1: 50	payloads	B2: 97
suid	B1: 51	PCI	B1: 61
LLMNR	B3: 106	penetration test	
local groups	B2: 128	definition	B1: 15
lockout	B2: 15	types	B1: 16
duration	B2: 16	permissions	B1: 50
observation window	B2: 16	persistence	
threshold	B2: 16	cmd.exe autorun	B3: 40
logon script	B2: 127	HKCU	B3: 40
LSASS	B4: 41, 77	scheduled task	B3: 42
mangling	B3: 51	services	B3: 43
mDNS	B3: 106	startup folder	B3: 41
mergers & acquisitions	B1: 67	WMI events	B3: 43
metasploit		pgp	B2: 122
exploits	B2: 44-7	pivoting	
meterpreter	B2: 53-60	linux	B4: 6, 84-91
modules	B2: 44	ssh	B4: 87-8
payloads	B2: 44-51	windows	B4: 9-28
psexec	B4: 46	plugins	B1: 149
reliability	B2: 47	polling interval	B2: 72
meterpreter	B2: 53-60	port forwarding	B4: 5
msbuild	B4: 74-80	port scan	B1: 94
NBT-NS	B3: 106	post-exploitation	B2: 108
network sweep	B1: 94	powershell	
ntds.dit	B3: 59, 75	obfuscation	B2: 134
NTLMv1	B3: 64	pre-engagement	
NTLMv2	B3: 65-6, 100	goals	B1: 22
attacks	B3: 110	rules	B1: 24
defense	B3: 113	scope	B1: 23
NtProtectVirtualMemory	B4: 63	press releases	B1: 68
obfuscation	B2: 134	privacy regulations	B1: 27
office		privesc	
dde	B2: 100	linux	
macros	B2: 98	files	B3: 10
opsec	B2: 89	kernel	B3: 8
organizational recon	B1: 67-9	service	B3: 9
os fingerprinting	B1: 94	suid	B3: 11
nmap	B1: 129	local	B2: 38
parallel scans	B1: 121	windows	
parent process spoofing	B2: 80	alwaysinstallelevated	B3: 14
pass-the-hash	B4: 41-9, B3: 54	dll hijacking	B3: 14
mitigations	B4: 44	group policy preferences	B3: 17-8
password		unattended install files	B3: 15-6
guessing	B2: 11-22	unquoted paths	B3: 20
spraying	B2: 18	writable service executables	B3: 14
password attacks	B4: 47	privileged process	B2: 39
passwords		proxies	B3: 113
cloud hardware	B3: 53	psexec	B2: 45
dictionaries	B3: 50	purple team	B1: 13
in linux	B3: 58-66	race conditions	B2: 39

SEC560— Enterprise Penetration Testing

recon	
ethics	B1: 64
infrastructure	B1: 71-81
internal PCI	B1: 61
light-touch	B1: 62
organizational	B1: 67-9
user	B1: 82-9
zero-touch	B1: 62
red team	B1: 13
regional internet registries	B1: 78
registry	B2: 133
registry keys	B3: 40
reporting	B4: 94-119
format	B4: 96
representative sample	B2: 37
RIRs	B1: 78
risk	B1: 12
rules of engagement	B1: 24
runtime env	B2: 33
SAM database	B4: 41, B3: 58, 75
sam database	B2: 122
scada	B2: 46
ScanContent	B4: 57
scans	
asynchronous	B1: 96
efficiency	B1: 96
parallel	B1: 121
stateless	B1: 122
tcp	B1: 103-4, 115-6, 122
types	B1: 94
udp	B1: 106-7, 117
ultrafast	B1: 122
vulnerability	B1: 145-51
scf file	B3: 109
scheduled tasks	B3: 42
scope	B1: 23
security audit	B1: 14
security identifiers	B4: 44
sensitive data	B1: 27
services	B3: 43
controller	B4: 14
name	B4: 16
shared object	B3: 9
shells	
ephemeral	B1: 47
prompts	B1: 55
singles	B2: 48
situational awareness	B2: 114
linux	B2: 118-22
smart cards	B3: 67
smb	B4: 13, B2: 46
named pipes	B2: 80
smb relaying	B3: 111
smb signing	B3: 113
SPNs	B3: 99
ssh	
key theft	B4: 6
port forwarding	B4: 87-8
stagers	B2: 48
stages	B2: 48
startup folder	B3: 41
sudo	B1: 52
suid	B3: 11, B2: 39, B1: 51, 120
sysvol	B2: 127
tactics	B2: 108
tcp	B1: 99-102
pivots	B2: 80
RST	B1: 122
test types	
full-knowledge	B1: 26
unannounced	B1: 25
zero-knowledge	B1: 26
threat	B1: 12
TLS	B1: 79
torrents	B1: 85
UAC	B4: 44
udp	B1: 105
unannounced test	B1: 25
unattend.xml	B3: 15-6
unquoted paths	B3: 20
user account control	B3: 21-2
bypass	B3: 23
user recon	B1: 82-9
usernames	B2: 14
vba	B2: 98
version scan	B1: 94
VLANs	B3: 113
Volume Shadow Copy Service	B3: 74
VSS	B3: 74
vuln scanning	B1: 145-51
agent-based	B1: 148
authenticated	B1: 148
plugins	B1: 149
unauthenticated	B1: 148
vulnerability	B1: 11
vulnerability assessment	B1: 14
vulnerability scan	B1: 94
web proxy auto discovery	B3: 108
whois	B1: 78
windows	
exploit obfuscation	B2: 134
file/print sharing	B4: 42
files	B2: 132
firewall	B2: 131
passwords	B3: 58-66, 72-7
registry	B2: 133
WinInet InternetQueryOption	B3: 108
WinRM	B4: 10-11
wlan	B2: 131
WMI	
event subscription	B3: 44
world-writeable	B1: 51
WPAD	B3: 108
zero-knowledge	B1: 26

SEC560— Enterprise Penetration Testing

Commands

Get-Credential	B4: 11
Test-WSMan	B4: 11
arp	B2: 116
base64	B2: 112
bitsadmin	B3: 26
cscript	B3: 74
dir	B2: 124
findstr	B2: 132
find	B3: 12, B2: 132
ip	B2: 116
lsof connections	B1: 53
more	B2: 132
msbuild.exe	B4: 72-9
net.exe	B4: 13, B2: 16
net/net1	B2: 126-30
netsh	B2: 131
netstat connections	B1: 53, B2: 116
ntdsutil.exe	B3: 76
ps	B3: 9
reg	B2: 133
schtasks	B4: 21, B3: 42
sc	B4: 14, 23
services.msc	B4: 16
set	B2: 124
ss	B2: 116
type	B2: 132
uname	B3: 8
uniq	B3: 50
winrs	B4: 10
wmic	B4: 25-6

Tools/Sites

AD Explorer	B2: 135
ALockout.dll	B2: 15
BeRoot	B3: 24
BloodHound	B3: 30-5
C2 Matrix	B2: 73
Cain	B3: 102
CeWL	B3: 51
Chameleon	B2: 134
Cobalt Strike	B2: 39
Core IMPACT	B2: 36
crt.sh	B1: 79
DefenderCheck	B4: 65
DeHashed	B1: 85
DNSDumpster	B1: 75-7
DNSRecon	B1: 73-4
Dradis Reporting	B1: 40
Empire	B3: 23, B2: 88-92
modules	B2: 90-2
ExploitDB	B1: 37
EyeWitness	B1: 140-3
GatherContacts	B1: 86
GetFFGP	
FineGrainedPassPolicy	B2: 18
GhostPack	B2: 137-9
GTFOBins	B3: 12

Hashcat	B3: 89-94
HaveIBeenPwned	B1: 85
Hunter.io	B1: 83
Hydra	B2: 20-2
Immunity CANVAS	B2: 39
Impacket	B4: 32-7
smbexec/wmiexec	B4: 37
Iptables	B4: 5
JohnTheRipper	B3: 83-6
potfile	B3: 83
unshadow	B3: 71
L0phtCrack	B3: 59
LinPEAS	B2: 39
LinuxExploitSuggester	B2: 39
LockoutStatus.exe	B2: 15
LOLBAS	B3: 26
Masscan	B1: 96, 123-5
Metasploit	B2: 19, B3: 23, 42-60
pivoting	B4: 84
psexec	B4: 46
Meterpreter	B2: 53-60
creds _a ll	B3: 77
hashdump	B3: 73
load kiwi	B3: 77
pivoting	B4: 85-6
Mimikatz	B3: 77
MITRE ATTACK	B1: 38
MITRE CVE	B1: 37
Monster.com	B1: 86
MSBuild	B4: 72-9
NCrack	B2: 19
Netcat	B4: 5, B1: 133-8
nmap	B4: 10, B1: 109-21, 129-33
limitations	B1: 121, 151
os fingerprinting	B1: 129
script.db	B1: 156
scripting engine	B1: 153-6
NPK	B3: 53
NTDSUtil	B3: 76
Patator	B2: 19
Pcredz	B3: 102-4
phonebook.cz	B1: 84
Pipal	B3: 95
Posh-SecMod	B2: 90
PowerBreach	B2: 90
PowerSploit	B2: 90, 134
Remove-Comment	B4: 62
PowerStripper	B4: 62
PowerUp	B3: 25, B2: 90
PowerView	B2: 90, 134
PsExec	B4: 18-20
pw-inspector	B2: 13
Responder	B3: 106-13
RIRs	B1: 78
Rubeus	B4: 12
ScanRand	B1: 96
schtasksabuse	B3: 42
Seatbelt	B2: 137-9

SEC560— Enterprise Penetration Testing

secretsdump.py	B3: 59	VeilEvasion	B4: 53, 69
SharpBlock	B4: 63	Verizon DBIR	B2: 69
Shodan	B1: 80-1	VirtualProtect	B4: 63
SkullSecurity Passwords	B3: 50	VirusTotal	B4: 54
Sliver	B2: 76-83	VSSAdmin	B4: 34
commands	B2: 81	VSSOwn	B3: 74
payloads	B2: 79-80, 83	Watson	B3: 24
server-client	B2: 82	WMIC	B4: 16
UACME	B3: 23		