\mathbf{Index}	common name B2 –	20
	compliance search	
AADInternalsB2 – 27	COMSPECB1 -	55
AADSTS B3 – 16	conditional access	23
access logs	containment B1 –	29
ACLsB3 – 69	continuous recordingB1 –	93
AppArmorB4 – 11	crawl B2 –	25
application allow listsB5 – 8	credential stuffingB3 – 8	8-9
AppLocker	crypt B3 –	42
blocking mode $B5 - 8$	CSP B4 -	60
learning mode $\dots B5 - 8$	detection	26
logs $B5 - 8$	behavioral anomaly analysis B5 -	- 7
Argon2 B3 – 45	signature basedB5 -	- 7
ASEPs	differential analysis $. B3 - 25, WB - 25-31, B3$	1 –
authentication	57	
Microsoft 365	discovery	10
Microsoft conditional access $\dots B3 - 23$	DLL injectionB4 -	- 8
multifactor	DNS	
bypass $B3 - 23$	automated interrogationB2 -	14
deployment $B3 - 64$	logs B2 – 18, B3 –	
AWSB4 – 92	multicast B5 -	
CLI B4 – 92	split	18
enumeration	zone transfer B2 –	
IAM policies B5 – 69-70	domain controller	
pacu exploitation framework $\dots B5 - 70$	backupB3 -	36
security token serviceB5 – 68	hashes	
AWS API gatewayB3 – 20	drive-byB4 –	19
Azure	empty hashes	
smart lockout $B3 - 19$	format B3 -	40
backdoors	encodingB1 -	45
behavioral analysis B1 – 88, 92, 93	endpoint security	
Berkeley Packet FiltersB1 – 70	bypassB5 -	- 5
broadcast protocols $B5 - 35$	enumeration	
browsers B4 – 20	certificates	15
hooks B4 – 29	cloud provider IPB2 –	54
bypass	DNS B2 -	
$Defender Check \dots B5-6$	SMB shares B2 – 69-	-72
endpoint security $B5 - 5$	subdomains $\dots B2$ –	17
C2 behaviorB5 – 56	eradication	30
certificate authoritiesB2 – 15	EternalBlue	76
certificates	evasionB5 -	- 5
authority $B2 - 15$	behavioral anomaly analysis B5 -	- 7
CN fieldB2 – 20	signature-detection $B5 - \epsilon$	6-7
transparency $B2 - 15-6$	event logsB5 – 49, B1 –	55
untrusted $B2 - 15$	event of interest	83
CIMB1 – 42	event subscriptionB5 –	43
client-side attacksB4 – 18	exfiltration $B5 - 72$	2-3
cloud storage	exploit protection	11
AWS S3B3 – 71	FIDO2B3 -	64
Azure blobs	FIFO filesB3 – 93	3-4
endpoint URLs	flags	
GCP buckets	HTTPOnlyB4 -	60
ACLs B3 – 69	SecureB4 –	60
permissions	gold imageB1 –	57
CN field B2 – 20	golden ticket attackB5 –	45
command injectionB4 – 39	GPOB3 –	
blind B4 – 39	GPUB3 –	44
separators	group policy B3 –	62
stacking $B4 - 43$		

Lischke 1 06/2024

hashcat	malware	
attack modes	obfuscation	B5 – 7
combinator	malware analysis	
hybrid B3 – 57-8	behavioral	B1 – 88, 92-3
$\overset{\circ}{\mathrm{mask}}$ $\mathrm{B3}$ – 55 -6	online	· · · · · · · · · · · · · · · · · · ·
straight $B3 - 53$	static	
potfile	man-in-the-middle	
rules B3 – 60	managed object format	
hashes	Masscan	
domain controller	mDNS	
empty	metasploit	
indicators	auxiliary	B4 - 5
LANMAN	exploits	
Linux format	meterpreter	
MD4,5 B3 – 42	payloads	
*	post-exploitation	
NT	· ·	Б4 – ә
PBKDF2	Microsoft 365	D0 15 0
SHA256,512	authentication	
Windows format	compliance search	
hashing rounds	lockout bypass	
algorithms $B3 - 42, 45$	smart lockout	B3 – 19
HayabusaB2 – 86	unified audit logging	B3 - 25
high-low strategyB5 – 6	Microsoft conditional access	
hijacking attacksB5 – 31	mitm	B5 – 31
HKCUWB – 20	MITRE ATT&CK	
HKLM WB – 20	mof	
hooks	multifactor	
host attribution	bypass	
http192-254-169-254	named pipes	
IANA	netcat	Бо – 95-4
		D2 00 1
IMDS	backdoors	
credential disclosure	client	
headersB4 – 94	data transfer	
$v2 \dots B4 - 97$	listen	
input filtering $\dots B4 - 59, 78$	port scanner	
json	relays	
cloud $B2 - 50$	NMAP	
kerberos B3 – 62	default behavior	$\dots B2 - 37$
golden ticket attack $B5 - 45$	port scan	$B2 - 39$
krbtgt $B5 - 45$	scripts	
root of trustB5 – 45	NoLMHash	
LANMAN hashes B3 – 32	NSE scripts	
living off the land	NT hashes	
linux	NTDS.dit	
windows	obfuscation	
LLMNR	Object Relational Mapping	
login	ORM	
bypassB3 – 23, 90	OSINT	
logs	framework	
access $B1 - 72, B3 - 79$	output encoding	
AppLocker $B5 - 8$	pacu exploitation framework	
cloud $B5 - 79$	PAM	B3 – 62
DNS $B2 - 18$, $B3 - 79$	password	
event	cracking	B3 – 49
overflowB5 – 79	guessing	
zeekB5 – 56	hashes	
LSASS	length	
macros	mutation	
	11100001011	

Lischke 2 06/2024

Lischke 3 06/2024

Commands	$AppArmor \dots B4-11$
Linux	AppLocker B5 – 8
$\mathtt{dig} \ \dots \dots B2-12\text{-}4$	AWS CloudMapperB5 – 76
exiftool $B2-26$	AWS Cloudwatch
$\verb gsutil B3 - 75$	AWS-CLIB5 – 48, 68, B4 – 92
$\texttt{hashdump} \dots B3-38$	AzVizB5 – 76
mkfifo $\mathrm{B3}-94$	Basic Blob Finder
${\tt msfconsole} \ \dots \dots B4-28$	BeEF B4 – 29
${ t msfvenom}$ ${ t B4-27}$	Blue Coat
nc $B3-88$	Bucket Finder
nmap $B2-38-46$	$BuiltWith \dots B2 - 51$
$\verb"nohup" \dots \dots B3-91$	Burp Suite B2 – 24
$\mathtt{openssl} \dots \qquad \qquad B2-56$	cert.sh
${\tt rpcclient} \hspace{0.1in} \dots \dots B2-75$	$CeWL \dots B2 - 25$
${\tt secretsdump.py} \ \dots \dots B3-37$	Copernic Desktop Search
$\mathtt{sha256sum} \dots $	CyberChef B1 – 45
shred $B3-59$	DefenderCheckB5 – 6
$\mathtt{smbclient} \hspace{0.1cm} \ldots \hspace{0.1cm} B2-74$	DehashedB2 – 29
strings $\mathrm{B1}-91$	DomainPasswordSpray B2 – 78
$\mathtt{tcpdump} \dots \qquad \qquad \mathrm{B1-68-9}$	Elastic Filebeat B3 – 80
Windows	exiftoolB2 – 26
Close-SmbSession $B2-79$	EyeWitnessB2 – 59, 60
Disable-WindowsOptionalFeature $.\mathrm{B2}-68$	FireProx B3 – 22
Export-ScheduledTask $B1-54$	Forefront TMGB1 – 71
Format-List $B1-50$	gcloud cliB5 – 72
Get-ChildItem	GCPBucketBrute
Get-CimInstanceB1 - 40, B2 - 69	Ghidra B1 – 98
Get-FileHash	Google Network Topology Tool B5 – 76
Get-ItemPropertyB1 - 51	gsutil
Get-LocalGroupMember $B1-53$	Hashcat
Get-LocalGroupB1 - 53	haveibeenpwned
Get-LocalUser	Hayabusa B2 – 86
Get-MsolUser B2 - 80	HTML Purifier
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	Hybrid Analysis
Get-Process	Hydra B3 – 6 IDA Pro B1 – 98
Get-ScheduledTask $B1 - 54$	Impacket Impacket
Get-Service $B1 - 54$	secretsdump.pyB3 – 37
Get-SmbSession	IronPython B5 – 6
Get-WinEvent	Java Encoder Project
Import-Module $B2-27$	Joi
InstallUtil	jslinksummaryB2 – 24
${\tt Invoke-AADIntReconAsOutsider} \ \dots B2-27$	JSON Query B3 – 16, B2 – 50
Invoke-AADIntUserEnumerationAsOutsider	LocalPasswordSpray.ps1 B2 - 77
$\mathrm{B2}-27$	LOLBAS
Invoke-LocalPasswordSpray $\dots ext{B2} - 77$	Masscan
New-SmbMapping $B2-77$	Metasploit and Armitage B4 – 6
Remove-ItemProperty $$ WB $-23, 24$	Meterpreter
Select-Object $$ WB $-$ 15-7, B1 $-$ 40	Hashdump B3 – 38
Stop-Process $B1-40$	persistence B5 – 41-4
Where-Object $$ W $\mathrm{B}-15$ -7, $\mathrm{B1}-53$	pivotingB5 – 21-3
mofcomp $\mathrm{B5}-43$	MFASweep
$\mathtt{net.exe} \ \dots \dots \dots B5-41, \ B2-69, \ 80$	Mimikatz $B5 - 9-10$, $B3 - 38$
$\mathtt{netsh} \dots $	ModSecurity B4 – 79
nslookup $\mathrm{B2}-12$	msfvenom $B4 - 27-31$
ntdsutil.exe	MSOLSprayB3 – 18
Γ ools	Netcat B3 – 85-98
AADInternals $B2 - 27$	NetSShareEnum $B2 - 70$

Lischke 4 06/2024

NMAP	B2 – 14, 35-47
openssl	
OSINT Framework	B2 – 31
Pacu	B5 – 69
Powershell	
cheatsheet	
Regshot	B1 – 94-5
Responder	
RITA H	34 - 13, $B5 - 56-63$
Samba smb/rpcclient	
ScoutSuite	
SELinux	B4 – 11
Shodan	B2 – 30
SMBeagle	
Snort	B2 – 86
SQLMap	
Squid	
Subfinder	B2 – 17
Sysinternals	
Autoruns	
Procdump	B5 - 9, $B1 - 61$
Process Explorer	B1 – 61
Process Monitor	
Sysmon	B1 – 61
TCPView	
Timeline Explorer	B2 – 98
TLS-Scan	B2 – 57-8
VirusTotal	
Volatility	B1 - 77-82
Windows Defender	
WinPmem	B1 – 77-82
	B2 - 86

Lischke 5 06/2024

DEID	
DFIR	summary $B2 - 19$
AI for IR	Drive-By Attacks
summary of $B1 - 103, 120$	defense $\dots B4 - 32-3$
Incident Response	summary $B4 - 34$
DAIR Dynamic Approach $B1 - 25-34$	Metasploit
PICERL Six-Step Process B1 – 21-2	defenses $\dots B4 - 11$
summary of $\dots B1 - 35-6$	payloads $B4 - 8$
Live Examination	summary $B4 - 14-5$
of accountsB1 – 53	Netcat
of encoded data $\dots B1 - 45$	defenses $B3 - 95$
of logs $\dots B1 - 55$	purposes
of network activityB1 – 46-9	summary $B3 - 97$
of processes B1 – 40-5	NMAP Scanning
of registry keys $B1 - 51-2$	defaults $B2 - 37$
of scheduled tasks $\dots B1 - 54$	summary of $\dots B2 - 46$
of servicesB1 – 50	types $B2 - 41$
summary of $B1 - 62$	Password Attacks
Malware Investigations	APIsB3 – 16
monitoring the environment $\dots B1 - 92$	bypasses B3 – 20-24
summary of $\dots B1 - 99$	cloudB3 – 15
Memory Investigations	crackingB3 – 49-65
summary of $\dots B1 - 99$	defenses $\dots B3 - 61-4$
Network Investigations	domain controller $\dots B3 - 36-8$
summary of $\dots B1 - 73$	hashes B3 – 31-47
Sigma RulesB2 – 88-98	hashing algorithms
Threat Hunting	hashing roundsB3 – 42-3
C2 characteristics $$ B5 – 57-61	local windowsB3 – 36-8
summary	Microsoft 365 summary B3 – 27
Defense Evasion	salting B3 – 33-5
allow lists	spraying,stuffingB3 – 4-11
defenses	SMB
evading signature-detection B5 – 6	challengesB2 – 67
living off the land	defensesB5 – 35-6, B2 – 79-81
obfuscation and wrappingB5 – 7	enumeration
password attacks	password attacks $B2 - 77$ security features $B2 - 67$
Initial Access	summary of
Cloud	SQL Injection
challenges and opportunitiesB2 – 49	cloudB4 – 75
cloud IP enumeration B2 – 52-55	defense
defenses	summary
host attribution $$ B2 – 52-55	SSRF
IAMB5 – 48	cloudB4 – 90-9
IMDS B4 – 90	defense
$IMDSv2 \dots B4 - 97$	summary B4 – 98-9
persistence B5 – 48	Web Recon
SSRF B4 – 90-9	defenses
storage bucket exploit	summary of $\dots B2 - 33$
storage bucketsB3 – 68-82	XSS
summary of B2 – 63-4	defense $\dots B4 - 59-60$
Command Injection	impact $B4 - 56$
defense $\dots B4 - 45$	summaryB4 - 61-2
summary $B4 - 46-7$	Post-Exploitation
Discovery and Enumeration	Cloud
certificates B2 – 15-6	exfiltration
defense against	exfiltration defenses
DNS B2 – 12-4	logging
subdomains $B2 - 17$	PacuB5 – 70

Lischke 6 06/2024

	persistence defenses $\dots B5 - 49$
	summary $B5 - 81$
Р	ersistence
	defensesB5 – 49
	summaryB5 – 51-3
	with accounts
	with cloud resourcesB5 – 48
	with kerberos B5 – 45-6
	with scheduled tasks B5 – 43
	with services
	with web shellsB5 – 47
Pi	voting
	lol
	metasploitB5 – $20-3$
	summaryB5 – 27
R	esponder
	defenses $B5 - 35$
	hijacking attacks B5 – 31-34
	summary $B5 - 36$

Lischke 7 06/2024

Labs	3.3 Hashcat L1 – 290
Live Investigation	Remote Attacks
1.1 Windows HostL1 – 13	4.1 MetasploitL2 – 1
$1.2 \text{ Networks} \dots \dots$	$4.2~\mathrm{BeEF}$ L2 – 31
$1.3 \text{ Memory } \dots \dots \dots \dots \text{L1} - 45$	4.3 Command InjectionL2 – 44
$1.4 \text{ Malware} \dots \dots$	$4.4 \text{ XSS} \dots L2 - 57$
Recon, Scanning, Enumeration	$4.5 \text{ SQL Injection } \dots \text{L2} - 77$
$2.1 \; \mathrm{DNS} \; \ldots 1 - 116$	4.6 Cloud SSRF and IMDS $L2 - 98$
$2.2 \text{ NMAP } \dots $	Post-Exploitation
2.3 CloudL1 – 162	$3.4 \text{ Netcat} \dots L1 - 350$
$2.4 \text{ SMB} \dots \text{L1} - 180$	5.1 Allow List Bypass L2 – 124
3.4 Cloud Bucket Discovery \dots L1 – 317	5.2 PivotingL2 – 148
Threat Analysis	$5.3 \text{ Responder } \dots \dots \text{L2} - 170$
$2.5 \text{ Hayabusa} \dots \dots \text{L1} - 204$	$5.4 \text{ Metasploit } \dots \dots \text{L}2 - 180$
Password Attacks	5.6 Cloud Configurations $L2 - 227$
$3.1 \text{ Metasploit } \dots \dots \text{L1} - 241$	Threat Analysis
$3.2 \text{ Microsoft } 365 \dots L1 - 261$	$5.5 \text{ RITA } \dots \dots \text{L2} - 209$

Lischke 8 06/2024