# Tables

Table 1 Archived corpus and regulatory topics

| Regulation | Regulatory area | Example use case |
|---|---|---|
| RDC 945/2024 and RDC 9/2015 (revoked) | Clinical trials | Archived clinical-trial questions on DDCM procedures, DSUR timing, SUSAR handling and safety conduct. RDC 9/2015 was revoked effective 1 January 2025; its indexed presence does not establish current-law accuracy. |
| RDC 406/2020 | Pharmacovigilance | Minimum notification elements and follow-up when information is incomplete. |
| RDC 55/2010 | Biological products | Registration rules and exceptions for foreign-manufactured biological products. |
| RDC 751/2022 | Medical devices | Risk classification, labelling, and instructions for use. |
| IN 338/2024 | Reliance and optimized review | Equivalent foreign regulatory authorities and reliance-related conditions. |

The corpus is historical. RDC 9/2015 and specified RDC 55/2010 provisions were already revoked. Document identity and citation coverage do not establish current applicability. Source auditing identified 28/200 constructed-benchmark rows citing revoked RDC 9/2015 and 18/200 citing wholly revoked RDC 55/2010 articles: 46 rows in 23 bilingual pairs. These are exposure counts, not adjudicated current-law error rates.

Table 2 Frozen 40-answer coauthor-reviewed assessment

| Category | Successful pairs | Pair success (%) | Exact 95% interval (%) | Successful outputs |
|---|---|---|---|---|
| Answerable | 6/12 | 50.0 | 21.1 to 78.9 | 16/24 |
| Partly answerable | 0/4 | 0.0 | 0.0 to 60.2 | 0/8 |
| Unanswerable | 4/4 | 100.0 | 39.8 to 100.0 | 8/8 |
| Overall | 10/20 | 50.0 | 27.2 to 72.8 | 24/40 |

Both languages must pass. Exact intervals use bilingual pairs as units and do not account for source dependence or author review bias. Questions were AI-authored after development exposure and coauthor-approved.

Table 3 Completed author review and earlier AI assessments of the exploratory repair

| Endpoint | Baseline | Integrated repair |
|---|---|---|
| Completed author review overall | 14/20; 70.0%<br>95% CI 45.7 to 88.1% | 17/20; 85.0%<br>95% CI 62.1 to 96.8% |
| Author review: answerable pairs | 10/12 | 11/12 |
| Author review: partly answerable pairs | 0/4 | 2/4 |
| Author review: unanswerable pairs | 4/4 | 4/4 |
| Author-reviewed successful outputs | 31/40 | 35/40 |
| Paired difference (95% bootstrap interval) | Reference | +15.0 points<br>-5.0 to +35.0 |
| Exact paired test | Reference | p = 0.375 |
| Post hoc expanded-scope author review | 13/20 | 17/20 |
| Initial AI-assessed primary pipeline | 14/20 | 18/20 |
| Initial AI-assessed raw outputs | 14/20 | 15/20 |
| Initial AI-assessed common formatter | 15/20 | 18/20 |

The completed author-review overlay is shown first. Both languages must meet the task criteria for a pair to pass; language outputs are dependent and their counts are descriptive. Exact binomial intervals use pairs. Four pairs improved, one worsened, 13 passed both conditions and two failed both. The difference interval crosses zero. The expanded-scope result is a post hoc archived-reference sensitivity. Initial AI assessments and formatting sensitivities are preserved separately and are not recomputed human endpoints. AI-draft assistance and differing review exposure remain disclosed; these data do not establish independent external validation, current-law accuracy or a reliable population improvement.

## Table 4 Coauthor assessed common prompt answer comparison

| Endpoint | Hybrid passages | BM25 passages | Model only |
|---|---|---|---|
| Content and evidence-boundary success | 39/40 | 38/40 | 9/40 |
| Both languages successful | 19/20 | 18/20 | 4/20 |
| Exact 95% pair success interval | 75.1 to 99.9% | 68.3 to 98.8% | 5.7 to 43.7% |
| Answers with omissions | 0/40 | 1/40 | 31/40 |
| Answers with material claim flags | 1/40 | 1/40 | 14/40 |
| Article citation present, as rated | 39/40 | 38/40 | 0/40 |
| Citation support correct among citing answers, as rated | 39/39 | 37/38 | Not estimable |
| Answers flagged for correction | 1/40 | 2/40 | 32/40 |

Same 40 questions per condition, grouped into 20 bilingual pairs; both languages must pass. Hybrid minus model-only pair success is +75 percentage points (descriptive 95% pair-bootstrap interval +55 to +90; exact p = 0.000061). Hybrid minus BM25 is +5 points (-10 to +20; two gains, one loss; p = 1.000), without established superiority or equivalence. All eight absent-detail answers per condition appropriately abstained. Citations are secondary; correction flags do not measure editing effort. These are completed coauthor ratings, with prior project exposure and limited condition masking; original AI ratings and secondary disagreements are separate in S10. The BM25 extension is sequential and reuses saved hybrid comparators.