training_overview_1639102435.334922

February 1, 2022

[ ]:
```
import pandas as pd
import os
import matplotlib.pyplot as plt

TIMESTAMP = 1639102435.334922
DATA_DIRECTORY = '/run/media/ture/Backup Plus/data/'

perf_data = pd.read_csv(os.path.join(DATA_DIRECTORY,␣
 ↪f'{TIMESTAMP}_performance_stats.csv'))
perf_data['timestamp'] = pd.to_datetime(perf_data['timestamp'])
perf_data.head()
```

[ ]:

	iteration	timestamp	iteration_duration	training_duration	examples_read_from_queue	length_experience_buffer
0	1	1970-01-01 00:00:01.639102511	54.457768	5.455627	23	1200
1	2	1970-01-01 00:00:01.639102566	55.257671	11.203310	65	4792
2	3	1970-01-01 00:00:01.639102623	57.373703	17.952741	64	8328
3	4	1970-01-01 00:00:01.639102687	63.553503	27.208010	76	12568
4	5	1970-01-01 00:00:01.639102781	94.168959	38.719191	90	17488

[ ]:
```
perf_data.plot.bar(x='iteration', y='examples_read_from_queue')
```

[ ]:
```
<AxesSubplot:xlabel='iteration'>
```



[ ]:
```
perf_data.plot.bar(x='iteration', y='length_experience_buffer')
```

[ ]:
```
<AxesSubplot:xlabel='iteration'>
```



[ ]:
```
perf_data.plot.bar(x='iteration', y='iteration_duration')
```

[ ]: <AxesSubplot:xlabel='iteration'>



[ ]:
```
rndm_data = pd.read_csv(os.path.join(DATA_DIRECTORY,␣
↪f'{TIMESTAMP}_random_player_game_stats.csv'))
rndm_data['timestamp'] = pd.to_datetime(perf_data['timestamp'])
rndm_data.set_index('iteration')
rndm_data.head()
```

[ ]:

	iteration	timestamp	losses	wins	draws	\
0	1	1970-01-01 00:00:01.639102511	4	32	4	
1	5	1970-01-01 00:00:01.639102566	0	37	3	
2	10	1970-01-01 00:00:01.639102623	0	37	3	
3	15	1970-01-01 00:00:01.639102687	0	32	8	
4	20	1970-01-01 00:00:01.639102781	0	39	1	

	nnet_cumul_rewards	random_cumul_rewards
0	NaN	NaN
1	NaN	NaN
2	NaN	NaN
3	NaN	NaN
4	NaN	NaN

[ ]:
```
hrstc_data = pd.read_csv(os.path.join(DATA_DIRECTORY,␣
↪f'{TIMESTAMP}_heuristic_player_game_stats.csv'))
hrstc_data['timestamp'] = pd.to_datetime(perf_data['timestamp'])
hrstc_data.set_index('iteration')
hrstc_data.head()
```

[ ]:
```
  iteration                     timestamp wins losses draws  \
0       NaN 1970-01-01 00:00:01.639102511  NaN    NaN   NaN
1       NaN 1970-01-01 00:00:01.639102566  NaN    NaN   NaN
2       NaN 1970-01-01 00:00:01.639102623  NaN    NaN   NaN
3       NaN 1970-01-01 00:00:01.639102687  NaN    NaN   NaN
4       NaN 1970-01-01 00:00:01.639102781  NaN    NaN   NaN

  nnet_cumul_rewards random_cumul_rewards
0                NaN                  NaN
1                NaN                  NaN
2                NaN                  NaN
3                NaN                  NaN
4                NaN                  NaN
```

[ ]:
```
rndm_n_games = int(rndm_data['wins'][0] + rndm_data['losses'][0] +␣
↪rndm_data['draws'][0])
#hrstc_n_games = int(rndm_data['wins'][0] + rndm_data['losses'][0] +␣
↪rndm_data['draws'][0])

rndm_fraction_won = rndm_data.apply(lambda row: row['wins'] / rndm_n_games,␣
↪axis=1).to_list()
#hrstc_fraction_won = hrstc_data.apply(lambda row: row['wins'] / hrstc_n_games,␣
↪axis=1).to_list()

plt.plot(rndm_data['iteration'], rndm_fraction_won,  label=f'Random agent␣
↪(n={rndm_n_games})')
#plt.plot(rndm_data['iteration'], hrstc_fraction_won,  label=f'Random agent␣
↪(n={hrstc_n_games})')
plt.xticks(rndm_data['iteration'])
plt.xlabel('Iteration')
plt.ylabel(f'Fraction won')
plt.legend()
plt.show()
```



[ ]:
```
plt.plot(rndm_data['iteration'], rndm_data['nnet_cumul_rewards'], ␣
 ↪label=f'Cumul. rew. (vs. Random agent)')
plt.plot(rndm_data['iteration'], hrstc_data['nnet_cumul_rewards'], ␣
 ↪label=f'Cumul. rew. (vs. Heur. Agent)')
plt.xticks(rndm_data['iteration'])
plt.xlabel('Iteration')
plt.ylabel(f'Reward')
plt.legend()
plt.show()
```


0
−2
−4
−6
−8
Reward
1
5
10
15
20
25
30
35
Iteration
Cumul. rew. (vs. Random agent)
Cumul. rew. (vs. Heur. Agent)