Taghleef Industries

PACKAGING SOLUTIONS WORLDWIDE

Ti Films for TD Shrink Sleeve Labels

Introduction

- **Label markets and trends**

- ***Ti* film for Shrink Sleeve Labels**

Label Market

European Market 2016 Data

Taghleef Industries

Total Global market volume: **57 Billion sqm**

Europe : **14 Billion sqm** (25%)

2014/2015 GROWTH RATE registered 2.4%





Shrink Sleeve Labels : examples

Taghleef Industries

SOME EXAMPLES

Ti's Shrink Sleeve Label film: TDS

TD Shrink Labels

Taghleef Industries

A heat shrinkable transparent transverse oriented (TD) polyolefin film



Properties	Method	Unit	Ref.	Typical values
Nominal thickness	Internal method	µm		45
Unit weight		g/m^2		41.0
Yield		m^2/kg		24.4
Thermal Shrinkage	Internal Method 95°C, 5'', hot oil	%	TD	65

Ti's Shrink Sleeve Label film: TDS

TD Shrink Labels



Ti ADVANTAGES

- Superior Gloss and Transparency for "no label look" sleeve labels
- Low Shrink Force to avoid containers squeezing during full or empty labelling process
- Low density – floatable solution for PET contaniners recycling
- Excellent print quality

PROPERTIES AND FEATURES

- TD heat-shrinkable, up to 65% at 95°C
- Low Shrink Force
- High yield
- Low Haze
- High Gloss

TYPICAL APPLICATIONS

- Up to 65% uniform shrinkage for tight wraps on contoured containers
- Reverse printed monoweb sleeve labels
- OPS and PET replacement

Ti's Shrink Sleeve Label film: TDS

TD Shrink Labels





- Seaming with standard solvents.
- Manual and automatic application.
- Freedom to fully decorate empty and thin containers in a wide variety of shapes and sizes and the potentiality for 360° of eye-catching label graphics.
- Up to 65% of shrinkage guaranteed in steam shrink tunnels.
- "No label look" effect on final labelled products.



TDS vs other substrates

Taghleef Industries

Substrate	Comparison	*Ti's* TDS
PET	• **High shrink force** • **High density** • **MD shrink** → smile effect	• **Low shrink force** • **Low density (0.91)** • **Low MD shrink**
PVC	• Limited total shrinkage • **MD shrink** → smile effect • **Perceived as environmental unfriendly**	• **Low MD shrink** • **Environmental friendly-floatable**
OPS	• **More challenging to convert/print** • **«Natural» shrinkage risk**	• **Excellent print quality** • **Thermal stability - Not acclimatized transport needed**

Trends

Taghleef Industries

When is **TDS** best fit for use?

- ✓ **Reverse printed monoweb** TD Shrink Sleeve labels
- ✓ **Up to 65%** uniform shrinkage
- ✓ **Moderate shrink force** suitable to avoid containers squeezing during **full or empty labelling process**
- ✓ **Floatable solution** that minimizes the impact on PET recycle systems and reduces the weight of your labels
- ✓ **Ultra-clear** ”No label look” effect on the final labelled products

Taghleef Industries

PACKAGING SOLUTIONS WORLDWIDE

Thank you

for your attention!