

ACTUAL CODING MANUAL

Actual coding steps

Recommended Steps for Actual Coding

First, locate the full-text article using Google Scholar and other databases (e.g., PsycINFO, ABI/INFORM Collection, ProQuest Dissertations & Theses Global, Web of Science, Scopus) accessed through your university library.

- Make sure that the title, author(s), and publication year match the assigned article before beginning coding. Search results may sometimes lead to a different paper.
- If the full text cannot be accessed, select 999 = Full text unavailable under Inclusion-Exclusion Judgment (Article Descriptors), and move on to the next article.

Second, review the full-text article and make an inclusion-exclusion decision based on the following criteria.

1. The study reports at least one relevant effect size involving boundary spanning and its antecedents and/or outcomes.
2. The sample consists of employees or working adults (not students, trainees, applicants, or non-working samples).
3. The study includes a measure of boundary spanning.
4. The study reports sufficient statistical information to code an effect size (e.g., correlation coefficient, convertible statistics, sample size).
5. The study is an original empirical study (not a conceptual paper, review, or meta-analysis).

Third, if the article is included, begin coding in the following order.

1. Article Descriptors
Code Inclusion-Exclusion judgment, reasons for exclusion, publication type, secondary data use, and any general notes.
2. Study / Sample Descriptors
Go to the Method section (Participants subsection) and code study design, country, international context, age, gender, tenure, and occupation type.
3. Effect Sizes & Measure Descriptors
Go to the Measures subsection and Results section, and code details about the boundary spanning measure (and other focal variables if applicable), such as number of items, scale range, report type, means, standard deviations, reliability estimates, and effect sizes.

General rule for ALL missing data: If any information is not reported in the article, always enter 999 as the default missing code.

Article Descriptors

Variable Name	Coding Procedure
Coder Initials	Enter your first and last initials (e.g., KL, JK, JH). This cell will be copied over to the Coder Initials columns in <i>Study/Sample Descriptors</i> and <i>Effect Sizes & Measure Descriptors</i> .

Article ID	This is a <u>unique study identifier</u> for each paper.
Inclusion-Exclusion Judgment	Coders should “include” a given article for now if it passes ALL of the inclusion criteria (described in page 1). In other words, if the article does not fulfill any one of the criteria, coders will “exclude” the article. • 1 = Include, 0 = Exclude, 999 = Full text unavailable
Reasons for Exclusion	Indicate the reason for excluding the article • 1 = No effect size of interest (i.e., boundary spanning and its antecedents and/or outcomes), • 2 = Non-employee samples (e.g., full-time graduate/professional students, military/police trainees, recruits/job applicants), • 3 = Non-Boundary spanning measures • 4 = Non-primary study (i.e., theoretical/conceptual/meta-analysis paper), • 5 = Multiple reasons (specify in the Notes column), • 6 = Duplicate, • 7 = The article is written in non-English language that cannot be translated by us (Korean and Chinese), • 9 = Other (specify in the Notes column)
Abstract	These will be given Coders do not need to do anything for these.
Title	
Publication Name	
Authors	
Publication Type	Indicate the publication type of the article. (Most studies are likely to be 1 and 2.) • 1 = Journal article • 2 = Dissertation/thesis (includes master’s and undergraduate honors theses) • 3 = Conference proceeding, presentation, or poster • 4 = Technical report or white paper • 5 = Book chapter or book (entire) • 9 = Other (specify) • 999 = Unsure
Other (specify)	If “9 = Other (specify in the next column)” was selected in Publication Type, specify the publication type here. This cell is initially gray but will turn white once text is entered.
Full Citation (APA)	Ignore this for now. We will work on this at a later stage.
Secondary Data?	Did the article use a secondary dataset? (i.e., data that were fully or partially collected in another, previous study) If so, report the full or in-text citation of the previous study. If reported, this information will usually be found in the Method

	section. This cell is initially gray but will turn white once text is entered.
Notes	Leave any notes about the article that you think are worth noting. This could include things that were difficult or unclear (therefore requiring further discussion) or that were clear but for some reason noteworthy (e.g., unusual). But it could also include something you thought was particularly important for us to mention in the writeup of our meta-analysis.
Study/Sample Descriptors	
Variable Name	Coding Procedure
Coder Initials	This cell is set to automatically fill in from what you entered in <i>Article Descriptors</i>.
Article ID	
Sample ID	Assign a sample ID by using Arabic numerals to indicate different samples within an article (e.g., 1545.1, 1545.2).
Inclusion-Exclusion Judgment	Please do NOT touch this in this tab. These cells are linked to those in <i>Article Descriptors</i>. When you add one or more rows for a given article ID, and thus make a blank cell for this in the new row, you do NOT have to fill in the new cell. This is added here so as to easily spot excluded articles when the actual coding is finished.
Study Design	Indicate the study design (Method section). 1 = Cross-sectional - i.e., no time gap between measurement of boundary spanning and measurement of other variables. Here, we are focused on whether boundary spanning and other variables are measured within the same survey 2 = Longitudinal/time-lagged - Longitudinal/time-lagged = measurement of boundary spanning and another variable (e.g., antecedents or outcomes) are collected at different time points, such that boundary spanning is measured first and the other variable is measured later (e.g., after 1 day, 3 weeks, 5 months, or 7 years). The reverse order (i.e., when the other variable is measured before boundary spanning) should also be considered longitudinal/time-lagged. Rule of thumb for determining longitudinal vs. cross-sectional design - Consider it as longitudinal if the temporal gap between boundary spanning and antecedents or outcome assessments is greater than 7 days (> 1 week). If the authors didn't report anything about the temporal gap, we'll

	assume it's cross-sectional. If they don't mention a specific time gap but say Time 1 and Time 2—in which case the authors clearly consider it as longitudinal design—we'll code it as longitudinal. 9 = Other (specify in the next column) 999 = Unsure
Other (specify)	If "9 = Other (specify in the next column)" was selected in Study Design, specify the study design here. This cell is initially gray but will turn white once text is entered.
Country	Indicate the country in which the study data were collected. Code the country based on the location of the sample participants, not the authors' affiliation or the country where the article was published. If data were collected from participants in multiple countries, enter all applicable countries and specify this in the next column. If the sample is described as international, global, or multinational but specific countries are not reported, enter "Multiple countries."
Country (specify)	Enter all applicable countries.
International Context	1 = No (domestic only) The sample works within a single country and does not involve cross-national interactions as a primary part of the job. 2 = Yes (cross-national / international work context) The sample involves working across national boundaries or in an international context. This includes: • Employees working in multinational corporations (MNCs) or multinational enterprises (MNEs) • Expatriate samples (both corporate expatriates and self-initiated expatriates, SIEs) • Jobs that require frequent interaction with foreign clients, teams, or stakeholders • Work involving cross-cultural, cross-border coordination or communication 999 = Missing
Sample size (N)	When coding sample size, use the value labeled as "N" typically reported beneath the correlation coefficients in correlation tables. If only a range of sample sizes is reported, first consult the Method/Participants section for a more precise value. If no exact sample size can be identified, code the midpoint of the reported range.
Mean Age	Enter the mean value of age of the final sample. If a specific mean is not reported (e.g., age range, frequencies), code it as missing (999).

	If there's a discrepancy between the text and correlation table, go with the value reported in the correlation table. 999 = Missing
% Female	Enter the percentage of females in the final sample without "%", rounding to two decimals (e.g., 25.07, 52.54, 76.15). 999 = Missing
Organizational Tenure	Enter the mean organizational tenure (in years) of the final sample. Organizational tenure refers to the amount of time an employee has been in the organization up until the time of the survey. If a specific mean is not reported (e.g., tenure range, frequencies), code it as missing (999). This can usually be found in the Participants subsection or in a descriptive statistics/correlation table. If there's a discrepancy between the text and correlation table, go with the value reported in the correlation table. 999 = Missing
Occupation Type	Copy and paste the occupation description exactly as reported in the paper. This information is most commonly found in the Participants, Sample, or Method section of the article. If multiple occupation groups are included, copy all relevant descriptions as reported by the authors.
Notes	Leave any notes about the sample that you think are worth noting.
Effect Sizes	
Variable Name	Enter the variable name exactly as it appears in the correlation table of the article. Boundary-spanning activities may refer to general boundary management or to more specific types of activities. Examples include: • Coordination activities (e.g., coordinating with external groups, resolving cross-boundary problems, negotiating work-related issues) • Representation activities (e.g., securing support/resources, representing the team externally, reporting team progress) • Information search activities (e.g., gathering external information, scanning the environment for expertise or ideas) • Knowledge/resource exchange activities (e.g., exchanging information, collaborating with external entities, joint projects) • General boundary management or external communication activities without a clearly specified function
M & SD	Enter the mean and standard deviation of the variable, rounding to two decimals. 999 = Missing
Coefficient Alpha Reliability Estimate	Enter the Cronbach's alpha reliability estimate (internal consistency) of each focal construct, rounding to two decimals. If a specific value is not reported, copy and paste the reliability information as reported in the article (e.g., range of estimates).

	If an alternative form of reliability estimate is reported (e.g., omega coefficient, test-retest reliability), code it in this cell and make a note in the Notes column as to what type. If there's a discrepancy between the text and correlation table, go with the value reported in the correlation table.
(Uncorrected) r	Enter the uncorrected/observed zero-order Pearson product-moment correlation coefficient that corresponds to the relationship between boundary spanning and an antecedent variable or an outcome variable. If the article does not provide a correlation table, correlation coefficients are sometimes reported in the beginning of the Results section. If a type of correlation other than the Pearson product-moment correlation is reported (e.g., Spearman rank correlation, polychoric correlation, tetrachoric correlation, phi coefficient), enter the reported value and indicate the correlation type in the Notes field. If there are multiple correlations to be coded, each effect size should be as orthogonal/independent as possible in terms of measurement. Please use the next row (with alphabet(s) attached to Study ID; e.g., 1234.a, 2345.1a) to enter the second set of information. Important: Code ALL effect size that appear in the correlation table, including demographic variables such as gender, age, education, and tenure. Every single correlation between boundary spanning and any other variable in the table must be coded in a separate row — do not skip any.
Notes	Leave any notes about the effect size that you think are worth noting.
Measure Descriptors	
Number of Items	Enter the total number of items used to measure the construct.
Minimum Possible Score	Enter the minimum possible score of a given construct (e.g., if the measure uses a 1-5 Likert scale, this would be a 1). If it's missing, do NOT infer this value from M & SD. 999 = Missing
Maximum Possible Score	Enter the maximum possible score of a given construct (e.g., if the measure uses a 1-5 Likert scale, this would be a 5). 999 = Missing
Report Type	Indicate the report type of the scale measurement. • 1 = Self • 2 = Supervisor • 3 = Others (e.g., coworker/peer, subordinate, customer/client/vendor/supplier) • 4 = Objective measure (e.g., number, etc., specify in the next column)

	• 9 = Other (specify in the next column) • 999 = Unsure There are two questions to ask yourself every time you code the report type. First, identify who the boundary spanner is. The boundary spanner is the person whose boundary-spanning behavior is being studied — this is your anchor. If the study is about leader boundary-spanning behavior, the leader is your anchor. If the study is about subordinate boundary-spanning behavior, the subordinate is your anchor. Second, ask whether that person filled out the survey themselves. If the boundary spanner responded to the survey about their own behavior, code it as 1 = Self-rated. If someone else filled out the survey about them, code it as 2 = Other-rated. For example, in a study of leader boundary-spanning behavior, if employees rated their leader's behavior, the boundary spanner is the leader — but the leader did not fill out the survey. The employee did. So the code is 2 = Other-rated. On the other hand, if the leader filled out the survey about their own boundary-spanning behavior, that would be 1 = Self-rated. If a given construct was measured using two or more report types (i.e., using both self- and supervisor-rating scales), use the next row (with alphabet(s) attached to Study ID; e.g., 1234.a, 2345.1a) to enter the second set of information (mean, SD, min/max possible score, uncorrected <i>r</i>, reliability estimate, and report type).
Report Type Note	If “4 (Objective measure) or 9 (Other)” was selected in Report Type, please specify. This cell is initially gray but will turn white once text is entered.
Specific Measure Used	Copy and paste the measure description exactly as reported in the paper, including information about the original scale citation, how the measure was adapted (if applicable), and any cited source of the scale. This information is typically located in the Measures or Method section. Do not paraphrase or summarize the measure description. Example: Marrone et al. (2007), Van Dyne and LePine (1998), Peng et al. (2014)
Notes	Leave any notes about the article that you think are worth noting.