

Meta-Analysis of Boundary Spanning (BSMA)

Phase 1 Screening Step Results & Efficiency Report

Date: July 3, 2026	Author: Antigravity (AI Orchestrator)
Target File: BSMA_Master_Coding_Sheet.xlsx	Total Universe: 701 Candidate Articles

1. Executive Summary

Before initiating intensive full-text coding—such as harvesting sample demographics, measure descriptors, reliability alphas, and bivariate correlation matrices—the research team instituted a strategic **1st Screening Step** across the entire universe of 701 candidate articles (*BSMA0001* through *BSMA0701*).

The primary objective of this screening phase was to systematically evaluate each article against the core meta-analytic inclusion criteria and filter out ineligible studies early. This architectural decision yielded immense operational and methodological benefits:

KEY STRATEGIC OUTCOME:
*Out of 701 initial candidate articles, exactly **388 papers (55.3%)** were confirmed as eligible for full-text coding (**1 = Include**), while **313 papers (44.7%)** were identified and excluded (**0 = Exclude**). Eliminating nearly 45% of the initial pool prior to full-text data extraction prevents substantial wasted time, computational overhead, and potential data extraction errors.*

2. Overall Screening Classification Table

All 701 articles were analyzed using their full bibliometric descriptors (Title, Abstract, Publication Name) and full-text keyword scanning via PyMuPDF. Every judgment was recorded directly into Column E (*Inclusion-Exclusion Judgment*) of the Master Coding Sheet without altering any subsequent coding fields.

Classification Status (Col E / Col 5)	Count	% of Pool	Description & Eligibility Status
1 = Include (Eligible)	388	55.3%	Empirical quantitative studies measuring boundary spanning behavior at the individual employee/leader level and reporting statistical effect sizes.
0 = Exclude (Ineligible)	313	44.7%	Studies excluded based on standardized exclusion criteria (macro level, lack of effect sizes, non-employee samples, or non-primary data).
Total Analyzed	701	100.0%	Represents 100% bijection with Final list(BSMA).xlsx (Rows 4 to 704 in Master Coding Sheet).

3. Detailed Breakdown of Exclusion Reasons (313 Papers)

When excluding a paper, standardized exclusion codes were recorded in Column F (*Reason for Exclusion*), and specific methodological justifications were documented in Column P (*Notes*). Every single excluded paper mapped cleanly to one of four primary categories:

Reason Code (Col F)	Count	% Excl.	% Total	Detailed Rationale & Typical Examples
3 = non-individual level	133	42.5%	19.0%	Macro or Group Level Analysis: Examines boundary spanning at the team, business unit, firm, board of directors, supply chain, multiteam system (MTS), or inter-organizational alliance level rather than individual employee behavior. (<i>e.g., NPD team intelligence, firm technological alliances, bank branch autonomy</i>).
1 = No effect size of interest	109	34.8%	15.5%	Missing Statistical Effect Sizes: Empirical studies investigating individual organizational members, but failing to report quantitative bivariate correlation (<i>r</i>) or regression matrices linking boundary spanning behavior to outcome variables.
2 = Non-employee samples	41	13.1%	5.8%	Non-Workplace Populations: Studies sampling non-employee subjects such as general consumers, hospital patients, university students, citizens, municipal governments, prescribing physicians, or adventure tourists.
4 = Non-primary study	30	9.6%	4.3%	Theoretical / Conceptual / Review: Conceptual frameworks, literature reviews, theoretical models, editorials, typologies, or previous meta-analyses lacking an original primary empirical dataset. (<i>e.g., articles published in AMR, IJMR, or conceptual chapters</i>).
5, 6, 7, 99 (Other Codes)	0	0.0%	0.0%	Zero Occurrences: No duplicates (6), non-English publications (7), or unclassifiable edge cases (99) were found during screening.
Total Excluded Pool	313	100.0%	44.7%	All 313 excluded papers strictly assigned and documented.

4. Methodological Rigor & Rule Compliance

Throughout the execution of the 1st Screening Step, all project-wide rules from *AGENTS.md* were strictly enforced without exception:

1. Zero Guesswork Policy: No assumptions or imputations were made. If an article lacked clear empirical evidence of individual-level boundary spanning correlation effect sizes, it was strictly coded under appropriate exclusion categories (1, 2, 3, or 4) with supporting textual evidence logged in Column P.

2. Absolute Blank Preservation for Full-Text Coding: Per explicit user instructions, ONLY the screening judgment fields (Inclusion-Exclusion Judgment, Reason for Exclusion, and Notes) and initial bibliometric descriptors were populated. **All sample demographic fields, measure descriptors, effect size IDs, and correlation matrices (Columns C, D, L, M, N, O, and beyond) remain 100% blank and pristine**, ready for the subsequent full-text extraction phase.

5. Automated Repository Sync & Backup Status

Following data injection into *BSMA_Master_Coding_Sheet.xlsx*, automated Git synchronization was performed in accordance with Global Rule 4.

- **Repository URL:** <https://github.com/canadaofbin-netizen/BSMA-antigravity-.git> (*main branch*)
- **Final Screening Commit ID:** 4faa602 (*"Screening: Completed 1st screening judgments for ALL 701 papers (388 Included, 313 Excluded)"*)
- **Verification:** All 701 records are safely committed, pushed, and backed up across both Google Drive workspace storage and GitHub remote infrastructure.

6. Next Steps & Readiness for Phase 2

With the 1st Screening Step completed, the project architecture is optimized for **Phase 2: Full-Text Coding & Measure Extraction**.

1. **Targeted Workflow:** Full-text coding (subagent deployment for measure extraction, reliability harvesting, and effect size encoding) will focus **exclusively on the 388 confirmed included papers (1 = Include)**.
2. **Resource Optimization:** Bypassing the 313 excluded papers saves an estimated ~45% in API token consumption and processing time.
3. **Standby Protocol:** In accordance with user directives ("**■■ ■■■ ■ ■■■ ■■■■ ■■■■**"), autonomous measure extraction remains paused. The AI Orchestrator is in **STANDBY mode**, awaiting user authorization to launch Phase 2.

Report Conclusion — End of Document.