
a
Operating points (ITT)
Precision
Recall
prevalence 0.0055
zavg_BEF
B
GLS
Spearman
Pearson
PC-rm Pearson
b
Paired differences in AP
zavg_BEF − GLS
zavg_BEF − Spearman
zavg_BEF − Pearson
B − GLS
B − Spearman
B − Pearson
B − zavg_BEF
PC-rm − zavg_BEF
ITT (primary metric)
S1 (locked verdict set)
Δ AP (95% cluster-bootstrap CI)
c
Calibration (ITT, log-spaced bins)
zavg_BEF: Brier skill 0.222
calibration-in-the-large 0.893
slope 1.007
Observed co-complex rate
Mean predicted probability (isotonic, fitted on train)
d
Pooled vs cluster-structured AP (ITT)
zavg_BEF − GLS, macro-AP:
+0.005 [-0.014, +0.047]
AP (ITT)
AP (pooled)
AP without largest comp.
AP without 10 largest
macro per-cluster AP
e
Generalisation to proteins not seen among train positives
AP (95% cluster-bootstrap CI)
C1: both proteins in train positives
positives = 265
Δ AP vs GLS:
+0.081 [+0.026, +0.140]
C2: one protein
positives = 738
Δ AP vs GLS:
+0.050 [+0.017, +0.092]
C3: neither protein
positives = 2,309
Δ AP vs GLS:
+0.148 [+0.093, +0.199]
all (ITT)
positives = 3,312
Δ AP vs GLS:
+0.121 [+0.079, +0.159]