

NAMA: CANDRA PUJI UTAMA

NIM: E41231578

GOLONGAN: B

1. Query menambahkan field pada table mhs

```
MariaDB [skademi]> alter table mhs
  -> add column jensi_kelamin varchar(1);
Query OK, 0 rows affected (0.020 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

2. Bukti hasil penambahan field pada table mhs

```
5 rows in set (0.001 sec)

MariaDB [skademi]> desc mhs;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| nin    | char(10) | NO | PRI | NULL | |
| nama_mhs | varchar(70) | YES | | NULL | |
| tgl_lahir | date | YES | | NULL | |
| alamat_mhs | varchar(100) | YES | | NULL | |
| netaip_mhs | int(11) | YES | | NULL | |
| nama_prodi | varchar(50) | YES | MUL | NULL | |
| jensi_kelamin | varchar(10) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.013 sec)
```

3. Query menghapus field pada table mhs

```
MariaDB [skademi]> alter table mhs drop column jk;
Query OK, 0 rows affected (0.013 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

4. Bukti hasil menghapus field pada table mhs

```
MariaDB [skademi]> desc mhs;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| nin    | char(10) | NO | PRI | NULL | |
| nama_mhs | varchar(70) | YES | | NULL | |
| tgl_lahir | date | YES | | NULL | |
| alamat_mhs | varchar(100) | YES | | NULL | |
| netaip_mhs | int(11) | YES | | NULL | |
| nama_prodi | varchar(50) | YES | MUL | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.013 sec)
```

5. Query alter table menambahkan primary key pada table mhs

```
MariaDB [skademi]> alter table mhs
  -> add primary key(nin);
Query OK, 0 rows affected (0.004 sec)
Records: 0 Duplicates: 0 Warnings: 0
```


6. Bukti hasil alter table menambahkan primary key pada table mhs

```
MariaDB [skademi]> desc mhs;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| nin    | char(10) | NO | PRI | NULL | |
| nama_mhs | varchar(70) | YES | | NULL | |
| tgl_lahir | date | YES | | NULL | |
| alamat_mhs | varchar(100) | YES | | NULL | |
| netaip_mhs | int(11) | YES | | NULL | |
| nama_prodi | varchar(50) | YES | MUL | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.000 sec)
```

7. Query alter table menambahkan primary key pada table program_studi

```
MariaDB [skademi]> desc program_studi;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| nama_prodi | varchar(50) | NO | PRI | NULL | |
| jerjang | varchar(4) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.001 sec)
```

8. Bukti hasil alter table menambahkan primary key pada table program_studi



```
MariaDB [akademik]> desc program_studi;
```

Field	Type	Null	Key	Default	Extra
nama_prodi	varchar(50)	NO	PRI	NULL	
jenjang	varchar(4)	YES		NULL	

2 rows in set (0.001 sec)

9. Query alter table menambahkan primary key pada table dosen



```
MariaDB [akademik]> alter table dosen
-> add primary key(nip);
Query OK, 0 rows affected (0.052 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

10. Bukti hasil alter table menambahkan primary key pada table dosen



```
MariaDB [akademik]> desc dosen;
```

Field	Type	Null	Key	Default	Extra
nip	char(18)	NO	PRI	NULL	
nama_dosen	varchar(70)	YES		NULL	
alamat_dosen	varchar(100)	YES		NULL	
notelp_dosen	int(11)	YES		NULL	


4 rows in set (0.001 sec)

11. Query alter table menambahkan primary key pada table mata_kuliah



```
MariaDB [akademik]> alter table mata_kuliah
-> add primary key(nip);
Query OK, 0 rows affected (0.055 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

12. Bukti hasil alter table menambahkan primary key pada table mata_kuliah



```
MariaDB [akademik]> desc mata_kuliah;
```

Field	Type	Null	Key	Default	Extra
kode_matkul	char(5)	NO		NULL	
nama_matkul	varchar(50)	YES		NULL	
jumlah_sks	int(11)	YES		NULL	
nama_prodi	varchar(50)	NO		NULL	
nip	char(18)	NO	PRI	NULL	

5 rows in set (0.003 sec)

13. Query alter table menambahkan foreign key pada table mhs



```
MariaDB [akademik]> alter table mhs
-> add primary key(nim);
Query OK, 0 rows affected (0.054 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

14. Bukti hasil alter table menambahkan foreign key pada table mhs



```
MariaDB [akademik]> desc mhs;
```

Field	Type	Null	Key	Default	Extra
nim	char(10)	NO	PRI	NULL	
nama_mhs	varchar(70)	YES		NULL	
tgllahir	date	YES		NULL	
alamat_mhs	varchar(100)	YES		NULL	
notelp_mhs	int(11)	YES		NULL	
nama_prodi	varchar(50)	YES		NULL	

6 rows in set (0.040 sec)

15. Query alter table menambahkan foreign key pada table mata_kuliah



```
MariaDB [akademik]> alter table mata_kuliah
-> add primary key(nip);
Query OK, 0 rows affected (0.055 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

16. Bukti hasil alter table menambahkan foreign key pada table mata_kuliah

```
MariaDB [akademik]> desc mata_kuliah;
```

Field	Type	Null	Key	Default	Extra
kode_matkul	char(5)	NO		NULL	
nama_matkul	varchar(50)	YES		NULL	
jumlah_sks	int(11)	YES		NULL	
nama_prodi	varchar(50)	NO		NULL	
nip	char(18)	NO	PRI	NULL	

5 rows in set (0.003 sec)

17. Query alter table menambahkan foreign key pada table akun

```
MariaDB [akademik]> alter table akun  
-> add primary key(nim);  
Query OK, 0 rows affected (0.053 sec)  
Records: 0 Duplicates: 0 Warnings: 0
```

18. Bukti hasil alter table menambahkan foreign key pada table akun

```
MariaDB [akademik]> desc akun;
```

Field	Type	Null	Key	Default	Extra
nim	char(10)	NO	PRI	NULL	
password	varchar(10)	YES		NULL	

2 rows in set (0.039 sec)

ACARA 22

1. Query alter table membuat relasi antara table mhs dengan table program_studi

```
XAMPP for Windows - mysql X + v  
MariaDB [(none)]> use akademik  
Database changed  
MariaDB [akademik]> alter table mhs  
-> add foreign key (nama_prodi)  
-> references program_studi (nama_prodi)  
-> on delete cascade  
-> on update cascade  
-> ;  
Query OK, 0 rows affected (0.066 sec)  
Records: 0 Duplicates: 0 Warnings: 0
```

2. Bukti hasil alter table membuat relasi antara table mhs dengan table program_studi

```
MariaDB [akademik]> desc mhs;
```

Field	Type	Null	Key	Default	Extra
nim	char(10)	NO	PRI	NULL	
nama_mhs	varchar(70)	YES		NULL	
tgllahir	date	YES		NULL	
alamat_mhs	varchar(100)	YES		NULL	
notelp_mhs	int(11)	YES		NULL	
nama_prodi	varchar(50)	YES	MUL	NULL	

3. Query alter table membuat relasi antara table mata_kuliah dengan table program_studi

```
MariaDB [akademik]> alter table mata_kuliah  
-> add foreign key (nama_prodi)  
-> references program_studi (nama_prodi)  
-> on delete cascade  
-> on update cascade  
-> ;  
Query OK, 0 rows affected (0.025 sec)  
Records: 0 Duplicates: 0 Warnings: 0
```

4. Bukti hasil alter table membuat relasi antara table mata_kuliah dengan table program_studi

```
MariaDB [(none)]> use akademik;
Database changed
MariaDB [akademik]> desc mata_kuliah;
```

Field	Type	Null	Key	Default	Extra
kode_matkul	char(5)	NO	PRI	NULL	
nama_matkul	varchar(50)	YES		NULL	
jumlah_sks	int(11)	YES		NULL	
nama_prodi	varchar(50)	NO	MUL	NULL	
nip	char(18)	NO		NULL	

```
5 rows in set (0.045 sec)

MariaDB [akademik]>
```

5. Query alter table membuat relasi antara table mata_kuliah dengan table dosen

```
XAMPP for Windows - mysql
MariaDB [akademik]> alter table mata_kuliah
-> add foreign key (nip)
-> references dosen (nip)
-> on delete cascade
-> on update cascade
-> ;
Query OK, 0 rows affected (0.069 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

6. Bukti hasil alter table membuat relasi antara table mata_kuliah dengan table dosen

```
MariaDB [akademik]> desc mata_kuliah;
```

Field	Type	Null	Key	Default	Extra
kode_matkul	char(5)	NO	PRI	NULL	
nama_matkul	varchar(50)	YES		NULL	
jumlah_sks	int(11)	YES		NULL	
nama_prodi	varchar(50)	NO	MUL	NULL	
nip	char(18)	NO		NULL	

```
5 rows in set (0.038 sec)

MariaDB [akademik]> |
```

7. Query alter table membuat relasi antara table mhs dengan table akun

```
XAMPP for Windows - mysql
MariaDB [akademik]> create table akun(
-> nim char(10) not null,
-> password varchar(10) not null,
-> foreign key(nim)
-> references mhs(nim)
-> on delete cascade
-> on update cascade
-> );
Query OK, 0 rows affected (0.049 sec)
```

8. Bukti hasil alter table membuat relasi antara table mhs dengan table akun

```
MariaDB [akademik]> desc akun
-> ;
```

Field	Type	Null	Key	Default	Extra
nim	char(10)	NO	MUL	NULL	
password	varchar(10)	NO		NULL	

```
2 rows in set (0.043 sec)
```

1. Drop table

```
XAMPP for Windows - mysql
+-----+-----+-----+-----+
5 rows in set (0.045 sec)

MariaDB [akademik]> drop table mata_kuliah;
Query OK, 0 rows affected (0.020 sec)

MariaDB [akademik]> drop table mhs;
Query OK, 0 rows affected (0.048 sec)

MariaDB [akademik]> drop table program_studi;
Query OK, 0 rows affected (0.047 sec)

MariaDB [akademik]> drop table dosen;
Query OK, 0 rows affected (0.044 sec)

MariaDB [akademik]> drop table akun;
Query OK, 0 rows affected (0.047 sec)
```

2. Show tables

```
MariaDB [akademik]> show tables;
Empty set (0.038 sec)
```

3. Drop database

```
MariaDB [akademik]> drop database akademik;
Query OK, 0 rows affected (0.050 sec)
```

4. Show databases

```
MariaDB [(none)]> show databases;
+-----+
| Database |
+-----+
| information_schema |
| menjual      |
| mysql        |
| performance_schema |
| phpmyadmin   |
| test         |
+-----+
6 rows in set (0.037 sec)

MariaDB [(none)]>
```