Installing the Soul Apps Manually

A step-by-step guide for installing the Soul App repositories by hand after downloading their zip files — plus the shortcut route for the stand-alone utilities that ship as one-click installers.

Everything below is done in **PowerShell** or **Command Prompt** on Windows 10/11 (64-bit). Nothing is sent to a cloud service: both apps run on your own machine.

There are two routes:

- **Option A — one-click installers** (section 3): the 22 stand-alone SOUL utilities in `D:\SoulApps\SoulInstallers`. No Python, no setup — just run them.
- **Option B — manual install from a zip** (sections 4–8): Zana and Aspyra v2, installed into their own Python environments.

The PDFs and the quick-reference sheet in this folder are generated from this guide; section 11 explains how to rebuild them after an edit.

Quick reference — commands only

Every command in the guide, nothing else. Explanations are in the numbered sections that follow this page.

Python check — need 3.11–3.13, 3.12 preferred: `py -0p`

Zana — install (from `D:\SoulApps\zana-main\zana-main`)

```
cd "D:\SoulApps\zana-main\zana-main"
py -3.12 -m venv .venv
.\.venv\Scripts\python.exe -m pip install -r requirements.txt
Copy-Item .env.example .env
```

Zana — start / stop

```
.\.venv\Scripts\python.exe -m uvicorn app.main:app --host 127.0.0.1 --port 8765
```

Or double-click `start.bat` / `stop.bat`.

Aspyra v2 — install (from `D:\SoulApps\Aspyra_v2-main\Aspyra_v2-main`)

```
cd "D:\SoulApps\Aspyra_v2-main\Aspyra_v2-main"
py -3.12 -m venv app\.venv
.\app\.venv\Scripts\python.exe -m pip install -r app\requirements.txt
Copy-Item app\.env.example app\.env
```

Aspyra v2 — start / stop

```
cd app
$env:APP_PORT = "7012"
..\app\.venv\Scripts\python.exe -m uvicorn app:app --host 127.0.0.1 --port 7012
```

Or double-click `Start Aspyra v2.bat`; close its window to stop.

Ollama (needed for chat in both apps)

```
ollama pull llama3.2:3b
```

The 22 installers (no Python needed)

```
cd "D:\SoulApps\SoulInstallers"
.\<Name>_Setup_1.0.0.exe /VERYSILENT /SUPPRESSMSGBOXES /NORESTART
```

Health checks

```
(Invoke-WebRequest http://127.0.0.1:8765/api/health).Content
(Invoke-WebRequest http://127.0.0.1:7012/api/health).Content
```

1. What you are installing

App	Zip file	What it is	Address	Needs Ollama
Zana	`zana-main.zip`	Local voice assistant: speak → local LLM answer → optional spoken reply, with voice emotion analysis, mood history and saved transcripts	`http://127.0.0.1:8765`	Yes, for chat
Aspyra v2	`Aspyra_v2-main.zip`	Private AI workspace: chat, agents, coding agent, notes, calendar, research, documents, memory	`http://127.0.0.1:7012`	Yes, for chat

The two apps are independent. You can install either one, or both, into the same parent folder (for example `D:\SoulApps`).

Neither zip contains LLM weights. Chat models live in Ollama's own store, and the speech/emotion models download on first use from Hugging Face. Only the repositories are in the zip.

The 22 stand-alone programs in `D:\SoulApps\SoulInstallers` are a separate set entirely — see section 3.

---

2. Before you start

2.1 Install Python

Both zip apps need **Python 3.11, 3.12 or 3.13**. Use **3.12** if you have the choice. (This does not apply to the installers in section 3, which need no Python at all.)

> **Do not use Python 3.14 or newer.** PyTorch (needed by Zana) publishes no wheels for those versions yet, so `pip install` fails with `No matching distribution found for torch`. Python 3.15 is too new as well.

Check which versions are installed:

```
py -0p
```

If nothing is listed, install Python from <https://www.python.org/downloads/windows/> and tick **Add python.exe to PATH** during setup. The `py` launcher comes with it.

If several versions exist, pick the right one per command with `py -3.12`.

2.2 Free disk space

Item	Approximate size
Zana's Python packages (PyTorch)	~2.5 GB
Aspyra's Python packages	~1 GB
Zana's speech + emotion models (first recording)	~1–3.5 GB
Chat models in Ollama	1–8 GB each

Plan for roughly **12 GB** free for a comfortable install of both apps with one or two chat models.

2.3 Optional: Ollama (chat)

Zana and Aspyra are **Ollama clients** — they talk to `http://127.0.0.1:11434`. Install Ollama from <https://ollama.com/download> if you want chat answers. Without it, Zana's voice recording and emotion analysis still work; only the chatting is unavailable (the model picker shows everything as `· offline`).

---

3. Option A — the one-click installers in `SoulInstallers`

`D:\SoulApps\SoulInstallers` holds **22 stand-alone Windows installers** published under the company name *SOUL Ecosystem* — all version 1.0.0 except `VoiceMind_Setup_2.0.0.exe`. They install separate desktop utilities, not Zana or Aspyra.

Unlike the zip route, these need **none** of the setup steps in this guide — no Python, no `venv`, no `pip install`, no `.env` file and no Ollama. Double-click, follow the wizard, done.

3.1 Installing them

1. Double-click the installer for the app you want.
2. If Windows shows **"Windows protected your PC"** (SmartScreen, because the builds are unsigned), click **More info → Run anyway**.
3. Follow the wizard. It offers an install folder and, depending on the package, a per-user or per-machine location plus an optional desktop shortcut.
4. Uninstall later from **Settings → Apps → Installed apps**.

All 22 are **Inno Setup** packages, so they also install silently — useful for scripting a whole set at once:

```
cd "D:\SoulApps\SoulInstallers"
.\SOULVault_Setup_1.0.0.exe /VERYSILENT /SUPPRESSMSGBOXES /NORESTART
```

Install them one at a time rather than firing off all 22 at once: some of the wizards ask for a folder or a shortcut preference.

3.2 What each installer installs

Installer	Size	Program
`BootMagic_Setup_1.0.0.exe`	12.2 MB	BootMagic — boot / startup configuration
`CPUX_Setup_1.0.0.exe`	44.8 MB	CPUX — CPU monitoring and tuning
`DailyCommandCenter_Setup_1.0.0.exe`	11.6 MB	Daily Command Center — daily task dashboard
`EragonAI_Setup_1.0.0.exe`	163.1 MB	IT Eragon AI — AI assistant
`ObsidianAssistant_Setup_1.0.0.exe`	47.9 MB	Obsidian Session Assistant — helper for Obsidian note sessions
`QuickShots_Setup_1.0.0.exe`	52.3 MB	QuickShots — screenshot capture
`SOULAntivirus_Setup_1.0.0.exe`	45.0 MB	SOUL Antivirus — malware scanner
`SOULClean_Setup_1.0.0.exe`	44.8 MB	SOULClean — system cleaner
`SOULDeck_Setup_1.0.0.exe`	249.5 MB	SOULDeck — the largest package in the folder
`SOULDiskPro_Setup_1.0.0.exe`	7.9 MB	SOULDiskPro — disk usage and storage
`SOULDownloader_Setup_1.0.0.exe`	160.1 MB	SOUL Downloader — download manager
`SOULEnergyManager_Setup_1.0.0.exe`	44.7 MB	SOUL Energy Manager — power and energy settings
`SOULForgeAIStudio_Setup_1.0.0.exe`	46.2 MB	SOULFORGE AI Studio — AI workspace
`SOULVault_Setup_1.0.0.exe`	25.4 MB	SOUL Vault — private storage
`SOULVPNManager_Setup_1.0.0.exe`	160.1 MB	SOUL VPN Manager — VPN connections
`StepsRecorder_Setup_1.0.0.exe`	51.5 MB	StepsRecorder — records a sequence of actions step by step
`TournamentManager_Setup_1.0.0.exe`	11.6 MB	Tournament Manager — tournaments and brackets
`VibeDriverUpdater_Setup_1.0.0.exe`	165.7 MB	Vibe Driver Updater — driver updates
`VideoMagic_Setup_1.0.0.exe`	11.7 MB	VideoMagic — video work
`VoiceMind_Setup_1.0.0.exe`	50.1 MB	VoiceMind 1.0 — earlier voice assistant
`VoiceMind_Setup_2.0.0.exe`	50.0 MB	VoiceMind 2.0 — newer build of the same app
`VoiceMindExtended_Setup_1.0.0.exe`	50.1 MB	VoiceMind Extended — extended variant

The installers carry only a product name and a company name in their file metadata — no feature list — so the "Program" column restates what each product name describes. The wizard that opens shows the same name.

3.3 The three VoiceMind installers

`VoiceMind_Setup_1.0.0.exe`, `VoiceMind_Setup_2.0.0.exe` and `VoiceMindExtended_Setup_1.0.0.exe` are the older, self-contained VoiceMind desktop app — the line that **Zana continues**. If you want the current voice assistant (browser recorder, Whisper transcription, emotion fusion, mood history, streamed local-model answers), install Zana from `zana-main.zip` with Step 2 in section 5 below; keep these installers only if you specifically want the legacy desktop build. Within them, 2.0.0 is the newer of the two plain builds, and "Extended" is the larger variant.

3.4 Which route to use

You want…	Use
The voice assistant, current version	`zana-main.zip` → Step 2, section 5
The AI workspace with the coding agent	`Aspyra_v2-main.zip` → Step 3, section 6
Any of the 22 stand-alone utilities	The matching `_Setup_.exe` in `SoulInstallers`

Everything from here on is the manual zip route.

---

4. Step 1 — Extract the zip files

1. Right-click the zip → **Extract All…** → choose the parent folder (for example `D:\SoulApps`).
2. Open the extracted folder and find the folder that contains the app files.

Expected layouts after extraction:

```
zana-main\
└── zana-main\            <- the folder you work in
    ├── app\              the FastAPI backend
    ├── static\           the web interface
    ├── requirements.txt
    ├── .env.example
    ├── start.bat
    ├── stop.bat
    └── run.ps1
```

```
Aspyra_v2-main\
└── Aspyra_v2-main\      <- the folder you work in
    ├── app\              the backend + .venv lives here
    │   ├── app.py
    │   ├── requirements.txt
    │   └── .env.example
    ├── setup-v2.ps1
    └── Start Aspyra v2.bat
```

> The zips unpack with **one nested folder of the same name**. That is why the path is often `D:\SoulApps\zana-main\zana-main`. Always `cd` into the inner folder — the one holding `requirements.txt` (Zana) or `setup-v2.ps1` (Aspyra).

Tip: avoid installing into a OneDrive-synced folder. Syncing a multi-gigabyte virtual environment causes long stalls and file locks.

---

5. Step 2 — Install Zana manually

Open PowerShell and go to the Zana folder:

```
cd "D:\SoulApps\zana-main\zana-main"
```

5.1 Create the virtual environment

```
py -3.12 -m venv .venv
```

This creates a self-contained `.venv\` folder. If `py -3.12` is not found, use whichever of `py -3.11` / `py -3.13` you have installed.

5.2 Install the dependencies

```
.\.venv\Scripts\python.exe -m pip install --upgrade pip
.\.venv\Scripts\python.exe -m pip install -r requirements.txt
```

This downloads PyTorch and friends and takes several minutes. The install is finished when pip prints `Successfully installed …` and returns to the prompt.

> **Why the full path `.\.venv\Scripts\python.exe`?** Activating the environment (`Activate.ps1`) is blocked by default in PowerShell. Calling the venv's Python directly works in every shell without changing any policy.

5.3 Create the configuration file

```
Copy-Item .env.example .env
```

`.env` holds local settings only and is ignored by git. The defaults in `.env.example` are correct for a standard install; the lines worth knowing:

Setting	Meaning
`OLLAMA_BASE=http://127.0.0.1:11434`	where Ollama listens — keep the IP, not `localhost`
`ZANA_DEFAULT_MODEL=voicemind:latest`	model preselected in the toolbar
`WHISPER_MODEL=openai/whisper-small`	speech-to-text; `openai/whisper-medium` is more accurate but ~3x slower
`WHISPER_LANGUAGE=en`	pin the transcription language; leave it set
`OLLAMA_EXE=`	full path to `ollama.exe` if it is not on `PATH`
`OLLAMA_MODELS=`	Ollama's model store, only used when Zana starts Ollama itself

Optional: keep everything inside the app folder by pointing the caches at it:

```
setx OLLAMA_MODELS "D:\SoulApps\zana-main\zana-main\models\ollama"
setx HF_HOME      "D:\SoulApps\zana-main\zana-main\models\huggingface"
```

Open a new terminal after `setx`, then move any existing `%USERPROFILE%\.ollama\models` or `%USERPROFILE%\.cache\huggingface` folder into those locations.

5.4 Start the app

```
.\.venv\Scripts\python.exe -m uvicorn app.main:app --host 127.0.0.1 --port 8765
```

Leave this window open — closing it stops the app. Then open **<http://127.0.0.1:8765>** in your browser.

The convenience launchers do the same thing (and reuse the `.venv` you just built), so once the manual start works you can simply double-click `start.bat`:

Command	Effect
`start.bat`	start the server, wait for `/api/health`, open the browser
`start.bat -NoBrowser`	start without opening a browser
`start.bat -Port 9000`	listen on another port
`stop.bat`	stop the Python process listening on port 8765

5.5 First run: models download on demand

- **First voice recording** downloads the emotion models (`superb/wav2vec2-base-superb-er`, `cardiffnlp/twitter-roberta-base-emotion`) and the Whisper model into `%USERPROFILE%\.cache\huggingface\hub` (or `HF_HOME`). Expect a wait of a minute or more on a cold cache; later recordings are local and immediate.
- **The microphone must be allowed.** When the browser asks, click **Allow**. If the app shows "*Microphone blocked*", click the padlock in the address bar → Site settings → Microphone → Allow, then reload.
- **Chat models are not included.** The SOUL tags (`voicemind`, `soul-quick`, `soul-gemma`, …) are private builds and cannot be pulled from the public registry — they appear greyed out as `· not pulled`. Pull any public model and select it in the toolbar instead:

```
ollama pull llama3.2:3b
```

Reload the page afterwards: the picker reads the model list on page load.

---

6. Step 3 — Install Aspyra v2 manually

Open PowerShell and go to the Aspyra folder:

```
cd "D:\SoulApps\Aspyra_v2-main\Aspyra_v2-main"
```

6.1 Create the virtual environment

Aspyra keeps its environment **inside** `app\`, not at the repository root:

```
py -3.12 -m venv app\.venv
```

6.2 Install the dependencies

```
.\app\.venv\Scripts\python.exe -m pip install --upgrade pip
.\app\.venv\Scripts\python.exe -m pip install -r app\requirements.txt
```

Aspyra needs Python **3.11+**; 3.12 is what its own setup script uses. The install is large (it includes local embeddings, a vector-store client and `faster-whisper` for the microphone). If a single optional package fails, the core app usually still runs — read the pip output before deciding to stop.

> The same steps are what `setup-v2.ps1` automates. If you prefer the script: `powershell -NoProfile -ExecutionPolicy Bypass -File .\setup-v2.ps1` It is safe to re-run and reuses an existing `app\.venv`.

6.3 Create the configuration file

```
Copy-Item app\.env.example app\.env
```

Aspyra reads its settings from `app\.env`. Most options are also editable inside the app under **Settings**; use `.env` for deployment-level values:

Setting	Meaning
`APP_PORT`	port to serve on (the launcher uses `7012`)
`APP_BIND`	bind address; keep `127.0.0.1` so it stays local
`LLM_HOST`	host of the local model server (`localhost` / `127.0.0.1`)
`LEGACY_CHAT_URL`	optional legacy chat build, `http://127.0.0.1:7003`

6.4 Start the app

From the `app` folder (that is where the `app:app` module lives):

```
cd app
$env:APP_PORT = "7012"
..\app\.venv\Scripts\python.exe -m uvicorn app:app --host 127.0.0.1 --port 7012
```

Then open **<http://127.0.0.1:7012>**.

The launcher does the same and additionally starts the process in the background, waits for `/api/health`, and opens the browser:

Launcher	Opens
`Start Aspyra v2.bat`	the full workspace at `/` (port 7012)
`Aspyra.bat`	just the agent at `/SKAgent`
`setup-v2.ps1`	one-time (or repair) venv + dependency setup

6.5 First run

- The first start **creates the admin account** and prints a temporary password in the console. Log in with it, then change it under **Settings**.
- Chat needs a model in Ollama. Pick one under **Settings** → **AI** → **Default Chat Model**; Aspyra falls back to `127.0.0.1:11434` on its own.
- Models named `soul-*` must be present in your Ollama store. If they were built into a different store, import them:

```
python restore-models.py            # import every complete soul-* model
python restore-models.py --dry-run  # report only
```

7. Step 4 — Ollama, once for both apps

Install Ollama, then confirm it is serving:

```
ollama --version
ollama list
```

If `ollama` is not on `PATH`, start the desktop app from the Start menu, or run `ollama serve` from its install folder (`%LOCALAPPDATA%\Programs\Ollama` or `C:\Program Files\Ollama`).

Pull at least one general-purpose model:

```
ollama pull llama3.2:3b        # small and fast, good first choice
ollama pull qwen2.5-coder:7b   # better for code work, ~4.7 GB
```

Both apps read the list live, so reload the page after a pull. Zana's launcher starts Ollama for you when it is not already running.

8. Step 5 — Check that the install worked

Check	Zana	Aspyra
Health endpoint	`http://127.0.0.1:8765/api/health`	`http://127.0.0.1:7012/api/health`
Model list	`http://127.0.0.1:8765/api/models`	in **Settings** → **AI**
Interface loads	card layout with a model picker	sidebar workspace

A quick command-line test:

```
Invoke-WebRequest http://127.0.0.1:8765/api/health -UseBasicParsing | Select-Object -Expand Content
```

A `{"status":"ok",…}` answer with `"ollama": true` means the server and Ollama are both reachable.

Then, in Zana, do one real end-to-end pass:

1. Pick a **Model** and a **Mic** in the toolbar.
2. Press **Record**, wait for the level line to move, speak, press **Stop**.
3. The transcript appears in the composer and a `voice: … 3.7/5` chip appears.
4. Press **Send** and watch the answer stream in.

If that works, the whole chain — browser, capture, Whisper, emotion models, SQLite history, Ollama — is installed correctly.

9. Everyday use

9.1 Start and stop

App	Start	Stop
Zana	double-click `start.bat`	double-click `stop.bat`
Aspyra	double-click `Start Aspyra v2.bat`	close its console window

When you start the apps by hand instead, `Ctrl+C` in the terminal stops the server cleanly.

9.2 Ports in use

Both apps stop with a clear message if their port is taken. Options:

```
# Zana on another port
start.bat -Port 9000
# or permanently, in .env
ZANA_PORT=9000
```

```
# Aspyra on another port
.\start-aspyra-v2.ps1 -Port 7013
```

Find and free a port:

```
Get-NetTCPConnection -LocalPort 8765 -State Listen | Select-Object OwningProcess
Get-Process -Id <pid>
```

9.3 Where things are stored

What	Location
Zana recordings/analysis history	`<zana folder>\data\zana.db`
Zana saved transcripts	`<zana folder>\data\chat-snapshots\`
Zana speech + emotion models	`%USERPROFILE%\.cache\huggingface\hub` (or `HF_HOME`)
Chat models	Ollama's store, `%USERPROFILE%\.ollama\models` by default
Aspyra data and settings	inside `app\` (see `app\.env`)
Python environments	`zana-main\.venv\` and `Aspyra_v2-main\app\.venv\`

Deleting `.venv` only removes the Python packages; the app itself and its data are untouched, and the install steps rebuild the environment.

10. Troubleshooting

Symptom	Cause and fix
`No matching distribution found for torch`	Python is 3.14+ — recreate the venv with `py -3.12 -m venv .venv`
`py -3.12` not recognised	Python 3.12 is not installed; install it or use an available 3.11/3.13
`Activate.ps1 cannot be loaded because running scripts is disabled`	Do not activate; call `.\.venv\Scripts\python.exe` directly, or run `Set-ExecutionPolicy -Scope Process Bypass` in that window
`'uvicorn' is not recognised`	You are outside the venv — use `.\.venv\Scripts\python.exe -m uvicorn …`
`Port 8765 is already in use`	`stop.bat`, or start with `-Port 9000`
Chat shows `· offline` / model list empty	Ollama is not running: start it, run `ollama list`, reload the page
Model listed as `· not pulled`	It is a private SOUL build; pull a public model and select that instead
`Microphone blocked` in the app	Address bar padlock → Site settings → Microphone → Allow, then reload
Recording transcribes to nothing	Check the mic picker, the Windows input device and the mute key; use the 🎙 **Microphone check** panel in Zana
First recording takes a long time	Whisper and the emotion models are downloading; later clips are local
The UI does not change after an update	The dev server sends no cache headers: press **Ctrl+F5**
Aspyra asks for a login you never set	The temporary admin password is printed in the console on first start; restart the app to see it again
`python restore-models.py` finds nothing	The Soul models live in another Ollama store; point `OLLAMA_MODELS` at it first
An installer window closes instantly or does nothing	Run it from a normal (non-elevated) window, or use `/VERYSILENT /SUPPRESSMSGBOXES` to see errors surface in the console
SmartScreen blocks an installer	Unsigned local build: **More info** → **Run anyway**

11. Keeping the guide and the sheet in step

`Installing the Soul Apps Manually.md` is the master copy. Everything else in this folder is generated from it, so edit the markdown and rebuild; never edit a generated file by hand, because the next build overwrites it.

File	Where it comes from
`Installing the Soul Apps Manually.pdf`	this guide, printed by `build_guide_pdf.py`
`Soul Apps Quick Reference.md`	the unnumbered Quick reference page, lifted from the guide
`Soul Apps Quick Reference.pdf`	the same sheet, printed on one A4 page
`Soul Apps Quick Reference.txt`	the same sheet as plain text, for a phone or a chat window

The commands are copied out of the guide verbatim, so the sheet and the guide cannot disagree; the sheet only adds its own title and closing note.

Double-click `Rebuild Quick Reference.bat` and pick a number:

```
1  Rebuild the guide PDF and the quick-reference sheet
2  Check that everything is still in step
3  Open the quick-reference sheet - PDF
4  Open the plain-text sheet - TXT
5  Open the full guide - PDF
6  Quit
```

Option 1 reprints both PDFs from the markdown, so one click is all an edit needs. Option 2 only reads and compares, and changes nothing: it is the safe one to run when you just want to know whether something has drifted.

Or from a command prompt, if you prefer:

```
py build_quick_reference.py            # rebuild the sheet - md, pdf and txt
py build_quick_reference.py --check    # exit 1 if the sheet is out of step
py build_quick_reference.py --watch    # rebuild the sheet whenever the guide is saved
py build_guide_pdf.py                  # reprint this guide
py build_guide_pdf.py --check          # exit 1 if this PDF is older than the markdown
py build_guide_pdf.py --open           # reprint it and open it
```

Both scripts need only Python 3 and Google Chrome, which section 2 covers: the markdown is rendered by the scripts themselves and the PDF is printed by Chrome's headless mode, so there is nothing to install.

If you edit the Quick reference page, rebuild the guide as well - option 1 does both. That page is printed inside this guide too, and skipping the reprint would leave two different versions of the same commands.

---

12. Checklist

- [ ] Decided the route: one-click installers (section 3) and/or the zip apps (sections 4–8)
- [ ] Python 3.11–3.13 installed (`py -0p` lists it) — only for the zip apps
- [ ] Zip extracted; the app folder with `requirements.txt` located
- [ ] `.venv` created with `py -3.12 -m venv …`
- [ ] `pip install -r requirements.txt` finished successfully
- [ ] `.env` / `app\.env` copied from the example file
- [ ] Ollama running and at least one model pulled (for chat)
- [ ] `/api/health` returns `ok` for each app
- [ ] A real voice recording produced a transcript and a mood chip (Zana)
- [ ] Shortcuts to `start.bat` / `Start Aspyra v2.bat` placed where you want them

Installation is complete when both apps answer on their addresses, the interface renders, and a chat reply (or a finished voice clip) arrives.