```
#lang racket
 2
 3
    (require racket/stream)
 4
 5
    (define (plus-1 n)
 6
      (stream-cons n (plus-1 (+ n 1)))
 7
    (define pos-integers (plus-1 0))
 8
 9
    pos-integers
10
11
    (stream-first pos-integers) ; Can't use
    ordinary list functions, because we're
11
    working with a stream now
11
    (stream-rest pos-integers)
12
13
14
    ;; Exercise: write a stream that contains
    longer and longer sequences of "a"
14
15
16
    (define (append-1 str)
17
      (stream-cons str (append-1
    (string-append str str))))
17
18
19
    (define cats (append-1 "cat"))
20
21
    (stream-first cats)
22
    (stream-first (stream-rest cats))
23
24
    ;; Creating a stream from another stream
24
    using filter:
25
26
    (define evens (stream-filter (lambda
    (x) (= \emptyset \text{ (modulo } x \text{ 2))) pos-integers))
26
27
```

```
(stream-first evens)
28
29
    (stream-first (stream-rest (stream-rest
    (stream-rest evens))))
29
30
31
    ;; Creating a stream from another string
31
    using map:
32
33
    (define (endless-strings str)
      (stream-cons str (endless-strings str)))
34
35
36
    (define catstream (endless-strings "cat"))
37
    (stream-first catstream)
    (stream-first (stream-rest (stream-rest
38
38
    (stream-rest catstream))))
39
40
    (define (string-multiply str n)
41
      (if (= 0 n)
          1111
42
43
          (string-append str (string-multiply
43
    str (- n 1)))))
44
45
    (define cats-2 (stream-map (lambda
    (x)(string-multiply "cat" x))
45
    pos-integers))
45
46
47
   cats-2
48
   (stream-first cats-2)
   (stream-first (stream-rest (stream-rest
49
49
    (stream-rest cats-2))))
50
51
    ;; Creating a stream from two streams:
52
53
    ;; Map is actually defined for multiple
```

```
53
    data structures:
54
55
    (define (zip l1 l2)
56
      (map (lambda (x y)(list x y)) l1 l2))
57
58
    (zip (list 1 2 3)(list 4 5 6))
59
    ;; Irritatingly, stream-map is NOT
60
    defined for multiple streams:
60
61
62
    ;(define evens-2 (stream-map (lambda (x
    v)(+ x y)) pos-integers pos-integers))
62
63
64
    ;; But no worries--- we can write our own
65
66
    (define (stream-map-n f args)
      (stream-cons (apply f (map (lambda
67
    (x)(stream-first x)) args))
67
68
                    (stream-map-n f (map
68
    (lambda (x)(stream-rest x)) args))))
69
70
    (apply + (map (lambda (x)(stream-first
70
    x)) (list pos-integers pos-integers)))
71
    (define evens-2 (stream-map-n (lambda (x
72
    y)(+ x y)) (list pos-integers
72
72
    pos-integers)))
73
74
    (stream-first (stream-rest (stream-rest
    evens-2)))
74
75
76
    (define (fib a b)
      (stream-cons a (fib b (+ a b))))
77
```

```
78
     (define fibos (fib 0 1))
79
80
81
     fibos
82
83
     (stream-ref fibos 7)
84
    (define fibos-2 (stream-cons 0
85
    (stream-cons 1 (stream-map-n (lambda (x
85
     y)(+ x y)) (list fibos-2 (stream-rest
85
     fibos-2))))))
85
86
87
    fibos-2
88
    (stream-ref fibos-2 7)
89
90
    ;; Something cool: we have a recursive
     definition that isn't in a function!
90
91
    (define facs (stream-cons 1 (stream-map-n
92
92
    (lambda (x y)(* x y)) (list facs)
92
    (stream-rest (stream-rest
92
     pos-integers))))))
93
    facs
94 (stream-ref facs 0)
95 | (stream-ref facs 1)
96 (stream-ref facs 2)
97
    (stream-ref facs 3)
98
99
     (define p (stream-cons 1 (stream-map-n +
     (list p p))))
99
100 | (stream-ref p 0)
    (stream-ref p 1)
101
102
     (stream-ref p 2)
```

103 | (stream-ref p 3)