

Variable	Biopsy-level			Patient-level		
	Discovery	Test	<i>p</i> -value	Discovery	Test	<i>p</i> -value
Age, mean (SD)	63.9 (10.5)	69.6 (8.8)	2.05e-15	62.1 (10.9)	70.9 (9.1)	2.88e-08
Sex, n (%)			1.32e-16			4.45e-02
Female	124 (29.4%)	21 (5.9%)		31 (24.4%)	7 (10.9%)	
Male	298 (70.6%)	334 (94.1%)		96 (75.6%)	57 (89.1%)	
Flow cytometry, n (%)			2.45e-04			8.99e-01
Normal	297 (70.4%)	291 (82%)		86 (67.7%)	42 (65.6%)	
Abnormal	125 (29.6%)	64 (18%)		41 (32.3%)	22 (34.4%)	
Progression, n (%)			1.66e-58			2.52e-17
NCO	302 (86.5%)	48 (13.5%)		104 (81.9%)	11 (17.2%)	
CO	120 (28.4%)	307 (86.5%)		23 (17.6%)	53 (82.8%)	
BE length, mean (SD)	7.4 (4.1)	-		5.8 (3.9)	-	
Follow-up month, mean (SD)	98.1 (76.6)	25.8 (70.8)	3.74e-38	113.9 (77.8)	23.9 (83.5)	6.46e-11
Biopsy per patient, mean (SD)				3.3 (2.7)	5.5 (3.5)	2.20e-05

NCO: Non-cancer outcome, CO: Cancer outcome, SD: Standard deviation. *p*-value was calculated for sex, flow cytometry and progression with student's t-test, for the rest we used Pearson's chi-squared test.