

Cucumber Report

Mar 29, 2023 8:44:12 PM

Start : Mar 29, 8:43:41.018 PM

End : Mar 29, 8:44:11.414 PM

Duration : 30.396 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>DataTable Example</u>	5.032 s	1	1	0	0	4	4	0	0
<u>Exam Functionality</u>	25.341 s	1	0	1	0	12	7	1	4

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@SmokeTest	2	1	1	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>DataTable Example</u>	1	1	0	0	5.032 s
2	<u>Exam Functionality</u>	1	0	1	0	25.341 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DataTable Example</u>	<u>Users List</u>	4	4	0	0	5.028 s
2	<u>Exam Functionality</u>	<u>Create New Exam</u>	12	7	1	4	25.341 s

DataTable Example



PASSED	DURATION - 5.032 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:43:41.018 PM // 8:43:46.050 PM /					

Users List



<div>PASSED</div>	<div>DURATION - 5.028 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:43:41.022 PM // 8:43:46.050 PM /				
DataTable Example				
@SmokeTest				

#	Step / Hook Details	Status	Duration
1	When Write username "etka"	PASSED	0.003 s
2	And Write username and Password "etka" and "1234"	PASSED	0.000 s
3	And Write username as DataTable	PASSED	0.005 s
	etka		
	emir		
	enes		
	erva		
4	And Write username and Password as DataTable	PASSED	0.000 s
	etka 1234		
	emir 2345		
	enes 3456		
	erva 4567		

Exam Functionality

FAILED	DURATION - 25.341 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 7 Fail - 1 Skip - 4	
/ 8:43:46.073 PM // 8:44:11.414 PM /					

Create New Exam

<div>FAILED</div> <div>DURATION - 25.341 s</div>			<div>Steps</div> <div>Total - 12</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 8:43:46.073 PM // 8:44:11.414 PM /				
Exam Functionality				
@SmokeTest				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.894 s
2	When Enter username and password and click login button	PASSED	1.048 s
3	Then User should login successfully	PASSED	2.122 s
4	And Click on the element in LeftNav	PASSED	1.062 s
	<div>entranceExamsOne</div> <div>setupExams</div> <div>entranceExamsTwo</div>		
5	And Click on the element in DialogContent	PASSED	0.669 s
	<div>addButton</div>		
6	And User sending the keys in Dialog Content	PASSED	0.696 s
	<div>nameInput</div> <div>Etka</div>		
7	And Click on the element in DialogContent	PASSED	0.622 s
	<div>academicPeriod</div> <div>academicPeriod1</div> <div>gradeLvl</div> <div>gradeLvl3</div>		

#	Step / Hook Details	Status	Duration
8	<p>And Click on the element in DialogContent</p> <p>saveButton</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ms-save-button[@class='ng-star-inserted']/button' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.waitUntilClickable(Parent.java:45) at Pages.Parent.clickFunction(Parent.java:25) at StepDefinitions._05_DataTableSteps.clickOnTheElementInDialogContent(_05_DataTableSteps.java:35) at ?.Click on the element in DialogContent(file:///C:/Users/etkab/Desktop/KURS/Cucumber_Kursu5/src/test/java/FeatureFiles/_08_ExamFunctionality.feature:31) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ms-save-button[@class='ng-star-inserted']/button"} (Session info: chrome=111.0.5563.112) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_351' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f87ac8c28ccea39873038c076f45efcd, findElement {using=xpath, value=//ms-save-button[@class='ng-star-inserted']/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.112, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\etkab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58493}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58493/devtoo..., se:cdpVersion: 111.0.5563.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f87ac8c28ccea39873038c076f45efcd at sun.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) </pre>	FAILED	10.327 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:45) at Pages.Parent.clickFunction(Parent.java:25) at StepDefinitions._05_DataTableSteps.clickOnTheElementInDialogContent(_05_DataTableSteps.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208) at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
9	Then Success message should be displayed	SKIPPED	0.001 s
10	And Click on the element in LeftNav	SKIPPED	0.000 s
	<div>exams</div> <div>setupExams</div> <div>entranceExams</div>		
11	And User delete item from Dialog Content	SKIPPED	0.000 s
	Etka		
12	Then Success message should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	5.897 s
	screenshot name		
	