

Cucumber Report

Mar 29, 2023 8:47:28 PM

Start : Mar 29, 8:46:57.517 PM

End : Mar 29, 8:47:27.282 PM

Duration : 29.765 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>DataTable Example</u>	5.043 s	1	1	0	0	4	4	0	0
<u>Exam Functionality</u>	24.698 s	1	0	1	0	12	7	1	4

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@SmokeTest	2	1	1	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>DataTable Example</u>	1	1	0	0	5.043 s
2	<u>Exam Functionality</u>	1	0	1	0	24.698 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DataTable Example</u>	<u>Users List</u>	4	4	0	0	5.039 s
2	<u>Exam Functionality</u>	<u>Create New Exam</u>	12	7	1	4	24.698 s

DataTable Example



PASSED	DURATION - 5.043 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:46:57.517 PM // 8:47:02.560 PM /					

Users List



<div>PASSED</div> <div>DURATION - 5.039 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:46:57.521 PM // 8:47:02.560 PM /			
DataTable Example			
@SmokeTest			

#	Step / Hook Details	Status	Duration
1	When Write username "etka"	PASSED	0.002 s
2	And Write username and Password "etka" and "1234"	PASSED	0.000 s
3	And Write username as DataTable <div> <div>etka</div> <div>emir</div> <div>enes</div> <div>erva</div> </div>	PASSED	0.006 s
4	And Write username and Password as DataTable <div> <div>etka1234</div> <div>emir2345</div> <div>enes3456</div> <div>erva4567</div> </div>	PASSED	0.001 s

Exam Functionality

FAILED	DURATION - 24.698 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 7 Fail - 1 Skip - 4	
/ 8:47:02.584 PM // 8:47:27.282 PM /					

Create New Exam

<div>FAILED</div> <div>DURATION - 24.698 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 8:47:02.584 PM // 8:47:27.282 PM /</div>				
<div>Exam Functionality</div>				
<div>@SmokeTest</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.845 s
2	When Enter username and password and click login button	PASSED	0.945 s
3	Then User should login successfully	PASSED	2.008 s
4	And Click on the element in LeftNav	PASSED	0.652 s
	<div>entranceExamsOne</div> <div>setupExams</div> <div>entranceExamsTwo</div>		
5	And Click on the element in DialogContent	PASSED	0.671 s
	<div>addButton</div>		
6	And User sending the keys in Dialog Content	PASSED	0.697 s
	<div>nameInput</div> <div>Etka</div>		
7	And Click on the element in DialogContent	PASSED	0.643 s
	<div>academicPeriod</div>		
	<div>academicPeriod1</div>		
	<div>gradeLvl</div> <div>gradeLvl3</div>		

#	Step / Hook Details	Status	Duration
8	<p>And Click on the element in DialogContent</p> <p>saveButton</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ms-save-button[@class='ng-star-inserted']/button' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.waitForClickable(Parent.java:45) at Pages.Parent.clickFunction(Parent.java:25) at StepDefinitions._05_DataTableSteps.clickOnTheElementInDialogContent(_05_DataTableSteps.java:35) at ?.Click on the element in DialogContent(file:///C:/Users/etkab/Desktop/KURS/Cucumber_Kursu5/src/test/java/FeatureFiles/_08_ExamFunctionality.feature:31) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ms-save-button[@class='ng-star-inserted']/button"} (Session info: chrome=111.0.5563.112) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_351' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f05604fa6af34f9aabb5f7f623a3486d, findElement {using=xpath, value="//ms-save-button[@class='ng-star-inserted']/button"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.112, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\etkab\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58762}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58762/devtoo..., se:cdpVersion: 111.0.5563.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f05604fa6af34f9aabb5f7f623a3486d at sun.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) </pre>	FAILED	10.390 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.waitUntilClickable(Parent.java:45) at Pages.Parent.clickFunction(Parent.java:25) at StepDefinitions._05_DataTableSteps.clickOnTheElementInDialogContent(_05_DataTableSteps.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208) at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
9	Then Success message should be displayed	SKIPPED	0.000 s
10	And Click on the element in LeftNav <div> <div>exams</div> <div>setupExams</div> <div>entranceExams</div> </div>	SKIPPED	0.000 s
11	And User delete item from Dialog Content <div>Etk</div>	SKIPPED	0.001 s
12	Then Success message should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	5.840 s
	screenshot name		
	