

Group Name: DevsSkipQA

Zilong Zhang - 20062161

Runqing Zang - 20065628

Derek Huang - 20022672

Kalsa Yu - 20073438

Design Document (back office)

A design document, giving the overall structure of your solution, showing the **classes** and **methods** as a diagram or table, with **a brief (one sentence) description of the intention** of each.

Class: backend	
Intention: backend system of the banking system	
Methods	Intentions
<code>readOldMaster(String fileName)</code>	Read the old master account file
<code>readTrans(String fileName)</code>	Read new transaction summary file(s)
<code>updateMaster(String[] updateFile)</code>	update master account file with new transaction summary file(s)
<code>updateValid(String[] updateFile)</code>	update the valid account list with new transaction summary file(s)
<code>reverseSort()</code>	Sort the master account in descending order
<code>newValidList()</code>	Create the new valid account list based on old master account + new transaction summary files
<code>checkMaster(ArrayList<String> result)</code>	Check constraints of the new master account file
<code>writeMaster(String path)</code>	write new master account file
<code>writeValid(String path)</code>	write new valid account list
<code>main(String args[])</code>	Main function of the class

Class: <i>accounts</i>	
Intention: The class to store account information including balance	
Methods	Intentions
<i>accounts(int number, long balance, String name)</i>	Constructor for the accounts class, set values to local attributes
<i>setBalance(double number)</i>	Call by other class in order to modify the balance
<i>getAccountNumber()</i>	Return the account number
<i>getAccountBalance()</i>	Return the account balance
<i>getAccountName()</i>	Return the account name
<i>toString()</i>	To String method

In particular, the backend class will take at least two inputs, where the first input is the old master account file, the rest of inputs will be transaction summary file(s). Through the prototype, if all constraints are met, the old master account file will be updated using the input transaction summary file(s) and sorted in reverse order according to account numbers. Also, a new valid list file will be created using the input transaction summary file(s). The program will then write the new master account file and new valid account list.

Table of Results are in Test table

Detailed Failure Report for our test runs

Test number	Test Purpose	How output failed	Code error	How it was fixed
All test	All testing	All test cases involves	Error was in code.	Fixed by changing the

cases involves using the reverse sort function	purposes	the use of the <i>reverse sort</i> function does not produce the expected output.	Inequality operators are written in the opposite direction.	sign (> to <) in <i>reverseSort</i> function
Multiple tests	All testing purposes	Some test cases such as wrong transaction summary format are failed to be checked with the backend	Logical issue in code structure and test designing	We have modify/deleted such test cases since the backend assumes the front end input files are correct and make sure the output format are correct. Such test cases should be re-visited in Integration.
Multiple tests	All testing purposes	Master account write format should be 000 for empty balance but appeared to be 0.0	Error was in code.	Fixed by changing zero balance to 000 string and let other accounts with balance to case to be integer
WR1T1	Check if master account file holds a line that exceeding 47 characters.	Instead of giving the "Exceeding length" error, program gives "Success"	Error was in test.	We found out that if the input is a number, it will automatically cast to scientific notation. We then changed the test code to alphabetic characters. (since large amounts in scientific notation should be allowed)
WR5T5	Check If account name are legal	Legal name withdraw operation should be successful but failed	Error was in test. Did not give enough balance to the account.	Modified the test code so that account balance is enough for withdraw.
WR6T1	Check if monetary	Should print "Error"	Error in code	Fixed by adding

	is less than 3 digits	but did not.	Did not check if the account number begin with 0	constraints to the string at char(0).
All Test cases	Check if program should terminate upon error or continue to work	Failure as display by maven	Error in code.	Found that boolean value is not working properly. Use String as the end check instead.

[illegible]

