# Methods of Applied Mathematics I HW2

## Yu Cang 018370210001

September 24, 2018

#### 1 Exercis2.1

#### 1. Proof.

$$RHS = \frac{1}{4}(||x+y||^2 - ||x-y||^2)$$

$$= \frac{1}{4}(\langle x+y, x+y \rangle - \langle x-y, x-y \rangle)$$

$$= \frac{1}{4}(\langle x+y, x \rangle + \langle x+y, y \rangle - \langle x-y, x \rangle - \langle x-y, -y \rangle)$$

$$= \frac{1}{4}(\overline{\langle x, x+y \rangle} + \overline{\langle y, x+y \rangle} - \overline{\langle x, x-y \rangle} + \overline{\langle y, x-y \rangle})$$

$$= \frac{1}{4}(\overline{\langle x, x \rangle} + \overline{\langle x, y \rangle} + \overline{\langle y, x \rangle} + \overline{\langle y, y \rangle} - \overline{\langle x, x \rangle} + \overline{\langle x, y \rangle} + \overline{\langle y, x \rangle} - \overline{\langle y, y \rangle})$$

$$= \frac{1}{2}(\overline{\langle x, y \rangle} + \overline{\langle y, x \rangle})$$

$$= \frac{1}{2}(\langle x, y \rangle + \langle y, x \rangle)$$

$$= \langle x, y \rangle = LHS$$

The last line is valid as the inner-product is defined on real space s.t.  $\langle x, y \rangle = \langle y, x \rangle$ .

2. Proof. As have been proved aboved

$$\frac{1}{4}(||x+y||^2 - ||x-y||^2)$$

$$= \frac{1}{2}(\langle x, y \rangle + \langle y, x \rangle)$$
(1.2)

Also, replace y with iy yields

$$\frac{i}{4}(||x+iy||^2 - ||x-iy||^2)$$

$$= \frac{i}{2}(\langle x, iy \rangle + \langle iy, x \rangle)$$

$$= \frac{i}{2}(i \langle x, y \rangle + \overline{i} \langle y, x \rangle)$$

$$= \frac{1}{2}(-\langle x, y \rangle + \langle y, x \rangle)$$
(1.3)

Thus

$$RHS = \frac{1}{4}(||x+y||^2 - ||x-y||^2) - \frac{i}{4}(||x+iy||^2 - ||x-iy||^2)$$

$$= \frac{1}{2}(\langle x, y \rangle + \langle y, x \rangle) - \frac{1}{2}(-\langle x, y \rangle + \langle y, x \rangle)$$

$$= \langle x, y \rangle = LHS$$
(1.4)

3. Proof.

$$LHS = ||x + y||^{2} + ||x - y||^{2}$$

$$= \langle x + y, x + y \rangle + \langle x - y, x - y \rangle$$

$$= \langle x + y, x \rangle + \langle x + y, y \rangle + \langle x - y, x \rangle - \langle x - y, y \rangle$$

$$= \overline{\langle x, x + y \rangle} + \overline{\langle y, x + y \rangle} + \overline{\langle x, x - y \rangle} - \overline{\langle y, x - y \rangle}$$

$$= \overline{\langle x, x \rangle} + \overline{\langle x, y \rangle} + \overline{\langle y, x \rangle} + \overline{\langle y, y \rangle} + \overline{\langle x, x \rangle} - \overline{\langle x, y \rangle} - \overline{\langle y, x \rangle} + \overline{\langle y, y \rangle}$$

$$= 2(\langle x, x \rangle + \langle y, y \rangle)$$

$$= 2(||x||^{2} + ||y||^{2}) = RHS$$
(1.5)

4. *Proof.* As any norm induced by inner product should satisfy the parallelogram law, it's easy to show that the norm  $||.||_{\infty}$ :  $f \mapsto \sup_{x \in [a,b]} |f(x)|$  on C[a,b] can not be induced by any inner product since it does not satisfy the parallelogram law. For example, let

$$f(x) = \frac{x - a}{b - a} \tag{1.6}$$

and

$$g(x) = (\frac{x - a}{b - a})^2 \tag{1.7}$$

then

$$||f+g|| = \max_{x \in [a,b]} |(f+g)(x)| = |(f+g)(b)| = 2$$
 (1.8)

$$||f - g|| = \max_{x \in [a,b]} |(f - g)(x)| = |(f - g)(\frac{a + b}{2})| = \frac{1}{4}$$
(1.9)

$$||f|| = \max_{x \in [a,b]} |f(x)| = |f(b)| = 1$$
(1.10)

$$||g|| = \max_{x \in [a,b]} |g(x)| = |g(b)| = 1$$
(1.11)

It's obvious that

$$||f+g||^2 + ||f-g||^2 = \frac{65}{4} \neq 2(||f||^2 + ||g||^2) = 4$$
 (1.12)

5. Assume the norm satisfies the parallelogram law, that is

$$||x + y||^2 + ||x - y||^2 = 2(||x||^2 + ||y||^2)$$
(1.13)

Let

$$\langle x, y \rangle \triangleq \frac{1}{4} (||x + y||^2 - ||x - y||^2)$$
 (1.14)

it's left to prove that  $\langle x, y \rangle$  is an inner product.

Firstly,  $\langle x, y + z \rangle$  can be expanded according to the definition as follows

$$\langle x, y + z \rangle = \frac{1}{4} (||x + y + z||^2 - ||x - (y + z)||^2)$$

$$= \frac{1}{4} (||y + z + x||^2 - ||y + z - x||^2)$$
(1.15)

Since

$$||y + z + x||^2 + ||y - z + x||^2 = 2(||y + x||^2 + ||z||^2)$$
(1.16)

Then

$$||y + z + x||^2 = 2(||y + x||^2 + ||z||^2) - ||y - z + x||^2$$
(1.17)

Swap y and z yields

$$||x + y + z||^2 = 2(||z + x||^2 + ||y||^2) - ||z - y + x||^2$$
(1.18)

Adding the two equations above and divided by 2 yields

$$||y+z+x||^2 = ||y||^2 + ||z||^2 + ||x+y||^2 + ||x+z||^2 - \frac{1}{2}(||y-z+x||^2 + ||z-y+x||^2)$$
 (1.19)

Replace x with -x

$$||y+z-x||^2 = ||y||^2 + ||z||^2 + ||x-y||^2 + ||x-z||^2 - \frac{1}{2}(||y-z-x||^2 + ||z-y-x||^2)$$
 (1.20)

Hence

$$||y+z+x||^2 + ||y+z-x||^2 = (||x+y||^2 - ||x-y||^2) + (||x+z||^2 - ||x-z||^2)$$
 (1.21)

As

$$\langle x, y \rangle = \frac{1}{4} (||x + y||^2 - ||x - y||^2)$$
 (1.22)

and

$$\langle x, z \rangle = \frac{1}{4}(||x+z||^2 - ||x-z||^2)$$
 (1.23)

It's therefore can be concluded that

$$\langle x, y + z \rangle = \langle x, y \rangle + \langle x, z \rangle$$
 (1.24)

## 2 Exercise2.2

1.