



Başlangıç Cuma, 5 Ocak 2024, 1:13 ÖS

Durum Biten

Tamamlanma Cuma, 5 Ocak 2024, 1:20 ÖS

Geçen süre 6 dk 58 sn

Not 10,00 üzerinden **10,00 (100%)**

Soru **1**

Doğru

3,00 üzerinden 3,00
notunu ver

Find the correct matching for the Security dimensions

Information in a system may be disclosed or made accessible to people or programs that are not authorized to have access to that information

Confidentiality



Information in a system may be damaged or corrupted making it unusual or unreliable

Integrity



Access to a system or its data that is normally available may not be possible

Availability



Cevabınız doğru.

Doğru cevap:

Information in a system may be disclosed or made accessible to people or programs that are not authorized to have access to that information → Confidentiality,

Information in a system may be damaged or corrupted making it unusual or unreliable → Integrity,

Access to a system or its data that is normally available may not be possible → Availability

Soru **2**
Doğru
3,00 üzerinden 3,00
notunu ver

Match the correct security levels.

concerned with maintaining the security of all systems and networks that provide an infrastructure and a set of shared services to the organization

Infrastructure security



concerned with the secure operation and use of the organization's systems

Operational security



concerned with the security of individual application systems or related groups of systems

Application security



Cevabınız doğru.

Doğru cevap:

concerned with maintaining the security of all systems and networks that provide an infrastructure and a set of shared services to the organization → Infrastructure security,

concerned with the secure operation and use of the organization's systems → Operational security,

concerned with the security of individual application systems or related groups of systems → Application security

Soru **3**
Doğru
4,00 üzerinden 4,00
notunu ver

Match the thread types to their definitions.

allow an attacker to tamper with a system asset

Modification threats



allow an attacker to insert false information into a system

Fabrication threats



allow an attacker to make part of the system unavailable

Interruption threats



an attacker to gain access to an asset

Interception threats



Cevabınız doğru.

Doğru cevap:

allow an attacker to tamper with a system asset → Modification threats,

allow an attacker to insert false information into a system → Fabrication threats,

allow an attacker to make part of the system unavailable → Interruption threats,

an attacker to gain access to an asset → Interception threats