USER GUIDE

SEPEP Template

Version 2 Final

A complete explanation of the Google Sheets competition template: fixtures, dropdowns, automatic results, the live ladder, auto-sorting, protection, and how to change it safely.

Fixture sheet
Dates, teams, scores

Who won
Filled from the scores

Live ladder
Wins, goals, points

Auto sort
Best team on top

Dropdowns
Names stay identical

Protection
Formulas stay locked

Template link

https://evc.s.gy/gOhFup

1. What this template is

SEPEP Template V2 Final is a two-sheet Google Sheets workbook for a four-team round of sport. One sheet is the fixture. The other is the ladder. You choose the teams and type the scores. The sheet works out who won, how many games each team has played, wins, draws, losses, goals for, goals against, goal difference, and league points. It then puts the strongest team at the top.

The workbook is built so a teacher, coach, or student organiser can run the competition without maintaining a second set of numbers. The ladder is not a place you type results. It is a live reading of the fixture.

Template link
Open or copy the file from **https://evc.s.gy/gOhFup**. Use **File → Make a copy** before you start a real competition. Editing the original link can affect other people who still use it as a blank template.

The two sheets

Sheet	What you do here	What the sheet does for you
FIXTURE	Pick teams from dropdowns and type scores.	Fills “Who won?” as soon as both scores exist.
LADDER	Rename the four teams if you want. Then leave the numbers alone.	Counts games, results, goals and points, then ranks the teams.

A short banner on the ladder reads **DO NOT TOUCH TABLES, IT IS FULLY AUTOMATED**. That line is intentional. Typing over a formula replaces the calculation with a fixed number, and the ladder stops updating for that cell.

2. Before you start a season

Make your own copy

Do this once, at the beginning, not after scores have been entered on a shared original.

• Open **https://evc.s.gy/gOhFup** while signed in to Google.

• Choose **File → Make a copy**. Give the copy a name such as “Year 8 SEPEP — Term 4”.

• Move the copy into the Drive folder your class already uses.

• Share the copy with the people who need it. Viewers can look. Editors can enter scores. Only the owner should change formulas.

• If you are the owner of a live sheet, protect the formula areas (section 8) before you hand the link to students.

What “final” means in this version

Version 2 Final is the cleaned template. Team names start as **Team 1**, **Team 2**, **Team 3** and **Team 4**, each with its own colour (orange, gold, green, blue) so a row is easy to spot on both sheets. Scores start empty. Every ladder number starts at zero. The fixture already contains four date rows for each of the two games on a match day: Tuesday 13 October, Tuesday 20 October, Tuesday 27 October, and Tuesday 10 November. Those dates are labels. You can rewrite them. They are not used by the ladder formulas.

The template is not protected
The live original that this template was copied from used protected ranges so students could not wipe formulas. Those locks are **not** turned on in the blank template, on purpose. A lock on a template stops the next person from renaming teams or extending the fixture. Section 8 explains exactly how to put the locks back once your copy is set up.

3. The FIXTURE sheet, cell by cell

The fixture is a visual timetable, not a flat database. Two games sit side by side. A grey column separates them so Game 1 and Game 2 cannot be confused. On the far right there is an optional people table.

The title band

Row 1 is a gold band labelled **SEPEP FIXTURE**. It is decoration and a reminder of which sheet you are on. Nothing in the ladder reads this title. You can change the wording (for example to the sport and year group) without breaking calculations.

Game blocks

Each match occupies three rows, repeated down the sheet:

Row inside the block	Left game (columns B and C)	Right game (columns E and F)
Team row	Date sits in column A. Column B is team A. Column C is team B. Both are dropdowns.	Column E is team A. Column F is team B. Both are dropdowns. The label “GAME 2” sits above the first block.
Score row	The word Score is in column A. Type team A’s score in B and team B’s score in C.	Type team A’s score in E and team B’s score in F. Leave a cell blank until the game is played.
Result row	The words Who won? sit in column A. Columns B and C show the result.	Columns E and F show the result for the right-hand game.

The four built-in match days are stacked with that rhythm: team row, score row, result row, then the next date. In the template those dates are 13 Oct, 20 Oct, 27 Oct and 10 Nov. If your timetable is different, overwrite the date text. Do not insert a row in the middle of a three-row block. If you need extra rounds, add whole new three-row blocks underneath, copying the dropdowns and the “Who won?” formulas from an existing block (section 9).

Dropdown menus — why team names stay the same

Every team cell on the fixture is a dropdown, not a free-text box. The list of allowed names is the four names on the ladder. That is the single most important consistency rule in the file.

The ladder does not understand that “Team 1” and “team 1” and “Team1” are the same club. It looks for an exact match. A dropdown removes that class of mistake. If someone tries to type a name that is not on the list, Google Sheets rejects it or shows a warning, depending on how strict the data-validation rule is set.

What you should do

• Rename teams on the **ladder**, in the NAME column, not by typing a new spelling only on the fixture.

• Then pick those names from the fixture dropdowns. Do not paste names in from another document unless you are sure the characters match exactly, including spaces.

• Leave a dropdown blank (or on its empty placeholder) until that game is actually scheduled. A blank team is ignored by the ladder.

• Never put a score in a row whose teams are still blank. A score with no team name cannot be credited to anyone.

How the dropdown is wired

In Google Sheets, a dropdown is a data-validation rule. Select a team cell, then **Data → Data validation**. The rule is "Dropdown (from a range)" and the range is the name cells on the LADDER sheet (the four NAME cells). Because the rule points at those cells, renaming Team 1 to "Roti Bread" on the ladder updates the choices everywhere. You do not maintain a second hidden list.

If a dropdown ever shows old names, the validation range was copied incorrectly or a name was typed over a formula that feeds the list. Re-open Data validation on one good cell, confirm the range, and copy that validation onto the other team cells with **Paste special → Data validation only**.

Scores

Scores are ordinary numbers. Type them and nothing else — not "3 goals", not "win", not a dash. A blank cell means "not played yet". Zero is a real score and is different from blank: 0–3 is a finished game; a blank next to 3 is an unfinished game and must not count as a win.

The sheet expects non-negative whole numbers. Decimals are not rejected by Google Sheets, but they will flow into goals for and goal difference, which is rarely what a school competition wants. Negative numbers will also be treated as real scores and will distort the ladder.

"Who won?" — filled from the scores

Each result cell watches the two score cells beside it. The logic, in words, is:

- If either score is still blank, show **Please enter scores**. The game is not finished, so the ladder must ignore it.
- If the left score is higher than the right score, the left team won.
- If the right score is higher, the right team won.
- If the two scores are equal, the game is a **draw**.

Both result cells in a game describe the same match, so they agree with each other. You should not type into these cells. If the text ever looks wrong, check the two scores first — the formula is only comparing those two numbers and reading the two team names above them.

A worked result
Suppose column B is Roti Bread with a score of 3, and column C is Jack O Lanterns with a score of 4. The result row reports that Jack O Lanterns won. Change the 4 to a 3 and the same cells switch to a draw without you touching the ladder. Clear one score and the cells return to "Please enter scores", and that match drops out of wins, losses, goals and points.

The people table

To the right of the games there is a small table headed **People**, with columns labelled Column 1 through Column 4 in the blank template. This area is for squad lists: who is in each team, substitutes, or roles. It is **not** connected to the ladder. Adding, removing or renaming people here does not change games played, goals or points.

Use it however the class needs. A practical layout is one column per team, with the team name in the header (you can replace "Column 1") and student names underneath. If you outgrow four columns, insert columns to the right of this table only. Do not insert columns between A and F. The ladder formulas look at columns B, C, E and F. Shifting those columns will make the ladder read the wrong cells.

What the fixture does not do

• It does not store a separate “official result” that can disagree with the score. The score is the result.

• It does not calculate bonus points, fair-play points, or forfeit rules unless you add that logic yourself.

• It does not stop two teams being selected against themselves. If you pick the same name in both dropdowns of one game, the ladder will credit that team with both sides of the score. Don’t do that.

• Dates are labels. A game is “played” when both scores are numbers, not when the date has passed.

4. The LADDER sheet, column by column

The ladder is a four-row table. Row 1 is the header. Rows 2 to 5 are the four teams. Under the table, the points key is written out so nobody has to remember it: a win is 3, a draw is 1, a loss is 0.

Column	Header	Meaning
A	Order	The rank after sorting. 1 is first place.
B	NAME	The team. This is the name the fixture dropdowns offer. Colour filled so each team is recognisable.
C	GAMES PLAYED	How many finished games include this team.
D	WINS	Finished games where this team’s score was strictly higher.
E	DRAWS	Finished games where the scores were equal.
F	LOSSES	Finished games where this team’s score was strictly lower.
G	GOALS FOR	Every goal this team scored in finished games.
H	GOALS AGAINST	Every goal this team conceded in finished games.
I	GOAL DIFF	Goals for minus goals against. Can be negative.
J	POINTS	3 × wins + 1 × draws. Losses add nothing.

How a game becomes ladder numbers

The formulas scan the fixture team columns (B, C, E and F) and the score cells one row beneath each team name. They only count a side of a match when three things are true at once: the cell contains this team’s exact name, the team’s own score is not blank, and the opponent’s score is not blank. That last check is what keeps a half-entered game off the ladder.

For each finished appearance of the team, the formulas then ask:

• **Games played** — add 1.

• **Goals for** — add this team’s score.

• **Goals against** — add the other score in the same game.

• **Win** — if this score is greater.

• **Draw** — if the scores are equal.

• **Loss** — if this score is smaller.

Goal difference and points are not counted from the fixture a second time. They are calculated from the columns beside them, so they cannot drift out of step with wins and goals. Goal difference is goals for minus goals against. Points are three times the win count plus the draw count.

Identity check you can do by hand
Games played must always equal wins + draws + losses. Goal difference must always equal goals for minus goals against. Points must always equal 3 × wins + draws. If any of those three fail, a number has been typed over a formula. Undo, or copy the formula back from a clean row.

A full example, using a completed round

This is the same set of results the sheet was designed around. Four finished games, nothing else entered:

Match	Score	Winner
Roti Bread vs Jack O Lanterns	3–4	Jack O Lanterns
The Winners vs Naan Bread	0–3	Naan Bread
Roti Bread vs The Winners	6–4	Roti Bread
Jack O Lanterns vs Naan Bread	7–1	Jack O Lanterns

The ladder that falls out of those four scores, with no extra typing, is:

Pos	Team	P	W	D	L	GF	GA	GD	Pts
1	Jack O Lanterns	2	2	0	0	11	4	+7	6
2	Roti Bread	2	1	0	1	9	8	+1	3
3	Naan Bread	2	1	0	1	4	7	–3	3
4	The Winners	2	0	0	2	4	9	–5	0

Roti Bread and Naan Bread are level on 3 points. Roti Bread finishes above Naan Bread because goal difference is the tie-break (+1 against –3), not because anyone reordered the rows by hand. Jack O Lanterns' 11 goals are 4 plus 7. Naan Bread's 4 goals are 3 plus 1. The Winners' 4 goals are 0 plus 4. Every figure is the sum of the fixture, not a separate entry.

Auto-sorting

The ladder keeps the best team at the top. Sort order is:

• Points, highest first.

• If points are equal, goal difference, highest first (a +7 beats a +1, and a +1 beats a –3).

• If goal difference is also equal, goals for, highest first. A team that scored more is placed above a team that reached the same difference by conceding less.

• If all three are equal, the teams share the same standing. Order among perfect ties can follow the existing row order.

Because the table sorts itself, you should not drag team rows into a new order after a match. The next score change would fight that manual order. Leave the rows where the sort puts them.

The Order column displays the place number that belongs to the row after that sort. It is a label for humans (1st, 2nd, 3rd, 4th). Do not type the places in. If two teams are genuinely tied on points, goal difference and goals for, they can show the same place number. That is correct, not a bug.

Sorting and formulas
The calculations always refer to the team name sitting in column B of the same row. When the sheet reorders rows, each formula travels with its team. That is why a sort does not attach Jack O Lanterns' goals to another club. It breaks only if someone sorts a single column (for example only the names) and leaves the numbers behind. Always sort the whole block from column A through column J, rows 2 to 5, if you ever sort by hand. Prefer letting the built-in sort do it.

Colour

Each team row has a stable colour: Team 1 orange, Team 2 gold, Team 3 green, Team 4 blue in the blank template. Colour is visual only. The formulas do not read the fill colour. If you rename a team, keep its colour so students can find "their" row on a projector. You can recolour a row with the paint bucket. Recolouring does not affect points.

The points key under the table

Below the ladder, a small three-cell key states the scoring system: Wins 3 points, Draws 1 point, Losses 0 points. It is there so a student looking at the sheet can see the rule without opening this guide. Treat it as a label that documents the formulas. Changing the words in that little table does **not**, by itself, change how points are calculated. The points column uses the numbers 3 and 1 inside its own formula. If your competition uses a different scale, you must change the points formula as well as the label. That is covered in section 9.

5. A normal match day, start to finish

This is the only routine you need once the sheet is set up.

1. Open the FIXTURE sheet. Find today's date row. If the printed date is wrong, type the real date over it. Dates do not feed the ladder.

2. Choose the two teams. Click the dropdown in the team row. Pick the home side and the away side. Do this for Game 1 and, if you have a second pitch or court, for Game 2.

3. Play the game. Leave the score cells empty while the match is in progress if you do not want a half-time score to move the ladder. A single number with the other cell still blank is ignored.

4. Enter the full-time score. Type both numbers. Press Enter. "Who won?" changes from "Please enter scores" to the winning team, or to a draw.

5. Look at the LADDER sheet. Games played, the result columns, both goal columns, goal difference, points and the order all move together. The leading team is at the top.

6. Correct a mistake in the fixture, not on the ladder. If a scorer mis-heard the result, change the score cells. The ladder follows. Never "fix" a wrong win by typing a new number into the Wins column.

6. What each person is allowed to touch

Person	Should edit	Should not edit
Owner (you)	Team names, dates, scores, dropdown rules, protection, extra rounds.	Nothing is forbidden, but overwriting a formula is still a mistake.
Scorekeeper	Dropdowns and the two score cells for today's games.	Who won cells, every ladder number, the points key.
Student viewing the ladder	Nothing. Share as Viewer.	The whole file.
Someone updating the squad list	The People table on the right of the fixture.	Columns A to F, and the entire ladder.

Google Sheets sharing and Google Sheets protection are different tools. Sharing decides who can open the file. Protection decides which cells an editor is still blocked from. A viewer cannot edit anything, protected or not. An editor can edit every unprotected cell. Protection is what stops a well-meaning editor from pasting a screenshot number over a formula.

7. How the automation is protected from accidents

On the original working sheet, selected ranges were protected so only the owner could change them. The blank template deliberately does not include those locks. A locked template is painful to copy and adapt: the next teacher cannot rename teams, cannot fix a date block, and cannot add a round without first hunting for a lock they did not create. Ship the template open. Lock your live copy.

Ranges worth locking once the season starts

Lock this	Why	Leave this unlocked
Who won? result cells on FIXTURE	They are formulas. Typing here desyncs the visible winner from the score.	Team dropdowns and score cells.
LADDER columns C through J (the numbers), rows 2 to 5	Every one of these is calculated.	Column B, the four team names, until the season starts. After names are final you may lock those too.
The points-key box	So the printed rule cannot be edited into something the formula does not do.	The People table.
Order column if it contains a ranking formula	Hand-typed places go stale the moment points change.	Dates in column A of the fixture. They are labels.

How to protect a range

You must be signed in as an editor, and you should be the owner if you want to be the only person who can later remove the lock.

• Select the cells. For a whole column of results, drag through them. You can add several ranges to one rule.

• Open **Data → Protect sheets and ranges**. A sidebar opens.

• Click **Add a sheet or range**. Choose **Range** and confirm the selection, or pick a whole sheet if you truly want it all locked.

• Give the rule a plain name you will recognise later, such as “Ladder numbers” or “Who won formulas”.

• Click **Set permissions**.

• Choose **Restrict who can edit this range**, then **Only you**. Choose Custom only if another adult must be able to repair formulas.

• Save. Google Sheets will warn editors who try to type in the range. Owners can still edit.

How to change or remove a lock later

• Open **Data → Protect sheets and ranges**.

• Click the named rule you created.

• To move the lock onto a bigger area after you add rounds, edit the range so it includes the new result cells, then click Done.

• To let a colleague fix a formula for one afternoon, open Set permissions and add them, then remove them afterwards.

• To delete the lock entirely, open the rule and click the rubbish-bin icon. Only someone who is allowed to edit the protection can do this. If you chose “Only you”, that is the owner.

• Protection is not a password on the file. Anyone you have made an Owner can change locks. Keep a single owner if the class is large.

Showing the warning instead of silently blocking
In the permissions box there is an option that warns people when they edit a protected cell rather than blocking them. Do not use the warning-only mode for the ladder numbers. Students click through warnings. Use a real restriction (“Only you”) on formula cells. Warning-only is reasonable for the team-name cells if you want a reminder but still want a scorekeeper to fix a spelling.

What protection does not do

• It does not stop the owner from breaking a formula. Owners bypass the lock. Work slowly when you are the owner.

• It does not protect a cell that someone already overwrote before you locked it. Check the numbers first, then lock.

• It does not hide the file. Use Share → Viewer for that.

• It is not copied the way you might expect if someone downloads an Excel copy and uploads it again. After any download-and-reupload, re-check Data validation and protection.

8. Changing the sheet without breaking it

Rename the four teams

Click the NAME cell on the ladder and type the real name. Do this for all four teams before the first score is entered if you can. The fixture dropdowns read these cells, so the new names appear as choices immediately. Existing fixture cells that already stored the old name keep the old text until you re-select them — another reason to rename first, then pick teams.

Good names are short enough to read in a dropdown and on a projector. Avoid leading or trailing spaces. “Naan Bread” is a different name from “Naan Bread ” with a space at the end, and only one of them will match.

Change the dates

Overwrite the date label in column A. You can write “Tue 3 Nov”, “Round 5”, or “Finals”. Nothing else needs to change. If you delete the date cell entirely, the block still works; the date is not an input to any formula.

Add another round

The formulas already look well down the fixture (through row 50 of the team columns), so a new block placed under the existing dates is picked up automatically, provided you copy the structure.

• Select one complete three-row block: the team row, the score row, and the Who won? row, across both games (columns A to F).

• Copy it.

• Paste it directly underneath the last block, starting in column A. Do not leave a partial row in between.

• Clear the scores in the copy. Clear the team dropdowns back to blank. Type the new date.

• Confirm the pasted team cells still have dropdowns (Data → Data validation). Confirm Who won? still says “Please enter scores” while the scores are empty. If it shows a number or a frozen team name, you pasted values instead of formulas. Undo and paste again, or use Paste special → Formulas on the result row.

• Enter a pretend 1–0, check that the ladder moves, then delete the pretend score.

Do not insert columns between A and F. Do not insert a single row in the middle of a block. The score formulas assume the score sits exactly one row under the team name. Break that pattern and a game will be skipped or, worse, a “Who won?” label will be read as a score.

Change the points system

The published rule is 3 for a win, 1 for a draw, 0 for a loss. The points cells use that rule directly. To switch to a different scale:

• Decide the new numbers. Example: 2 for a win and 1 for a draw.

• Edit each points formula so it multiplies wins by the new win value and draws by the new draw value. There is one formula per team row. Edit all four so they cannot disagree.

• Rewrite the small key under the ladder so it states the same numbers. The key is not the formula.

• Check the example: two wins must show double the win value, one draw must show exactly the draw value.

Goal difference does not need a change when only the points scale changes. If you want a different tie-break (head-to-head, for example), that is new logic and is not in this template. The built-in order is points, then goal difference, then goals for.

What not to add casually

• A fifth team. The layout, the dropdowns and the four-row sort are built for four. Adding a fifth means new name cells, new validation ranges, new ladder formulas and a new sort range. Do not just type a fifth name under the table and expect it to work.

• Merged cells inside the game blocks. Merging breaks the one-row offset between a team and its score.

• Filters on the ladder header. A filter hides rows; it does not rank them, and it surprises people who think a team has disappeared.

• Copy-paste of a whole ladder row from another workbook. You will paste values over formulas.

9. Reading a formula without fear

You do not need to edit formulas to run a season. This section is here so an owner can recognise a healthy cell and put a formula back if it is deleted. Click a ladder number. The formula bar should start with an equals sign. If it shows only a bare number, the formula is gone.

The shapes you will see

Piece	What it is doing
COUNTIF(FIXTURE!B:B, B2)	Count how many cells in fixture column B exactly equal the team name in this ladder row.
SUMIF(range of names, this team, range of scores)	Add the scores that sit one row under each matching team name. The two ranges are the same height, shifted by one row, so each name lines up with its own score.
SUMPRODUCT((names = this team) * (score is not blank) * (our score > their score))	Count wins. Multiplying the true/false tests by each other keeps the row only when every test passes. The same pattern with “=” counts draws and with “<” counts losses.
Goals for minus goals against	Goal difference. A negative result is allowed and is useful for sorting.
Wins × 3 + draws	Points, under the standard rule.

There is a separate formula for each team row, written out in full, because a fill-down is easy to mis-apply on a coloured, sorted table and because each formula must mention its own name cell (B2, B3, B4 or B5). After a sort, B2 is whichever team now sits in row 2, and the formula in C2 still says “use B2”, so it still describes the team beside it.

The scans run to row 50 so the four built-in rounds are not a hard ceiling. If you ever build a fixture longer than that, the owner must extend the row numbers inside every games, wins, draws, losses, goals-for and goals-against formula, on all four team rows, and extend them together. Stopping at different rows in different columns is how a ladder quietly disagrees with itself.

Putting a formula back

• If only one cell was overwritten and the other three teams still have formulas, copy a healthy cell from the same column and edit the name reference so it points at this row’s name (B2 stays B2, a formula moved onto row 4 must say B4).

• If you are unsure, undo (Ctrl+Z or Cmd+Z) until the equals sign returns. Undo is safer than retyping.

• Never paste a ladder column into Notepad and back. That turns formulas into values.

• After any repair, enter a test score, confirm all four teams still add up (played = W+D+L), then clear the test score.

10. Troubleshooting

What you see	Likely cause	What to do
Ladder stays on zero after a score	Only one score was entered, or the team cell does not exactly match the ladder name.	Fill both scores. Re-pick both teams from the dropdown. Look for a trailing space in the name.
Who won? still says Please enter scores	A score cell is blank, or it contains text such as “-” or “nil”.	Type a real number, including 0 if the team scored nothing.
A team has games but zero goals and a weird goal difference	The score was typed on the team row instead of the score row.	Move the number down one row into the Score line. Clear the team row back to a name.
Two teams seem to have played each other twice as many times as they did	The same match was entered on both Game 1 and Game 2, or the same teams were left selected on an old round.	Clear the duplicate block’s teams and scores.
The ladder order looks stale	The sheet was filtered, or someone sorted only the name column.	Clear the filter. Select columns A to J, rows 2 to 5, and sort by points, then goal difference, then goals for — or restore the automatic sort.
Dropdown shows a blank list	Data validation is pointing at an empty range, or the ladder names were deleted.	Retype the four names. Point validation at those four cells again. Copy validation to the other team cells.
An editor says they cannot click a score cell	Protection was applied to too large a range.	Data → Protect sheets and ranges. Edit the rule so scores and dropdowns are outside it.
Numbers no longer change when a score changes	The cell contains a typed value, not a formula.	Click it. If there is no equals sign, restore the formula from a healthy row or from undo.
A downloaded Excel file behaves differently	Some Google-only validation and protection does not survive a round trip.	Stay in Google Sheets for the live competition. If you must export, treat the export as a printout, not as the master.

11. Season checklist

Once, before round 1

• Make a copy of https://evc.s.gy/gOhFup into your own Drive.

• Rename the four teams on the ladder.

• Recolour rows only if the class needs different colours. Optional.

• Rewrite the date labels to your real timetable.

• Add extra three-row rounds if the season is longer than four dates.

• Enter one fake 1–0, confirm the ladder, then delete it.

• Protect the Who won? cells and the ladder number columns so only you can edit them.

• Share the file: scorekeepers as Editors, everyone else as Viewers.

Every match day

• Select teams from dropdowns.

• Type both full-time scores.

• Glance at Who won? to confirm it names the right side.

• Glance at the ladder: the sum of wins, draws and losses equals games played, and the top team is the one you expect.

If something looks wrong

• Fix the fixture. Do not type on the ladder.

• Undo if you already typed on the ladder.

• Re-read section 10 before rebuilding formulas from memory.

12. Short answers

Do I update the ladder after each game?

No. Enter the score on the fixture. The ladder, including the order, updates from those cells.

Can two games happen on the same day?

Yes. That is why the sheet has Game 1 and Game 2 side by side. Both feed the same ladder.

What if a team forfeits 0–3?

Enter 0 and 3. It is a finished game: a loss, three goals against, no goals for. Do not leave it blank. Blank means “not played”.

What if the match is postponed?

Leave both scores blank and you may clear the teams. It will not appear on the ladder.

Can I track player names?

Yes, in the People table on the right of the fixture. Those names are not part of the scoring.

Can I add a fifth team?

Not without rebuilding dropdowns, formulas and the sort. This version is a four-team competition.

Why is the template unlocked if the original was protected?

So you can set names, dates and extra rounds first. Lock your copy when the structure is finished. The owner can always edit a protected range and can always change who else may edit it, using Data → Protect sheets and ranges.

Where is the file?

https://evc.s.gy/gOhFup — make a copy before use.

SEPEP Template V2 Final. Fixture in, ladder out. Enter teams from the dropdowns, enter both scores, and do not type over a formula. Template: https://evc.s.gy/gOhFup