

```

--
=====
=====
-- SECTION: CONSTRAINTS
-- Apply in THIS order: primary keys -> unique ->
check -> foreign keys.
-- (Foreign keys go last because they reference
other tables' PK/unique.)
--
=====
=====

-- ----- PRIMARY KEYS -----
ALTER TABLE public.abandoned_carts ADD CONSTRAINT
abandoned_carts_pkey PRIMARY KEY (id);
ALTER TABLE public.academic_levels ADD CONSTRAINT
academic_levels_pkey PRIMARY KEY (id);
ALTER TABLE public.admin_audit_logs ADD CONSTRAINT
admin_audit_logs_pkey PRIMARY KEY (id);
ALTER TABLE public.banners ADD CONSTRAINT
banners_pkey PRIMARY KEY (id);
ALTER TABLE public.batch_orders ADD CONSTRAINT
batch_orders_pkey PRIMARY KEY (id);
ALTER TABLE public.campuses ADD CONSTRAINT
campuses_pkey PRIMARY KEY (id);
ALTER TABLE public.cart_items ADD CONSTRAINT
cart_items_pkey PRIMARY KEY (id);
ALTER TABLE public.catering_requests ADD CONSTRAINT
catering_requests_pkey PRIMARY KEY (id);
ALTER TABLE public.challenge_completions ADD
CONSTRAINT challenge_completions_pkey PRIMARY KEY
(id);
ALTER TABLE public.challenges ADD CONSTRAINT
challenges_pkey PRIMARY KEY (id);
ALTER TABLE public.cron_locks ADD CONSTRAINT
cron_locks_pkey PRIMARY KEY (job_name);

```

```
ALTER TABLE public.daily_checkins ADD CONSTRAINT
daily_checkins_pkey PRIMARY KEY (id);
ALTER TABLE public.delivery_assignments ADD
CONSTRAINT delivery_assignments_pkey PRIMARY KEY
(id);
ALTER TABLE public.delivery_batches ADD CONSTRAINT
delivery_batches_pkey PRIMARY KEY (id);
ALTER TABLE public.delivery_windows ADD CONSTRAINT
delivery_windows_pkey PRIMARY KEY (id);
ALTER TABLE public.delivery_zones ADD CONSTRAINT
delivery_zones_pkey PRIMARY KEY (id);
ALTER TABLE public.departments ADD CONSTRAINT
departments_pkey PRIMARY KEY (id);
ALTER TABLE public.device_fingerprints ADD
CONSTRAINT device_fingerprints_pkey PRIMARY KEY
(id);
ALTER TABLE public.device_tokens ADD CONSTRAINT
device_tokens_pkey PRIMARY KEY (id);
ALTER TABLE public.event_checkins ADD CONSTRAINT
event_checkins_pkey PRIMARY KEY (id);
ALTER TABLE public.event_ticket_tiers ADD
CONSTRAINT event_ticket_tiers_pkey PRIMARY KEY
(id);
ALTER TABLE public.event_tickets ADD CONSTRAINT
event_tickets_pkey PRIMARY KEY (id);
ALTER TABLE public.events ADD CONSTRAINT
events_pkey PRIMARY KEY (id);
ALTER TABLE public.exclusive_spins ADD CONSTRAINT
exclusive_spins_pkey PRIMARY KEY (id);
ALTER TABLE public.feature_flags ADD CONSTRAINT
feature_flags_pkey PRIMARY KEY (feature_name);
ALTER TABLE public.first_order_gifts ADD CONSTRAINT
first_order_gifts_pkey PRIMARY KEY (id);
ALTER TABLE public.flash_redemptions ADD CONSTRAINT
flash_redemptions_pkey PRIMARY KEY (id);
ALTER TABLE public.free_side_credits ADD CONSTRAINT
free_side_credits_pkey PRIMARY KEY (id);
ALTER TABLE public.gates ADD CONSTRAINT gates_pkey
PRIMARY KEY (id);
ALTER TABLE public.hall_of_fame_inductees ADD
```

```
CONSTRAINT hall_of_fame_inductees_pkey PRIMARY KEY
(id);
ALTER TABLE public.hall_of_fame_rewards ADD
CONSTRAINT hall_of_fame_rewards_pkey PRIMARY KEY
(id);
ALTER TABLE public.hostels ADD CONSTRAINT
hostels_pkey PRIMARY KEY (id);
ALTER TABLE public.hp_bundle_purchases ADD
CONSTRAINT hp_bundle_purchases_pkey PRIMARY KEY
(id);
ALTER TABLE public.hp_bundles ADD CONSTRAINT
hp_bundles_pkey PRIMARY KEY (id);
ALTER TABLE public.hp_expiry_log ADD CONSTRAINT
hp_expiry_log_pkey PRIMARY KEY (id);
ALTER TABLE public.hp_tiers ADD CONSTRAINT
hp_tiers_pkey PRIMARY KEY (id);
ALTER TABLE public.hp_transactions ADD CONSTRAINT
hp_transactions_pkey PRIMARY KEY (id);
ALTER TABLE public.kitchen_settings ADD CONSTRAINT
kitchen_settings_pkey PRIMARY KEY (key);
ALTER TABLE public.leaderboard_entries ADD
CONSTRAINT leaderboard_entries_pkey PRIMARY KEY
(id);
ALTER TABLE public.leaderboard_reward_fulfillments
ADD CONSTRAINT leaderboard_reward_fulfillments_pkey
PRIMARY KEY (id);
ALTER TABLE public.leaderboard_snapshots ADD
CONSTRAINT leaderboard_snapshots_pkey PRIMARY KEY
(id);
ALTER TABLE public.login_streak_rewards ADD
CONSTRAINT login_streak_rewards_pkey PRIMARY KEY
(id);
ALTER TABLE public.login_streaks ADD CONSTRAINT
login_streaks_pkey PRIMARY KEY (id);
ALTER TABLE public.marketplace_access_codes ADD
CONSTRAINT marketplace_access_codes_pkey PRIMARY
KEY (id);
ALTER TABLE public.marketplace_code_batches ADD
CONSTRAINT marketplace_code_batches_pkey PRIMARY
KEY (id);
```

```
ALTER TABLE public.marketplace_listings ADD
CONSTRAINT marketplace_listings_pkey PRIMARY KEY
(id);
ALTER TABLE public.marketplace_purchases ADD
CONSTRAINT marketplace_purchases_pkey PRIMARY KEY
(id);
ALTER TABLE public.marketplace_requests ADD
CONSTRAINT marketplace_requests_pkey PRIMARY KEY
(id);
ALTER TABLE public.membership_rewards ADD
CONSTRAINT membership_rewards_pkey PRIMARY KEY
(id);
ALTER TABLE public.menu_addon_groups ADD CONSTRAINT
menu_addon_groups_pkey PRIMARY KEY (id);
ALTER TABLE public.menu_addons ADD CONSTRAINT
menu_addons_pkey PRIMARY KEY (id);
ALTER TABLE public.menu_categories ADD CONSTRAINT
menu_categories_pkey PRIMARY KEY (id);
ALTER TABLE public.menu_item_variation_groups ADD
CONSTRAINT menu_item_variation_groups_pkey PRIMARY
KEY (id);
ALTER TABLE public.menu_item_variation_options ADD
CONSTRAINT menu_item_variation_options_pkey PRIMARY
KEY (id);
ALTER TABLE public.menu_items ADD CONSTRAINT
menu_items_pkey PRIMARY KEY (id);
ALTER TABLE public.milestones ADD CONSTRAINT
milestones_pkey PRIMARY KEY (id);
ALTER TABLE public.monthly_hp_tracker ADD
CONSTRAINT monthly_hp_tracker_pkey PRIMARY KEY
(id);
ALTER TABLE public.newsletter_subscriptions ADD
CONSTRAINT newsletter_subscriptions_pkey PRIMARY
KEY (id);
ALTER TABLE public.notification_blasts ADD
CONSTRAINT notification_blasts_pkey PRIMARY KEY
(id);
ALTER TABLE public.notification_deliveries ADD
CONSTRAINT notification_deliveries_pkey PRIMARY KEY
(id);
```

```
ALTER TABLE public.notification_log ADD CONSTRAINT
notification_log_pkey PRIMARY KEY (id);
ALTER TABLE public.notification_preferences ADD
CONSTRAINT notification_preferences_pkey PRIMARY
KEY (id);
ALTER TABLE public.notifications ADD CONSTRAINT
notifications_pkey PRIMARY KEY (id);
ALTER TABLE public.operating_hour_overrides ADD
CONSTRAINT operating_hour_overrides_pkey PRIMARY
KEY (id);
ALTER TABLE public.operating_hours ADD CONSTRAINT
operating_hours_pkey PRIMARY KEY (id);
ALTER TABLE public.order_addon_selections ADD
CONSTRAINT order_addon_selections_pkey PRIMARY KEY
(id);
ALTER TABLE public.order_items ADD CONSTRAINT
order_items_pkey PRIMARY KEY (id);
ALTER TABLE public.order_locks ADD CONSTRAINT
order_locks_pkey PRIMARY KEY (id);
ALTER TABLE public.order_reviews ADD CONSTRAINT
order_reviews_pkey PRIMARY KEY (id);
ALTER TABLE public.order_share_events ADD
CONSTRAINT order_share_events_pkey PRIMARY KEY
(id);
ALTER TABLE public.order_status_logs ADD CONSTRAINT
order_status_logs_pkey PRIMARY KEY (id);
ALTER TABLE public.order_streak_rewards ADD
CONSTRAINT order_streak_rewards_pkey PRIMARY KEY
(id);
ALTER TABLE public.order_streaks ADD CONSTRAINT
order_streaks_pkey PRIMARY KEY (id);
ALTER TABLE public.orders ADD CONSTRAINT
orders_pkey PRIMARY KEY (id);
ALTER TABLE public.payments ADD CONSTRAINT
payments_pkey PRIMARY KEY (id);
ALTER TABLE public.profiles ADD CONSTRAINT
profiles_pkey PRIMARY KEY (id);
ALTER TABLE public.promo_code_uses ADD CONSTRAINT
promo_code_uses_pkey PRIMARY KEY (id);
ALTER TABLE public.promo_codes ADD CONSTRAINT
```

```
promo_codes_pkey PRIMARY KEY (id);
ALTER TABLE public.push_subscriptions ADD
CONSTRAINT push_subscriptions_pkey PRIMARY KEY
(id);
ALTER TABLE public.referral_codes ADD CONSTRAINT
referral_codes_pkey PRIMARY KEY (id);
ALTER TABLE public.referral_milestones ADD
CONSTRAINT referral_milestones_pkey PRIMARY KEY
(id);
ALTER TABLE public.referrals ADD CONSTRAINT
referrals_pkey PRIMARY KEY (id);
ALTER TABLE public.reward_redemptions ADD
CONSTRAINT reward_redemptions_pkey PRIMARY KEY
(id);
ALTER TABLE public.rewards ADD CONSTRAINT
rewards_pkey PRIMARY KEY (id);
ALTER TABLE public.rider_profiles ADD CONSTRAINT
rider_profiles_pkey PRIMARY KEY (id);
ALTER TABLE public.saved_for_later ADD CONSTRAINT
saved_for_later_pkey PRIMARY KEY (id);
ALTER TABLE public.scheduled_notifications ADD
CONSTRAINT scheduled_notifications_pkey PRIMARY KEY
(id);
ALTER TABLE public.squad_members ADD CONSTRAINT
squad_members_pkey PRIMARY KEY (id);
ALTER TABLE public.storefront_sections ADD
CONSTRAINT storefront_sections_pkey PRIMARY KEY
(id);
ALTER TABLE public.system_settings ADD CONSTRAINT
system_settings_pkey PRIMARY KEY (key);
ALTER TABLE public.user_addresses ADD CONSTRAINT
user_addresses_pkey PRIMARY KEY (id);
ALTER TABLE public.user_milestones ADD CONSTRAINT
user_milestones_pkey PRIMARY KEY (id);
ALTER TABLE public.user_tiers ADD CONSTRAINT
user_tiers_pkey PRIMARY KEY (id);
ALTER TABLE public.virtual_accounts ADD CONSTRAINT
virtual_accounts_pkey PRIMARY KEY (id);
ALTER TABLE public.wallet_topups ADD CONSTRAINT
wallet_topups_pkey PRIMARY KEY (id);
```

```

ALTER TABLE public.wallet_transactions ADD
CONSTRAINT wallet_transactions_pkey PRIMARY KEY
(id);
ALTER TABLE public.wallet_withdrawals ADD
CONSTRAINT wallet_withdrawals_pkey PRIMARY KEY
(id);
ALTER TABLE public.wallets ADD CONSTRAINT
wallets_pkey PRIMARY KEY (user_id);
ALTER TABLE public.webhook_events ADD CONSTRAINT
webhook_events_pkey PRIMARY KEY (id);

-- ----- UNIQUE CONSTRAINTS -----
ALTER TABLE public.academic_levels ADD CONSTRAINT
academic_levels_value_key UNIQUE (value);
ALTER TABLE public.batch_orders ADD CONSTRAINT
batch_orders_batch_id_order_id_key UNIQUE
(batch_id, order_id);
ALTER TABLE public.batch_orders ADD CONSTRAINT
batch_orders_order_id_key UNIQUE (order_id);
ALTER TABLE public.campuses ADD CONSTRAINT
campuses_name_key UNIQUE (name);
ALTER TABLE public.campuses ADD CONSTRAINT
campuses_slug_key UNIQUE (slug);
ALTER TABLE public.cart_items ADD CONSTRAINT
uq_cart_items_user_menu_item UNIQUE (user_id,
menu_item_id);
ALTER TABLE public.challenge_completions ADD
CONSTRAINT uq_challenge_completions_user_challenge
UNIQUE (user_id, challenge_id);
ALTER TABLE public.daily_checkins ADD CONSTRAINT
unique_user_daily_checkin UNIQUE (user_id,
checkin_date);
ALTER TABLE public.delivery_assignments ADD
CONSTRAINT delivery_assignments_order_id_key UNIQUE
(order_id);
ALTER TABLE public.departments ADD CONSTRAINT
departments_slug_key UNIQUE (slug);
ALTER TABLE public.device_fingerprints ADD
CONSTRAINT device_fingerprints_fingerprint_key
UNIQUE (fingerprint);

```

```
ALTER TABLE public.device_tokens ADD CONSTRAINT
device_tokens_user_id_token_key UNIQUE (user_id,
token);
ALTER TABLE public.event_checkins ADD CONSTRAINT
event_checkins_ticket_id_key UNIQUE (ticket_id);
ALTER TABLE public.event_tickets ADD CONSTRAINT
event_tickets_qr_code_key UNIQUE (qr_code);
ALTER TABLE public.events ADD CONSTRAINT
events_slug_key UNIQUE (slug);
ALTER TABLE public.first_order_gifts ADD CONSTRAINT
first_order_gifts_user_id_key UNIQUE (user_id);
ALTER TABLE public.hall_of_fame_inductees ADD
CONSTRAINT hall_of_fame_inductees_user_id_key
UNIQUE (user_id);
ALTER TABLE public.hall_of_fame_rewards ADD
CONSTRAINT hall_of_fame_rewards_user_id_key UNIQUE
(user_id);
ALTER TABLE public.hp_tiers ADD CONSTRAINT
hp_tiers_name_key UNIQUE (name);
ALTER TABLE public.hp_tiers ADD CONSTRAINT
uq_hp_tiers_slug UNIQUE (slug);
ALTER TABLE public.leaderboard_entries ADD
CONSTRAINT leaderboard_entries_period_user_id_key
UNIQUE (period, user_id);
ALTER TABLE public.leaderboard_snapshots ADD
CONSTRAINT leaderboard_snapshots_period_key_key
UNIQUE (period_key);
ALTER TABLE public.leaderboard_snapshots ADD
CONSTRAINT uq_leaderboard_snapshots_period_type
UNIQUE (period_key, ranking_type);
ALTER TABLE public.login_streaks ADD CONSTRAINT
login_streaks_user_id_key UNIQUE (user_id);
ALTER TABLE public.marketplace_access_codes ADD
CONSTRAINT
marketplace_access_codes_listing_id_code_key UNIQUE
(listing_id, code);
ALTER TABLE public.marketplace_listings ADD
CONSTRAINT marketplace_listings_slug_key UNIQUE
(slug);
ALTER TABLE public.menu_categories ADD CONSTRAINT
```



```
menu_categories_slug_key UNIQUE (slug);
ALTER TABLE public.menu_items ADD CONSTRAINT
menu_items_slug_key UNIQUE (slug);
ALTER TABLE public.monthly_hp_tracker ADD
CONSTRAINT monthly_hp_tracker_user_id_month_key
UNIQUE (user_id, month);
ALTER TABLE public.newsletter_subscriptions ADD
CONSTRAINT uq_newsletter_subscriptions_email UNIQUE
(email);
ALTER TABLE public.notification_preferences ADD
CONSTRAINT notification_preferences_user_id_key
UNIQUE (user_id);
ALTER TABLE public.operating_hour_overrides ADD
CONSTRAINT operating_hour_overrides_date_key UNIQUE
(date);
ALTER TABLE public.operating_hours ADD CONSTRAINT
operating_hours_weekday_key UNIQUE (weekday);
ALTER TABLE public.order_reviews ADD CONSTRAINT
order_reviews_order_id_key UNIQUE (order_id);
ALTER TABLE public.order_streaks ADD CONSTRAINT
order_streaks_user_id_key UNIQUE (user_id);
ALTER TABLE public.orders ADD CONSTRAINT
orders_idempotency_key_key UNIQUE
(idempotency_key);
ALTER TABLE public.orders ADD CONSTRAINT
orders_order_number_key UNIQUE (order_number);
ALTER TABLE public.payments ADD CONSTRAINT
payments_reference_key UNIQUE (reference);
ALTER TABLE public.profiles ADD CONSTRAINT
profiles_email_key UNIQUE (email);
ALTER TABLE public.profiles ADD CONSTRAINT
profiles_referral_code_key UNIQUE (referral_code);
ALTER TABLE public.promo_code_uses ADD CONSTRAINT
promo_code_uses_promo_code_id_order_id_key UNIQUE
(promo_code_id, order_id);
ALTER TABLE public.promo_code_uses ADD CONSTRAINT
uq_promo_code_uses_user_order UNIQUE (user_id,
order_id);
ALTER TABLE public.promo_codes ADD CONSTRAINT
promo_codes_code_key UNIQUE (code);
```

```

ALTER TABLE public.referral_codes ADD CONSTRAINT
referral_codes_code_key UNIQUE (code);
ALTER TABLE public.referral_codes ADD CONSTRAINT
referral_codes_user_id_key UNIQUE (user_id);
ALTER TABLE public.referrals ADD CONSTRAINT
referrals_referred_user_id_trigger_order_id_key
UNIQUE (referred_user_id, trigger_order_id);
ALTER TABLE public.referrals ADD CONSTRAINT
uq_referrals_referred_user UNIQUE
(referred_user_id);
ALTER TABLE public.rider_profiles ADD CONSTRAINT
rider_profiles_user_id_key UNIQUE (user_id);
ALTER TABLE public.saved_for_later ADD CONSTRAINT
saved_for_later_user_id_menu_item_id_key UNIQUE
(user_id, menu_item_id);
ALTER TABLE public.storefront_sections ADD
CONSTRAINT storefront_sections_key_key UNIQUE
(key);
ALTER TABLE public.virtual_accounts ADD CONSTRAINT
virtual_accounts_provider_account_number_key UNIQUE
(provider, account_number);
ALTER TABLE public.virtual_accounts ADD CONSTRAINT
virtual_accounts_user_id_key UNIQUE (user_id);
ALTER TABLE public.wallet_withdrawals ADD
CONSTRAINT wallet_withdrawals_reference_key UNIQUE
(reference);
ALTER TABLE public.webhook_events ADD CONSTRAINT
webhook_events_provider_event_type_reference_key
UNIQUE (provider, event_type, reference);

-- ----- CHECK CONSTRAINTS -----
ALTER TABLE public.cart_items ADD CONSTRAINT
cart_items_quantity_check CHECK ((quantity > 0));
ALTER TABLE public.catering_requests ADD CONSTRAINT
catering_requests_status_check CHECK ((status = ANY
(ARRAY['new'::text, 'contacted'::text,
'quoted'::text, 'confirmed'::text,
'in_progress'::text, 'completed'::text,
'cancelled'::text, 'rejected'::text])));
ALTER TABLE public.catering_requests ADD CONSTRAINT

```

```

chk_catering_guests_pos CHECK ((expected_guests >
0));
ALTER TABLE public.challenges ADD CONSTRAINT
challenges_type_check CHECK ((type = ANY
(ARRAY['one_time'::text, 'recurring'::text,
'daily'::text, 'weekly'::text, 'monthly'::text,
'event'::text]]));
ALTER TABLE public.challenges ADD CONSTRAINT
chk_challenges_hp_reward_pos CHECK ((hp_reward >
0));
ALTER TABLE public.delivery_batches ADD CONSTRAINT
delivery_batches_status_check CHECK ((status = ANY
(ARRAY['open'::text, 'assigned'::text,
'in_progress'::text, 'completed'::text,
'cancelled'::text]]));
ALTER TABLE public.delivery_windows ADD CONSTRAINT
chk_delivery_windows_capacity_pos CHECK ((capacity
> 0));
ALTER TABLE public.delivery_windows ADD CONSTRAINT
chk_delivery_windows_dates CHECK ((ends_at >
starts_at));
ALTER TABLE public.delivery_windows ADD CONSTRAINT
delivery_windows_status_check CHECK ((status = ANY
(ARRAY['open'::text, 'full'::text, 'closed'::text,
'cancelled'::text, 'locked'::text]]));
ALTER TABLE public.delivery_zones ADD CONSTRAINT
delivery_zones_delivery_fee_check CHECK
((delivery_fee >= (0)::numeric));
ALTER TABLE public.delivery_zones ADD CONSTRAINT
delivery_zones_min_order_check CHECK ((min_order >=
(0)::numeric));
ALTER TABLE public.event_ticket_tiers ADD
CONSTRAINT check_ticket_tier_capacity CHECK
(((capacity IS NULL) OR (sold_count <= capacity)));
ALTER TABLE public.event_ticket_tiers ADD
CONSTRAINT event_ticket_tiers_sold_count_check
CHECK ((sold_count >= 0));
ALTER TABLE public.events ADD CONSTRAINT
events_funding_source_check CHECK ((funding_source
= ANY (ARRAY['host_prepaid'::text,

```

```

'hg_funded'::text, NULL::text]]));
ALTER TABLE public.exclusive_spins ADD CONSTRAINT
exclusive_spins_spin_count_check CHECK ((spin_count
>= 0));
ALTER TABLE public.first_order_gifts ADD CONSTRAINT
first_order_gifts_status_check CHECK ((status = ANY
(ARRAY['pending'::text, 'fulfilled'::text,
'cancelled'::text]]));
ALTER TABLE public.free_side_credits ADD CONSTRAINT
free_side_credits_credits_remaining_check CHECK
((credits_remaining >= 0));
ALTER TABLE public.hall_of_fame_rewards ADD
CONSTRAINT hall_of_fame_rewards_status_check CHECK
((status = ANY (ARRAY['pending'::text,
'box_prepared'::text, 'fulfilled'::text,
'cancelled'::text]]));
ALTER TABLE public.hp_expiry_log ADD CONSTRAINT
hp_expiry_log_expired_amount_check CHECK
((expired_amount > 0));
ALTER TABLE public.hp_expiry_log ADD CONSTRAINT
hp_expiry_log_previous_balance_check CHECK
((previous_balance >= 0));
ALTER TABLE public.hp_tiers ADD CONSTRAINT
chk_hp_tiers_min_points_nonneg CHECK (((min_points
>= 0) AND (maintenance_points >= 0)));
ALTER TABLE public.hp_tiers ADD CONSTRAINT
chk_hp_tiers_multiplier_pos CHECK ((earn_multiplier
> (0)::numeric));
ALTER TABLE public.hp_transactions ADD CONSTRAINT
check_hp_tx_amount_positive CHECK ((amount > 0));
ALTER TABLE public.hp_transactions ADD CONSTRAINT
hp_transactions_amount_check CHECK ((amount > 0));
ALTER TABLE public.hp_transactions ADD CONSTRAINT
hp_transactions_status_check CHECK (((status)::text
= ANY ((ARRAY['active'::character varying,
'pending'::character varying, 'expired'::character
varying, 'cancelled'::character
varying]))::text[]));
ALTER TABLE public.hp_transactions ADD CONSTRAINT
hp_transactions_type_check CHECK ((type = ANY

```

```

(ARRAY['earn'::text, 'spend'::text, 'expire'::text,
'adjustment'::text]));
ALTER TABLE public.leaderboard_reward_fulfillments
ADD CONSTRAINT
leaderboard_reward_fulfillments_rank_check CHECK
(((rank >= 1) AND (rank <= 10)));
ALTER TABLE public.leaderboard_reward_fulfillments
ADD CONSTRAINT
leaderboard_reward_fulfillments_status_check CHECK
((status = ANY (ARRAY['pending'::text,
'fulfilled'::text, 'cancelled'::text])));
ALTER TABLE public.login_streaks ADD CONSTRAINT
login_streaks_consecutive_weeks_check CHECK
((consecutive_weeks >= 0));
ALTER TABLE public.login_streaks ADD CONSTRAINT
login_streaks_cycle_week_number_check CHECK
((cycle_week_number >= 1));
ALTER TABLE public.login_streaks ADD CONSTRAINT
login_streaks_streak_count_check CHECK
((streak_count >= 0));
ALTER TABLE public.marketplace_access_codes ADD
CONSTRAINT marketplace_access_codes_status_check
CHECK ((status = ANY (ARRAY['available'::text,
'reserved'::text, 'assigned'::text,
'revoked'::text, 'expired'::text])));
ALTER TABLE public.marketplace_listings ADD
CONSTRAINT check_marketplace_listing_stock CHECK
(((inventory_count IS NULL) OR (inventory_count >=
0)));
ALTER TABLE public.marketplace_listings ADD
CONSTRAINT chk_marketplace_listings_price_nonneg
CHECK ((price >= (0)::numeric));
ALTER TABLE public.marketplace_listings ADD
CONSTRAINT marketplace_listings_listing_type_check
CHECK ((listing_type = ANY (ARRAY['code'::text,
'manual'::text, 'subscription'::text,
'digital_code'::text, 'voucher'::text])));
ALTER TABLE public.marketplace_listings ADD
CONSTRAINT marketplace_listings_status_check CHECK
((status = ANY (ARRAY['pending'::text,

```

```

'active'::text, 'paused'::text, 'rejected'::text,
'archived'::text, 'draft'::text]]));
ALTER TABLE public.marketplace_purchases ADD
CONSTRAINT
chk_marketplace_purchases_card_amount_nonneg CHECK
((card_amount >= (0)::numeric));
ALTER TABLE public.marketplace_purchases ADD
CONSTRAINT
chk_marketplace_purchases_wallet_amount_nonneg
CHECK ((wallet_amount >= (0)::numeric));
ALTER TABLE public.menu_addon_groups ADD CONSTRAINT
menu_addon_groups_check CHECK (((min_select >= 0)
AND (max_select >= min_select)));
ALTER TABLE public.menu_items ADD CONSTRAINT
menu_items_hp_earn_check CHECK ((hp_earn >= 0));
ALTER TABLE public.menu_items ADD CONSTRAINT
menu_items_hp_multiplier_check CHECK
((hp_multiplier = ANY (ARRAY[0.5, 1.0, 2.0])));
ALTER TABLE public.menu_items ADD CONSTRAINT
menu_items_price_check CHECK ((price >=
(0)::numeric));
ALTER TABLE public.milestones ADD CONSTRAINT
milestones_time_window_check CHECK ((time_window =
ANY (ARRAY['weekly'::text, 'monthly'::text]]));
ALTER TABLE public.monthly_hp_tracker ADD
CONSTRAINT monthly_hp_tracker_total_earned_check
CHECK ((total_earned >= 0));
ALTER TABLE public.notification_blasts ADD
CONSTRAINT notification_blasts_channels_check CHECK
((channels <@ ARRAY['in_app'::text, 'email'::text,
'sms'::text, 'push'::text]));
ALTER TABLE public.notifications ADD CONSTRAINT
notifications_channel_check CHECK ((channel = ANY
(ARRAY['in_app'::text, 'email'::text, 'sms'::text,
'push'::text]]));
ALTER TABLE public.operating_hours ADD CONSTRAINT
operating_hours_weekday_check CHECK (((weekday >=
0) AND (weekday <= 6)));
ALTER TABLE public.order_items ADD CONSTRAINT
chk_order_items_line_total_nonneg CHECK

```

```

((line_total >= (0)::numeric));
ALTER TABLE public.order_items ADD CONSTRAINT
order_items_quantity_check CHECK ((quantity > 0));
ALTER TABLE public.order_locks ADD CONSTRAINT
order_locks_discount_pct_check CHECK
(((discount_pct >= (1)::numeric) AND (discount_pct
<= (50)::numeric)));
ALTER TABLE public.order_locks ADD CONSTRAINT
order_locks_reschedule_count_check CHECK
((reschedule_count >= 0));
ALTER TABLE public.order_locks ADD CONSTRAINT
order_locks_reward_type_check CHECK ((reward_type =
ANY (ARRAY['discount'::text, 'hp'::text])));
ALTER TABLE public.order_locks ADD CONSTRAINT
order_locks_status_check CHECK ((status = ANY
(ARRAY['active'::text, 'used'::text,
'expired'::text, 'cancelled'::text])));
ALTER TABLE public.order_reviews ADD CONSTRAINT
order_reviews_kitchen_rating_check CHECK
(((kitchen_rating >= 1) AND (kitchen_rating <=
5)));
ALTER TABLE public.order_reviews ADD CONSTRAINT
order_reviews_rating_check CHECK (((rating >= 1)
AND (rating <= 5)));
ALTER TABLE public.order_reviews ADD CONSTRAINT
order_reviews_rider_rating_check CHECK
(((rider_rating >= 1) AND (rider_rating <= 5)));
ALTER TABLE public.order_streaks ADD CONSTRAINT
order_streaks_streak_weeks_check CHECK
((streak_weeks >= 0));
ALTER TABLE public.orders ADD CONSTRAINT
check_order_totals_positive CHECK (((subtotal >=
(0)::numeric) AND (delivery_fee >= (0)::numeric)
AND (discount_amount >= (0)::numeric) AND
(total_amount >= (0)::numeric) AND
(wallet_amount_used >= (0)::numeric) AND
(card_amount_used >= (0)::numeric)));
ALTER TABLE public.orders ADD CONSTRAINT
chk_orders_delivery_fee_nonneg CHECK ((delivery_fee
>= (0)::numeric));

```

```

ALTER TABLE public.orders ADD CONSTRAINT
chk_orders_discount_nonneg CHECK ((discount_amount
>= (0)::numeric));
ALTER TABLE public.orders ADD CONSTRAINT
chk_orders_subtotal_nonneg CHECK ((subtotal >=
(0)::numeric));
ALTER TABLE public.orders ADD CONSTRAINT
chk_orders_total_nonneg CHECK ((total_amount >=
(0)::numeric));
ALTER TABLE public.orders ADD CONSTRAINT
orders_check CHECK (((user_id IS NOT NULL) OR
(guest_email IS NOT NULL) OR (guest_phone IS NOT
NULL)));
ALTER TABLE public.orders ADD CONSTRAINT
orders_delivery_type_check CHECK ((delivery_type =
ANY (ARRAY['on_campus'::text,
'off_campus'::text])));
ALTER TABLE public.payments ADD CONSTRAINT
check_payment_amount_positive CHECK ((amount >=
(0)::numeric));
ALTER TABLE public.payments ADD CONSTRAINT
chk_payments_amount_pos CHECK ((amount >
(0)::numeric));
ALTER TABLE public.payments ADD CONSTRAINT
payments_amount_check CHECK ((amount >=
(0)::numeric));
ALTER TABLE public.profiles ADD CONSTRAINT
profiles_hp_balance_check CHECK ((hp_balance >=
0));
ALTER TABLE public.profiles ADD CONSTRAINT
profiles_wallet_balance_check CHECK
((wallet_balance >= (0)::numeric));
ALTER TABLE public.promo_codes ADD CONSTRAINT
check_promo_max_uses CHECK (((max_uses IS NULL) OR
(used_count <= max_uses)));
ALTER TABLE public.promo_codes ADD CONSTRAINT
chk_promo_codes_discount_pos CHECK ((discount_value
> (0)::numeric));
ALTER TABLE public.promo_codes ADD CONSTRAINT
chk_promo_codes_used_count_nonneg CHECK

```



```

((used_count >= 0));
ALTER TABLE public.promo_codes ADD CONSTRAINT
promo_codes_used_count_check CHECK ((used_count >=
0));
ALTER TABLE public.rewards ADD CONSTRAINT
check_reward_stock CHECK (((stock_quantity IS NULL)
OR (stock_quantity >= 0)));
ALTER TABLE public.rewards ADD CONSTRAINT
chk_rewards_hp_cost_pos CHECK ((hp_cost > 0));
ALTER TABLE public.rewards ADD CONSTRAINT
rewards_hp_cost_check CHECK ((hp_cost > 0));
ALTER TABLE public.saved_for_later ADD CONSTRAINT
saved_for_later_quantity_check CHECK ((quantity >=
1));
ALTER TABLE public.scheduled_notifications ADD
CONSTRAINT scheduled_notifications_frequency_check
CHECK ((frequency = ANY (ARRAY['daily'::text,
'weekly'::text, 'once'::text])));
ALTER TABLE public.squad_members ADD CONSTRAINT
squad_members_hp_share_check CHECK ((hp_share >=
0));
ALTER TABLE public.user_tiers ADD CONSTRAINT
user_tiers_event_check CHECK ((event = ANY
(ARRAY['upgrade'::text, 'downgrade'::text,
'maintain'::text, 'grace'::text, 'lost'::text])));
ALTER TABLE public.wallet_topups ADD CONSTRAINT
chk_wallet_topups_amount_pos CHECK ((amount >
(0)::numeric));
ALTER TABLE public.wallet_transactions ADD
CONSTRAINT check_wallet_tx_amount_positive CHECK
((amount > (0)::numeric));
ALTER TABLE public.wallet_transactions ADD
CONSTRAINT wallet_transactions_amount_check CHECK
((amount > (0)::numeric));
ALTER TABLE public.wallet_transactions ADD
CONSTRAINT wallet_transactions_type_check CHECK
((type = ANY (ARRAY['credit'::text, 'debit'::text,
'refund'::text, 'adjustment'::text])));
ALTER TABLE public.wallet_withdrawals ADD
CONSTRAINT wallet_withdrawals_amount_check CHECK

```

```

((amount > (0)::numeric));
ALTER TABLE public.wallet_withdrawals ADD
CONSTRAINT wallet_withdrawals_status_check CHECK
((status = ANY (ARRAY['pending'::text,
'processing'::text, 'completed'::text,
'failed'::text, 'cancelled'::text])));
ALTER TABLE public.wallets ADD CONSTRAINT
chk_wallets_balance_nonneg CHECK ((balance >=
(0)::numeric));
ALTER TABLE public.wallets ADD CONSTRAINT
wallets_balance_check CHECK ((balance >=
(0)::numeric));

-- ----- FOREIGN KEYS -----
-- NOTE: profiles_id_fkey references auth.users(id)
-- this exists automatically
-- in any Supabase project once a user signs up via
Supabase Auth; no manual
-- creation needed, but profiles rows can only be
inserted for real auth.users.
ALTER TABLE public.abandoned_carts ADD CONSTRAINT
abandoned_carts_recovered_order_id_fkey FOREIGN KEY
(recovered_order_id) REFERENCES orders(id) ON
DELETE SET NULL;
ALTER TABLE public.abandoned_carts ADD CONSTRAINT
abandoned_carts_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.admin_audit_logs ADD CONSTRAINT
admin_audit_logs_actor_id_fkey FOREIGN KEY
(actor_id) REFERENCES profiles(id) ON DELETE SET
NULL;
ALTER TABLE public.banners ADD CONSTRAINT
banners_created_by_fkey FOREIGN KEY (created_by)
REFERENCES profiles(id) ON DELETE SET NULL;
ALTER TABLE public.batch_orders ADD CONSTRAINT
batch_orders_added_by_fkey FOREIGN KEY (added_by)
REFERENCES profiles(id) ON DELETE SET NULL;
ALTER TABLE public.batch_orders ADD CONSTRAINT
batch_orders_batch_id_fkey FOREIGN KEY (batch_id)
REFERENCES delivery_batches(id) ON DELETE CASCADE;

```

```
ALTER TABLE public.batch_orders ADD CONSTRAINT
batch_orders_order_id_fkey FOREIGN KEY (order_id)
REFERENCES orders(id) ON DELETE CASCADE;
ALTER TABLE public.cart_items ADD CONSTRAINT
cart_items_menu_item_id_fkey FOREIGN KEY
(menu_item_id) REFERENCES menu_items(id) ON DELETE
CASCADE;
ALTER TABLE public.cart_items ADD CONSTRAINT
cart_items_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.catering_requests ADD CONSTRAINT
catering_requests_assigned_to_fkey FOREIGN KEY
(assigned_to) REFERENCES profiles(id) ON DELETE SET
NULL;
ALTER TABLE public.challenge_completions ADD
CONSTRAINT challenge_completions_challenge_id_fkey
FOREIGN KEY (challenge_id) REFERENCES
challenges(id) ON DELETE CASCADE;
ALTER TABLE public.challenge_completions ADD
CONSTRAINT
challenge_completions_hp_transaction_id_fkey
FOREIGN KEY (hp_transaction_id) REFERENCES
hp_transactions(id) ON DELETE SET NULL;
ALTER TABLE public.challenge_completions ADD
CONSTRAINT challenge_completions_user_id_fkey
FOREIGN KEY (user_id) REFERENCES profiles(id) ON
DELETE CASCADE;
ALTER TABLE public.challenges ADD CONSTRAINT
challenges_created_by_fkey FOREIGN KEY (created_by)
REFERENCES profiles(id) ON DELETE SET NULL;
ALTER TABLE public.daily_checkins ADD CONSTRAINT
daily_checkins_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.delivery_assignments ADD
CONSTRAINT delivery_assignments_batch_id_fkey
FOREIGN KEY (batch_id) REFERENCES
delivery_batches(id) ON DELETE SET NULL;
ALTER TABLE public.delivery_assignments ADD
CONSTRAINT delivery_assignments_order_id_fkey
FOREIGN KEY (order_id) REFERENCES orders(id) ON
```

```

DELETE CASCADE;
ALTER TABLE public.delivery_assignments ADD
CONSTRAINT delivery_assignments_rider_id_fkey
FOREIGN KEY (rider_id) REFERENCES profiles(id) ON
DELETE CASCADE;
ALTER TABLE public.delivery_batches ADD CONSTRAINT
delivery_batches_delivery_window_id_fkey FOREIGN
KEY (delivery_window_id) REFERENCES
delivery_windows(id) ON DELETE SET NULL;
ALTER TABLE public.delivery_batches ADD CONSTRAINT
delivery_batches_rider_id_fkey FOREIGN KEY
(rider_id) REFERENCES profiles(id) ON DELETE SET
NULL;
ALTER TABLE public.delivery_batches ADD CONSTRAINT
delivery_batches_window_id_fkey FOREIGN KEY
(window_id) REFERENCES delivery_windows(id);
ALTER TABLE public.delivery_windows ADD CONSTRAINT
delivery_windows_created_by_fkey FOREIGN KEY
(created_by) REFERENCES profiles(id) ON DELETE SET
NULL;
ALTER TABLE public.delivery_windows ADD CONSTRAINT
fk_delivery_windows_zone FOREIGN KEY (zone_id)
REFERENCES delivery_zones(id) ON DELETE SET NULL;
ALTER TABLE public.device_fingerprints ADD
CONSTRAINT device_fingerprints_user_id_fkey FOREIGN
KEY (user_id) REFERENCES profiles(id) ON DELETE
CASCADE;
ALTER TABLE public.device_tokens ADD CONSTRAINT
device_tokens_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.event_checkins ADD CONSTRAINT
event_checkins_checked_in_by_fkey FOREIGN KEY
(checked_in_by) REFERENCES profiles(id) ON DELETE
SET NULL;
ALTER TABLE public.event_checkins ADD CONSTRAINT
event_checkins_hp_transaction_id_fkey FOREIGN KEY
(hp_transaction_id) REFERENCES hp_transactions(id)
ON DELETE SET NULL;
ALTER TABLE public.event_checkins ADD CONSTRAINT
event_checkins_ticket_id_fkey FOREIGN KEY

```

```
(ticket_id) REFERENCES event_tickets(id) ON DELETE
CASCADE;
ALTER TABLE public.event_ticket_tiers ADD
CONSTRAINT event_ticket_tiers_event_id_fkey FOREIGN
KEY (event_id) REFERENCES events(id) ON DELETE
CASCADE;
ALTER TABLE public.event_tickets ADD CONSTRAINT
event_tickets_event_id_fkey FOREIGN KEY (event_id)
REFERENCES events(id) ON DELETE CASCADE;
ALTER TABLE public.event_tickets ADD CONSTRAINT
event_tickets_tier_id_fkey FOREIGN KEY (tier_id)
REFERENCES event_ticket_tiers(id) ON DELETE SET
NULL;
ALTER TABLE public.event_tickets ADD CONSTRAINT
event_tickets_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.events ADD CONSTRAINT
events_organizer_id_fkey FOREIGN KEY (organizer_id)
REFERENCES profiles(id) ON DELETE SET NULL;
ALTER TABLE public.exclusive_spins ADD CONSTRAINT
exclusive_spins_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.feature_flags ADD CONSTRAINT
feature_flags_updated_by_fkey FOREIGN KEY
(updated_by) REFERENCES profiles(id) ON DELETE SET
NULL;
ALTER TABLE public.first_order_gifts ADD CONSTRAINT
first_order_gifts_order_id_fkey FOREIGN KEY
(order_id) REFERENCES orders(id) ON DELETE SET
NULL;
ALTER TABLE public.first_order_gifts ADD CONSTRAINT
first_order_gifts_user_id_fkey FOREIGN KEY
(user_id) REFERENCES profiles(id) ON DELETE
CASCADE;
ALTER TABLE public.flash_redemptions ADD CONSTRAINT
flash_redemptions_reward_id_fkey FOREIGN KEY
(reward_id) REFERENCES rewards(id) ON DELETE
CASCADE;
ALTER TABLE public.free_side_credits ADD CONSTRAINT
free_side_credits_user_id_fkey FOREIGN KEY
```

```

(user_id) REFERENCES profiles(id) ON DELETE
CASCADE;
ALTER TABLE public.hall_of_fame_inductees ADD
CONSTRAINT hall_of_fame_inductees_user_id_fkey
FOREIGN KEY (user_id) REFERENCES profiles(id) ON
DELETE CASCADE;
ALTER TABLE public.hall_of_fame_rewards ADD
CONSTRAINT hall_of_fame_rewards_fulfilled_by_fkey
FOREIGN KEY (fulfilled_by) REFERENCES profiles(id)
ON DELETE SET NULL;
ALTER TABLE public.hall_of_fame_rewards ADD
CONSTRAINT hall_of_fame_rewards_user_id_fkey
FOREIGN KEY (user_id) REFERENCES profiles(id) ON
DELETE CASCADE;
ALTER TABLE public.hostels ADD CONSTRAINT
hostels_gate_id_fkey FOREIGN KEY (gate_id)
REFERENCES gates(id) ON DELETE SET NULL;
ALTER TABLE public.hp_bundle_purchases ADD
CONSTRAINT hp_bundle_purchases_event_host_id_fkey
FOREIGN KEY (event_host_id) REFERENCES profiles(id)
ON DELETE CASCADE;
ALTER TABLE public.hp_expiry_log ADD CONSTRAINT
hp_expiry_log_hp_transaction_id_fkey FOREIGN KEY
(hp_transaction_id) REFERENCES hp_transactions(id)
ON DELETE SET NULL;
ALTER TABLE public.hp_expiry_log ADD CONSTRAINT
hp_expiry_log_notification_id_fkey FOREIGN KEY
(notification_id) REFERENCES notifications(id) ON
DELETE SET NULL;
ALTER TABLE public.hp_expiry_log ADD CONSTRAINT
hp_expiry_log_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.hp_transactions ADD CONSTRAINT
hp_transactions_issued_by_admin_id_fkey FOREIGN KEY
(issued_by_admin_id) REFERENCES profiles(id) ON
DELETE SET NULL;
ALTER TABLE public.hp_transactions ADD CONSTRAINT
hp_transactions_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.kitchen_settings ADD CONSTRAINT

```

```
kitchen_settings_updated_by_fkey FOREIGN KEY
(updated_by) REFERENCES profiles(id);
ALTER TABLE public.leaderboard_entries ADD
CONSTRAINT leaderboard_entries_user_id_fkey FOREIGN
KEY (user_id) REFERENCES profiles(id) ON DELETE
CASCADE;
ALTER TABLE public.leaderboard_reward_fulfillments
ADD CONSTRAINT
leaderboard_reward_fulfillments_fulfilled_by_fkey
FOREIGN KEY (fulfilled_by) REFERENCES profiles(id)
ON DELETE SET NULL;
ALTER TABLE public.leaderboard_reward_fulfillments
ADD CONSTRAINT
leaderboard_reward_fulfillments_user_id_fkey
FOREIGN KEY (user_id) REFERENCES profiles(id) ON
DELETE CASCADE;
ALTER TABLE public.login_streaks ADD CONSTRAINT
login_streaks_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.marketplace_access_codes ADD
CONSTRAINT marketplace_access_codes_batch_id_fkey
FOREIGN KEY (batch_id) REFERENCES
marketplace_code_batches(id) ON DELETE SET NULL;
ALTER TABLE public.marketplace_access_codes ADD
CONSTRAINT marketplace_access_codes_listing_id_fkey
FOREIGN KEY (listing_id) REFERENCES
marketplace_listings(id) ON DELETE CASCADE;
ALTER TABLE public.marketplace_code_batches ADD
CONSTRAINT marketplace_code_batches_listing_id_fkey
FOREIGN KEY (listing_id) REFERENCES
marketplace_listings(id) ON DELETE CASCADE;
ALTER TABLE public.marketplace_code_batches ADD
CONSTRAINT
marketplace_code_batches_uploaded_by_fkey FOREIGN
KEY (uploaded_by) REFERENCES profiles(id) ON DELETE
SET NULL;
ALTER TABLE public.marketplace_listings ADD
CONSTRAINT marketplace_listings_approved_by_fkey
FOREIGN KEY (approved_by) REFERENCES profiles(id)
ON DELETE SET NULL;
```

```
ALTER TABLE public.marketplace_listings ADD
CONSTRAINT marketplace_listings_min_tier_id_fkey
FOREIGN KEY (min_tier_id) REFERENCES hp_tiers(id);
ALTER TABLE public.marketplace_purchases ADD
CONSTRAINT fk_marketplace_purchases_hp_tx FOREIGN
KEY (hp_tx_id) REFERENCES hp_transactions(id) ON
DELETE SET NULL;
ALTER TABLE public.marketplace_purchases ADD
CONSTRAINT fk_marketplace_purchases_wallet_tx
FOREIGN KEY (wallet_tx_id) REFERENCES
wallet_transactions(id) ON DELETE SET NULL;
ALTER TABLE public.marketplace_purchases ADD
CONSTRAINT marketplace_purchases_listing_id_fkey
FOREIGN KEY (listing_id) REFERENCES
marketplace_listings(id);
ALTER TABLE public.marketplace_purchases ADD
CONSTRAINT marketplace_purchases_user_id_fkey
FOREIGN KEY (user_id) REFERENCES profiles(id) ON
DELETE CASCADE;
ALTER TABLE public.marketplace_requests ADD
CONSTRAINT marketplace_requests_reviewed_by_fkey
FOREIGN KEY (reviewed_by) REFERENCES profiles(id);
ALTER TABLE public.menu_addon_groups ADD CONSTRAINT
menu_addon_groups_menu_item_id_fkey FOREIGN KEY
(menu_item_id) REFERENCES menu_items(id) ON DELETE
CASCADE;
ALTER TABLE public.menu_addons ADD CONSTRAINT
menu_addons_group_id_fkey FOREIGN KEY (group_id)
REFERENCES menu_addon_groups(id) ON DELETE CASCADE;
ALTER TABLE public.menu_item_variation_groups ADD
CONSTRAINT
menu_item_variation_groups_menu_item_id_fkey
FOREIGN KEY (menu_item_id) REFERENCES
menu_items(id) ON DELETE CASCADE;
ALTER TABLE public.menu_item_variation_options ADD
CONSTRAINT
menu_item_variation_options_variation_group_id_fkey
FOREIGN KEY (variation_group_id) REFERENCES
menu_item_variation_groups(id) ON DELETE CASCADE;
ALTER TABLE public.menu_items ADD CONSTRAINT
```



```
menu_items_category_id_fkey FOREIGN KEY
(category_id) REFERENCES menu_categories(id);
ALTER TABLE public.milestones ADD CONSTRAINT
milestones_created_by_fkey FOREIGN KEY (created_by)
REFERENCES profiles(id) ON DELETE SET NULL;
ALTER TABLE public.monthly_hp_tracker ADD
CONSTRAINT monthly_hp_tracker_user_id_fkey FOREIGN
KEY (user_id) REFERENCES profiles(id) ON DELETE
CASCADE;
ALTER TABLE public.newsletter_subscriptions ADD
CONSTRAINT newsletter_subscriptions_user_id_fkey
FOREIGN KEY (user_id) REFERENCES profiles(id) ON
DELETE SET NULL;
ALTER TABLE public.notification_blasts ADD
CONSTRAINT notification_blasts_created_by_fkey
FOREIGN KEY (created_by) REFERENCES profiles(id) ON
DELETE SET NULL;
ALTER TABLE public.notification_deliveries ADD
CONSTRAINT notification_deliveries_blast_id_fkey
FOREIGN KEY (blast_id) REFERENCES
notification_blasts(id) ON DELETE CASCADE;
ALTER TABLE public.notification_deliveries ADD
CONSTRAINT
notification_deliveries_notification_id_fkey
FOREIGN KEY (notification_id) REFERENCES
notifications(id) ON DELETE CASCADE;
ALTER TABLE public.notification_deliveries ADD
CONSTRAINT notification_deliveries_user_id_fkey
FOREIGN KEY (user_id) REFERENCES profiles(id) ON
DELETE CASCADE;
ALTER TABLE public.notification_log ADD CONSTRAINT
notification_log_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.notification_preferences ADD
CONSTRAINT notification_preferences_user_id_fkey
FOREIGN KEY (user_id) REFERENCES profiles(id) ON
DELETE CASCADE;
ALTER TABLE public.notifications ADD CONSTRAINT
notifications_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
```

```
ALTER TABLE public.order_addon_selections ADD
CONSTRAINT order_addon_selections_addon_id_fkey
FOREIGN KEY (addon_id) REFERENCES menu_addons(id);
ALTER TABLE public.order_addon_selections ADD
CONSTRAINT order_addon_selections_group_id_fkey
FOREIGN KEY (group_id) REFERENCES
menu_addon_groups(id);
ALTER TABLE public.order_addon_selections ADD
CONSTRAINT
order_addon_selections_order_item_id_fkey FOREIGN
KEY (order_item_id) REFERENCES order_items(id) ON
DELETE CASCADE;
ALTER TABLE public.order_items ADD CONSTRAINT
order_items_addon_id_fkey FOREIGN KEY (addon_id)
REFERENCES menu_addons(id);
ALTER TABLE public.order_items ADD CONSTRAINT
order_items_menu_item_id_fkey FOREIGN KEY
(menu_item_id) REFERENCES menu_items(id) ON DELETE
SET NULL;
ALTER TABLE public.order_items ADD CONSTRAINT
order_items_order_id_fkey FOREIGN KEY (order_id)
REFERENCES orders(id) ON DELETE CASCADE;
ALTER TABLE public.order_locks ADD CONSTRAINT
order_locks_order_id_fkey FOREIGN KEY (order_id)
REFERENCES orders(id) ON DELETE SET NULL;
ALTER TABLE public.order_locks ADD CONSTRAINT
order_locks_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.order_reviews ADD CONSTRAINT
order_reviews_order_id_fkey FOREIGN KEY (order_id)
REFERENCES orders(id) ON DELETE CASCADE;
ALTER TABLE public.order_reviews ADD CONSTRAINT
order_reviews_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.order_share_events ADD
CONSTRAINT order_share_events_order_id_fkey FOREIGN
KEY (order_id) REFERENCES orders(id) ON DELETE
CASCADE;
ALTER TABLE public.order_share_events ADD
CONSTRAINT order_share_events_user_id_fkey FOREIGN
```

```

KEY (user_id) REFERENCES profiles(id) ON DELETE
CASCADE;
ALTER TABLE public.order_status_logs ADD CONSTRAINT
order_status_logs_changed_by_fkey FOREIGN KEY
(changed_by) REFERENCES profiles(id) ON DELETE SET
NULL;
ALTER TABLE public.order_status_logs ADD CONSTRAINT
order_status_logs_order_id_fkey FOREIGN KEY
(order_id) REFERENCES orders(id) ON DELETE CASCADE;
ALTER TABLE public.order_streaks ADD CONSTRAINT
order_streaks_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.orders ADD CONSTRAINT
orders_batch_id_fkey FOREIGN KEY (batch_id)
REFERENCES delivery_batches(id) ON DELETE SET NULL;
ALTER TABLE public.orders ADD CONSTRAINT
orders_delivery_window_id_fkey FOREIGN KEY
(delivery_window_id) REFERENCES
delivery_windows(id);
ALTER TABLE public.orders ADD CONSTRAINT
orders_promo_code_id_fkey FOREIGN KEY
(promo_code_id) REFERENCES promo_codes(id) ON
DELETE SET NULL;
ALTER TABLE public.orders ADD CONSTRAINT
orders_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE SET NULL;
ALTER TABLE public.payments ADD CONSTRAINT
payments_order_id_fkey FOREIGN KEY (order_id)
REFERENCES orders(id) ON DELETE SET NULL;
ALTER TABLE public.payments ADD CONSTRAINT
payments_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE SET NULL;
ALTER TABLE public.profiles ADD CONSTRAINT
profiles_campus_id_fkey FOREIGN KEY (campus_id)
REFERENCES campuses(id) ON DELETE SET NULL;
ALTER TABLE public.profiles ADD CONSTRAINT
profiles_current_tier_id_fkey FOREIGN KEY
(current_tier_id) REFERENCES hp_tiers(id);
ALTER TABLE public.profiles ADD CONSTRAINT
profiles_deactivated_by_fkey FOREIGN KEY

```

```
(deactivated_by) REFERENCES profiles(id) ON DELETE
SET NULL;
ALTER TABLE public.profiles ADD CONSTRAINT
profiles_department_id_fkey FOREIGN KEY
(department_id) REFERENCES departments(id) ON
DELETE SET NULL;
ALTER TABLE public.profiles ADD CONSTRAINT
profiles_id_fkey FOREIGN KEY (id) REFERENCES
auth.users(id) ON DELETE CASCADE;
ALTER TABLE public.profiles ADD CONSTRAINT
profiles_referred_by_fkey FOREIGN KEY (referred_by)
REFERENCES profiles(id) ON DELETE SET NULL;
ALTER TABLE public.promo_code_uses ADD CONSTRAINT
promo_code_uses_order_id_fkey FOREIGN KEY
(order_id) REFERENCES orders(id) ON DELETE CASCADE;
ALTER TABLE public.promo_code_uses ADD CONSTRAINT
promo_code_uses_promo_code_id_fkey FOREIGN KEY
(promo_code_id) REFERENCES promo_codes(id) ON
DELETE CASCADE;
ALTER TABLE public.promo_code_uses ADD CONSTRAINT
promo_code_uses_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE SET NULL;
ALTER TABLE public.promo_codes ADD CONSTRAINT
promo_codes_created_by_fkey FOREIGN KEY
(created_by) REFERENCES profiles(id) ON DELETE SET
NULL;
ALTER TABLE public.push_subscriptions ADD
CONSTRAINT push_subscriptions_user_id_fkey FOREIGN
KEY (user_id) REFERENCES profiles(id) ON DELETE
CASCADE;
ALTER TABLE public.referral_codes ADD CONSTRAINT
referral_codes_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.referrals ADD CONSTRAINT
referrals_referred_user_id_fkey FOREIGN KEY
(referred_user_id) REFERENCES profiles(id) ON
DELETE CASCADE;
ALTER TABLE public.referrals ADD CONSTRAINT
referrals_referrer_id_fkey FOREIGN KEY
(referrer_id) REFERENCES profiles(id) ON DELETE SET
```

```
NULL;
ALTER TABLE public.referrals ADD CONSTRAINT
referrals_trigger_order_id_fkey FOREIGN KEY
(trigger_order_id) REFERENCES orders(id) ON DELETE
SET NULL;
ALTER TABLE public.reward_redemptions ADD
CONSTRAINT reward_redemptions_fulfilled_by_fkey
FOREIGN KEY (fulfilled_by) REFERENCES profiles(id)
ON DELETE SET NULL;
ALTER TABLE public.reward_redemptions ADD
CONSTRAINT reward_redemptions_reward_id_fkey
FOREIGN KEY (reward_id) REFERENCES rewards(id);
ALTER TABLE public.reward_redemptions ADD
CONSTRAINT reward_redemptions_user_id_fkey FOREIGN
KEY (user_id) REFERENCES profiles(id) ON DELETE
CASCADE;
ALTER TABLE public.rewards ADD CONSTRAINT
rewards_min_tier_id_fkey FOREIGN KEY (min_tier_id)
REFERENCES hp_tiers(id);
ALTER TABLE public.rider_profiles ADD CONSTRAINT
rider_profiles_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.saved_for_later ADD CONSTRAINT
saved_for_later_menu_item_id_fkey FOREIGN KEY
(menu_item_id) REFERENCES menu_items(id) ON DELETE
CASCADE;
ALTER TABLE public.saved_for_later ADD CONSTRAINT
saved_for_later_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.scheduled_notifications ADD
CONSTRAINT scheduled_notifications_created_by_fkey
FOREIGN KEY (created_by) REFERENCES profiles(id) ON
DELETE SET NULL;
ALTER TABLE public.squad_members ADD CONSTRAINT
squad_members_order_id_fkey FOREIGN KEY (order_id)
REFERENCES orders(id) ON DELETE CASCADE;
ALTER TABLE public.squad_members ADD CONSTRAINT
squad_members_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE SET NULL;
ALTER TABLE public.storefront_sections ADD
```

```

CONSTRAINT storefront_sections_created_by_fkey
FOREIGN KEY (created_by) REFERENCES profiles(id) ON
DELETE SET NULL;
ALTER TABLE public.system_settings ADD CONSTRAINT
system_settings_updated_by_fkey FOREIGN KEY
(updated_by) REFERENCES profiles(id) ON DELETE SET
NULL;
ALTER TABLE public.user_addresses ADD CONSTRAINT
user_addresses_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.user_milestones ADD CONSTRAINT
user_milestones_milestone_id_fkey FOREIGN KEY
(milestone_id) REFERENCES milestones(id) ON DELETE
CASCADE;
ALTER TABLE public.user_milestones ADD CONSTRAINT
user_milestones_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.user_tiers ADD CONSTRAINT
user_tiers_previous_tier_id_fkey FOREIGN KEY
(previous_tier_id) REFERENCES hp_tiers(id) ON
DELETE SET NULL;
ALTER TABLE public.user_tiers ADD CONSTRAINT
user_tiers_tier_id_fkey FOREIGN KEY (tier_id)
REFERENCES hp_tiers(id) ON DELETE RESTRICT;
ALTER TABLE public.user_tiers ADD CONSTRAINT
user_tiers_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.virtual_accounts ADD CONSTRAINT
virtual_accounts_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.wallet_topups ADD CONSTRAINT
wallet_topups_user_id_fkey FOREIGN KEY (user_id)
REFERENCES profiles(id) ON DELETE CASCADE;
ALTER TABLE public.wallet_transactions ADD
CONSTRAINT
wallet_transactions_issued_by_admin_id_fkey FOREIGN
KEY (issued_by_admin_id) REFERENCES profiles(id) ON
DELETE SET NULL;
ALTER TABLE public.wallet_transactions ADD
CONSTRAINT wallet_transactions_user_id_fkey FOREIGN

```

```
KEY (user_id) REFERENCES profiles(id) ON DELETE  
CASCADE;  
ALTER TABLE public.wallet_withdrawals ADD  
CONSTRAINT wallet_withdrawals_user_id_fkey FOREIGN  
KEY (user_id) REFERENCES profiles(id) ON DELETE  
CASCADE;  
ALTER TABLE public.wallets ADD CONSTRAINT  
wallets_user_id_fkey FOREIGN KEY (user_id)  
REFERENCES profiles(id) ON DELETE CASCADE;
```