MTH 4300: Algorithms, Computers, and Programming II

HW #3

Due Date: October 31st, 2024

Problem 1

You need to create a class called `Book` that represents a book in a library. The class should include the following requirements and make use of the C++ concepts listed below:

- **Data Members**:
  - Private data members:
    - `title` of type `std::string`
    - `author` of type `std::string`
    - `yearPublished` of type `int`
    - `price` of type `double`

- **Constructor**:
  - The class should have a constructor that takes the following parameters:
    - `bookTitle` (a `std::string` passed by reference) for the title of the book
    - `bookAuthor` (a `std::string` passed by reference) for the author of the book
    - `publishedYear` (an integer with a default value of `1900`) for the year the book was published
    - `bookPrice` (a double with a default value of `0.0`) for the price of the book
  - Use an **initialization list** to initialize all the data members.

- **Methods**:
  - Implement a method called `applyDiscount()` that takes a `double` discount percentage by **reference** and applies it to the price of the book.
  - Implement a method called `getBookInfo()` that returns the book's details (title, author, year published, and price) as a formatted string. This method should be marked as **const** since it does not modify the object's state.

Example Usage

```
Book myBook("The Great Gatsby", "F. Scott Fitzgerald", 1925, 15.99);

double discount = 10.0; // 10% discount
myBook.applyDiscount(discount);

std::cout << myBook.getBookInfo() << std::endl;
// Should print something like: "Title: The Great Gatsby, Author: F. Scott Fitzgerald, Year Publishe
```

Implementation Steps

- Define the `Book` class with the required private data members.

- Implement the constructor using an **initialization list** with default arguments.

- Implement the `applyDiscount()` method using **pass-by-reference** for the discount parameter.

- Implement the `getBookInfo()` method, ensuring it is marked as a **const** member function.

Your Task

Write the full implementation of the `Book` class according to the above specifications.

Problem 2

Create a class for a 3 by 3 matrix(using arrays and not vectors) named `Matrix33`:

- A constructor that accepts a 2d array as an input parameter
- Overload * operator for matrix multiplication
- Overload * operator for scalar multiplication
- Overload + operator for matrix addition
- Overload << operator to print matrix
- Overload >> operator, and prompt user to enter 9 consecutive values
- Write a function to compute the determinant of the matrix

Problem 3

- Separate the interface and implementation for problem 2.

- Modify the 3d_point.cpp file we went over in class (you can find it in week9\more_object_oriented_stuff-10_22 repo), by separating the interface and implemetation, then rename the class `Vector3`.

- Create a separate main.cpp file where you include the headers for `Matrix33` and `Vector3`

- Write a function in main.cpp that takes a `Matrix33`=A and `Vector3`=x as input parameters and computes Ax=b, and returns a type of `Vector3`(b).

- prompt the user to enter a matrix(3 by 3) and vector(3), then call your function to compute the product, then print the result.

Problem 4

Do problem 2, but for an n by m matrix using the vector template class. In the constructor add the parameters for the number of rows (n) and number of columns(m).