


NOTE:


1. CONTRACTOR SHALL TV INSPECT SS W/O VENT BY DEPLOYING CAMERA FROM WITH THE MAIN SEWER. VERIFY NO ACTIVE CONNECTION, THEN LINE (E) 10" ISP SEWER W/ CIPL. NOTIFY CITY REPRESENTATIVE OF ANY DISCREPANCIES.



ELEVATION DATUM	SEWER SIZED BY D.R.
CITY	APPROVED BY N.B.



REFERENCE INFORMATION & FILE NO. OF SURVEYS
A-13415
EX-4251



CITY AND COUNTY OF SAN FRANCISCO SAN FRANCISCO PUBLIC WORKS BUREAU OF ENGINEERING			
DESIGNER LESLEY WONG	DATE 04/23/2021	DESIGNED S. HUEY	DATE 04/20/21
SUPPLY BUREAU MANAGER FERNANDO CISNEROS	DATE 04/27/2021	DESIGNED M. WONG	DATE 04/20/21
ACTING BUREAU MANAGER IQBAL DHAPA	DATE 04/28/2021	CHECKED J. HELMUTH	DATE 04/20/21
REVISIONS			
NO.	DATE	DESCRIPTION	BY

CONTRACT NO. 10035252			
CITY AND COUNTY OF SAN FRANCISCO PUBLIC UTILITIES COMMISSION INFRASTRUCTURE DIVISION ENGINEERING MANAGEMENT BUREAU			
VARIOUS LOCATIONS PAVEMENT RENOVATION NO. 62 AND SEWER REPLACEMENT			
LUNDY'S LANE AND MONTEZUMA STREET SEWER REPLACEMENT - END TO MATCHLINE "B" PLAN AND PROFILE			
CHECKED/APPROVED	DATE	SCALE	AS SHOWN
SECTION MANAGER	DESIGNED	DATE	
APPROVED	APPROVED		
MANAGER, ENGINEERING MANAGEMENT BUREAU		ASSISTANT GENERAL MANAGER WASTE WATER ENTERPRISE	
SHEET 52 OF 70	PLAN NO. SW-7	DRAWING FILE NO. 118,964	REVISION NO. 0

HYD PROJECT NO. 11951