

[Open in app](#)

Search



Write



◆ Get unlimited access to the best of Medium for less than \$1/week. [Become a member](#)



A Guide to Nested Cross-Validation with Code Step by Step


DamenC · [Follow](#)

3 min read · Feb 2, 2024

15




...

Photo by [Ali Shah Lakhani](#) on [Unsplash](#)

Nested cross-validation is a powerful technique for evaluating the generalization performance of machine learning models, particularly useful when tuning hyperparameters. It involves two layers of cross-validation: an outer loop for assessing the model's performance and an inner loop for hyperparameter tuning.

What is Cross-Validation?

Before diving into nested CV, let's understand the basics of cross-validation. Cross-validation is a technique used to evaluate the predictive performance of a statistical model. It divides the dataset into a fixed number of folds or subsets. The model is trained on the combination of these folds except one, which is used as the test set. This process repeats so that each fold serves as the test set exactly once, allowing every data point to be used for both training and testing.



From 3.1. Cross-validation: evaluating estimator performance, Scikit Learn, https://scikit-learn.org/stable/modules/cross_validation.html

Why Nested Cross-Validation?

In a standard cross-validation setup, you might tune hyperparameters using the same data that measures model performance. This can lead to overly optimistic estimates of the model's generalization error because the model has indirectly “seen” the test data during hyperparameter tuning, aka, *data leakage*. Nested cross-validation addresses this issue by separating the data used for hyperparameter tuning from the data used for performance evaluation.

Data leakage happens when information from outside the training dataset is used to create the model, leading to overly optimistic performance estimates.

Pipeline Approach with Nested Cross-validation to Avoid Data Leakage

1. Define the Pipeline

First, define a pipeline that sequentially applies preprocessing steps and then feeds the processed data into a model for training. For example, in Python’s `scikit-learn`, you might have a pipeline that includes scaling, dimensionality reduction, and finally a classifier.

```
from sklearn.pipeline import Pipeline
from sklearn.preprocessing import StandardScaler
from sklearn.decomposition import PCA
from sklearn.ensemble import RandomForestClassifier

pipeline = Pipeline(steps=[
    ('scaler', StandardScaler()),
    ('pca', PCA(n_components=2)),
```

```
('classifier', RandomForestClassifier())  
])
```

2. Implement Nested Cross-Validation

Nested CV involves an outer CV loop to split the data into training/testing folds and an inner CV loop for hyperparameter tuning on the training data. This ensures that the model selection is done independently from the test data, thus preventing leakage.

- Outer CV Loop: Splits the data into training and test sets.
- Inner CV Loop: Conducts hyperparameter tuning (e.g., using `GridSearchCV` or `RandomizedSearchCV`) on the training data.

3. Example of Nested CV with Pipeline

Here's how you might set this up, using `GridSearchCV` for the inner loop to tune hyperparameters and `cross_val_score` for the outer loop to evaluate model performance.

```
from sklearn.model_selection import GridSearchCV, cross_val_score, KFold  
from sklearn.datasets import make_classification  
  
# Example dataset  
X, y = make_classification(n_samples=1000, n_features=20, random_state=42)  
  
# Hyperparameters to tune  
param_grid = {  
    'pca__n_components': [2, 5, 10],  
    'classifier__n_estimators': [50, 100],  
    'classifier__max_depth': [None, 10, 20],  
}  
  
# Inner CV for hyperparameter tuning  
grid_search = GridSearchCV(pipeline, param_grid, cv=5)
```

```
# Outer CV for model evaluation
outer_cv = KFold(n_splits=5)

# Nested CV
nested_score = cross_val_score(grid_search, X, y, cv=outer_cv)

print("Nested CV Score: ", nested_score.mean())
```

Key Points:

- Independent Preprocessing: Each fold in the CV process preprocesses its data independently, ensuring that information from the test set does not leak into the training process.
- Pipeline: Encapsulates preprocessing and modeling steps, ensuring they are applied consistently without leakage.
- Nested CV: Provides a more reliable estimate of model performance by separating model selection and evaluation into different loops.

Machine Learning

Data Science

Programming



Written by **DamenC**

68 Followers · 20 Following

Follow

MS in Informatics; MA in Area Studies. Interested in using AI for sustainable development of nature and human societies. Contact me at:
caidanmeng@gmail.com



No responses yet



Tor D Wager

What are your thoughts?

More from DamenC



 DamenC

BERT VS. LSTM: Performances in Sentiment Classification

Goal

 Jul 26, 2023  74



...



 DamenC


Topic Based Sentiment Analysis: Linking Topic Modeling with...

Hello friends! Now we learned how to do topic modeling and sentiment analysis on twitter...

 Mar 14, 2023  60



...



 DamenC

BERTopic: Fine-tune Parameters

Photo by Maarten van den Heuvel on
Unsplash

★ Mar 26, 2023

46

1



 DamenC

Using BERTopic on Japanese Texts

So far we have covered various cases on
usage of BERTopic (Qatar World Cup Twitter...)

★ Apr 6, 2023

33

1




See all from DamenC

Recommended from Medium



Data Leakage

 Silva.f.francis



 Abhishek Jha

Avoiding Data Leakage in Cross-Validation

Data leakage is one of the most common pitfalls in machine learning model evaluation...

Jan 14



...



MaranoSabrina

Handy Statistics Part 4: All you have to know about Causal...

A complete easy guide explained with Python code and examples

⭐ Feb 7 10



...



In Data And Beyond by Dmytro Iakubovskiy

Dynamic Pricing Models: A Starters Guide

A gentle introduction with examples in Python


Understanding Target Encoding: A Data Scientist's Perspective

As a seasoned data scientist with a years of experience solving real-world problems, I...

⭐ Nov 21, 2024 13



...



Marc Matterson

What is the Bias-Variance Tradeoff?

High-level understanding of finding the sweet spot.

⭐ Nov 21, 2024



...



Sarah Zouinina, PhD

Feature Selection Techniques: How to Choose the Right Features for...

You've cleaned your data, engineered some fancy new features, and automated...

 Mar 11  48

•••



Nov 11, 2024

 39

•••

[See more recommendations](#)