1958 WK CASES PROV

1958: THE WEEKLY COMMUNICABLE DISEASE INCIDENCE, BY PROVINCE IN CANADA – TOTAL CASES OF EACH DISEASE, WEEKLY

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended January 4, **1958, in comparison with the previous week[1], and the 5-year (1953-57) Median**

DEPT. OF HEALTH
JAN 20 1958

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	Cumulative Total[3] 1958	Cumulative Total 1957	Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	649	426	949	649	1,001	1,001	..	..	..	2	..	..	2	-	25	..	..	..	204	194	182	362	183	511	47	12	46	..	..	..	..	..	..	32	37	99	1
2	Diphtheria	-	1	3	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	15	8	11	15	19	19	-	-	-	4	7	-	-	-	-	1	-	-	1	..	..	3	1	2	-	-	-	6	-	-	-	-	-	-	-	6	3
4	(a) Amoebic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	15	8	11	15	19	19	-	-	-	4	7	-	-	-	-	1	-	-	1	..	..	3	1	2	-	-	-	6	-	-	-	-	-	-	-	6	5
6	Encephalitis, infectious	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	152	251	75	152	81	81	..	..	..	44	111	32	87	129	46	..	..	..	-	-	-	7	11	1	13	-	1	-	-	-	..	..	..	1	-	-	7
8	Measles	312	305	1,129	312	1,129	1,375	*	-	10	..	..	..	26	2	79	..	..	..	31	47	95	105	68	521	43	131	17	..	..	..	103	54	109	4	3	111	8
9	Meningitis, meningococcal	1	6	4	1	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	1	-	-	-	-	-	-	-	..	..	..	1	1	-	9
10	Mumps	303	173	621	303	621	621	..	..	..	1	..	..	16	14	12	..	..	..	130	119	..	112	37	286	26	3	7	..	..	..	..	..	..	18	-	149	10
11	Poliomyelitis, epidemic:[4]	-	2	12	-	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	11
12	(a) With paralysis	-	1	5	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	12
13	(b) Without paralysis	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	163	29	151	163	250	159	-	-	-	..	..	..	-	-	6	..	..	..	6	4	5	11	13	27	105	1	-	..	..	..	34	10	8	7	1	10	14
15	Scarlet fever, etc.[5] **	252	169	218	252	207	218	15	5	5	8	28	9	157	84	33	-	-	2	13	21	32	34	16	79	6	2	6	3	-	4	15	10	23	1	3	16	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	165	103	118	165	118	131	3	2	4	-	1	1	-	-	4	1	9	8	65	24	40	33	11	15	8	6	11	1	7	5	38	27	18	16	16	26	17
18	(a) Pulmonary	127	82	105	127	95	114	3	2	4	-	1	1	-	-	4	1	7	8	61	21	39	(7)	(7)	(7)	8	4	11	1	7	3	38	26	18	15	14	22	18
19	(b) Non-pulmonary	5	10	5	5	8	8	-	-	-	-	-	-	-	-	-	-	2	-	4	3	1	(7)	(7)	(7)	-	2	-	-	-	2	-	1	-	1	2	3	19
20	Typhoid and paratyphoid	4	1	6	4	9	5	-	-	-	-	-	-	-	-	-	-	-	-	4	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	20
21	Undulant fever	2	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	..	..	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	237	256	250	237	284	284	8	6	6	-	-	1	3	5	12	1	-	7	93	72	70	53	15	37	23	27	10	20	30	14	36	38	47	(9)	63	28	22
23	(a) Syphilis, primary	1	-	3	1	3	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	23
24	(b) " secondary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	27	25	26	27	26	38	-	-	-	-	-	-	1	-	-	1	-	1	18	13	9	3	1	6	2	1	-	-	6	1	2	2	3	-	2	1	25
26	(d) Gonorrhoea	209	231	213	209	255	255	8	6	6	-	-	1	1	5	12	-	-	4	75	59	64	50	14	32	21	26	10	20	24	11	34	36	46	-	61	26	26
27	(e) Other venereal diseases[8]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	102	70	133	102	67	133	-	-	-	-	-	2	-	6	4	-	-	1	17	39	27	48	9	51	-	1	3	4	-	2	11	3	12	22	12	8	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report not received.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	24	(	47	);	Measles	5,309	(	4,719	);	Meningitis, other	35	(	33	);	Poliomyelitis, with paralysis	18	(	19	);	Typhoid fever	11	(	8	);													
Encephalitis, infectious	15	(	21	);	Meningococcal infections	54	(	48	);	Poliomyelitis, acute	32	(	31	);	Poliomyelitis, without paralysis	9	(	6	);	Undulant fever	7	(	7	);													

The U. S. National Health Survey states in its report on current statistics on respiratory diseases for the week ended December 7 (Report No. 9) that "special tallies of cases reported in the sample for the period July-October showed that during those months the incidence of new bed cases of the acute upper respiratory diseases was highest in the age group 5-19 years. Among people in this age range there were 40 new cases per 1,000 persons per week. The children under 5 years of age had the next highest rate, with 28 new cases per 1,000 persons per week. Persons over 65 years of age least frequently affected, at a rate of 9 new cases per 1,000 persons per week. The rate for the age group 20-64 was 16 new cases per 1,000 persons per week."

*NEWFOUNDLAND reports Measles (epidemic) at Grand Falls, Port Blandford and Canning's Cove, B.B.

**NEWFOUNDLAND reports Scarlet fever (epidemic) at Corner Brook.

9005-501
15-1-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended January 11, **1958, in comparison with the previous week[1], and the 5-year (1953-57) Median**

DEPT. OF HEALTH
JAN 27 1958
Venereal Disease

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	1,166	655	1,370	1,821	2,088	2,305	..	..	..	..	2	..	27	8	85	..	..	..	591	204	301	430	362	633	7	47	38	..	..	..	..	..	..	111	32	191	1
2	Diphtheria	1	-	5	1	5	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2
3	Dysentery:[4]	11	18	9	29	25	25	-	-	-	6	4	-	-	-	-	-	1	-	3	1	..	2	6	1	-	-	-	-	6	-	-	-	-	-	-	2	3
4	(a) Amoebic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	11	18	9	29	25	25	-	-	-	6	4	-	-	-	-	-	1	-	3	1	..	2	6	1	-	-	-	-	6	-	-	-	-	-	-	-	5
6	Encephalitis, infectious	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	153	164	108	317	194	194	..	..	..	74	44	27	62	96	78	..	..	..	-	-	-	10	10	2	-	13	-	3	-	-	..	..	..	4	1	1	7
8	Measles	592	312	1,635	904	3,098	3,098	-	-	14	..	..	..	42	26	74	..	..	..	188	31	240	107	105	529	12	43	38	..	..	..	218	103	90	25	4	272	8
9	Meningitis, meningococcal	10	1	6	11	13	13	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	4	-	3	-	-	-	-	-	-	..	..	..	-	1	-	9
10	Mumps	516	303	906	819	1,527	1,527	..	..	..	8	1	..	5	16	12	..	..	..	344	130	..	119	112	366	13	26	15	..	..	..	..	..	..	27	18	171	10
11	Poliomyelitis, epidemic:[4]	1	1	5	2	2	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	4	-	-	-	11
12	(a) With paralysis	1	1	1	2	2	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	12
13	(b) Without paralysis	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	119	163	159	282	671	345	-	-	-	..	..	..	5	-	9	17	..	..	-	6	13	14	11	58	1	105	1	..	..	..	71	34	49	11	7	20	14
15	Scarlet fever, etc.[5] *	178	258	334	436	561	561	7	15	3	9	8	10	36	163	44	66	-	3	-	13	48	49	34	70	3	6	5	2	3	4	5	15	27	1	1	23	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	316	165	165	481	223	281	3	3	11	-	-	1	2	-	1	11	1	15	214	65	45	14	33	24	-	8	2	5	1	2	46	38	21	21	16	26	17
18	(a) Pulmonary	275	127	135	402	178	240	3	3	10	-	-	-	2	-	1	11	1	15	202	61	42	(7)	(7)	(7)	-	8	1	2	1	1	37	38	20	18	15	23	18
19	(b) Non-pulmonary	27	5	10	32	20	16	-	-	-	-	-	-	-	-	-	-	-	-	12	4	3	(7)	(7)	(7)	-	-	-	3	-	1	9	-	1	3	1	3	19
20	Typhoid and paratyphoid	8	4	5	12	15	12	-	-	-	-	-	-	-	-	-	-	-	-	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
21	Undulant fever	4	2	1	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	4	2	..	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	424	237	375	661	651	651	17	8	15	2	-	-	7	3	10	5	1	6	81	93	99	71	53	50	23	23	32	28	20	28	69	36	53	121	(9)	92	22
23	(a) Syphilis, primary	2	1	3	3	5	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	23
24	(b) " secondary	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	35	27	39	62	65	83	-	-	1	-	-	-	-	1	-	-	1	1	23	18	13	6	3	14	-	2	-	-	-	1	3	2	1	3	-	4	25
26	(d) Gonorrhoea	386	209	356	595	581	589	17	8	14	2	-	-	7	1	8	5	-	5	58	75	79	64	50	44	23	21	32	28	20	28	66	34	49	116	-	89	26
27	(e) Other venereal diseases[8]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	220	109	119	329	185	278	-	-	-	1	-	-	23	7	5	-	-	1	116	17	50	46	48	48	-	-	2	2	4	3	17	11	10	15	22	16	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Figures for venereal disease in report week for British Columbia - covers period January 1-11.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	19	(	24	);	Measles	7,730	(	5,309	);	Meningitis, other	54	(	35	);	Poliomyelitis, with paralysis	11	(	18	);	Typhoid fever	15	(	11	);
Encephalitis, infectious	19	(	15	);	Meningococcal infections	70	(	54	);	Poliomyelitis, acute	23	(	32	);	Poliomyelitis, without paralysis	11	(	9	);	Undulant fever	7	(	7	);

For the week ended January 11, the number of deaths from all causes in the 114 large cities was 13,542 as compared with 12,152 for the previous week. Increases occurred in all areas except the West North Central Division. Deaths from influenza and pneumonia totaled 632 for the current week as compared with 534 for the previous week. The average number of deaths from influenza and pneumonia per week since December 1, 1957, was 556 as compared with 382 for the same period last year.

*NEWFOUNDLAND reports Scarlet fever (epidemic) at Corner Brook.

YUKON TERRITORY: Number of cases four weeks ended December 28: chickenpox, 5; dysentery, bacillary, 1; influenza, 2; measles, 20; scarlet fever, 2; tuberculosis, pulmonary, 2; gonorrhoea, 19; other venereal diseases, 1.

9005-501
21-1-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended January 18, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] Report Week	Previous Week	Median 1953-57	Cumulative Total[3] 1958	1957	Median 1953-57	NFLD. Report Week	Previous Week	Median 1953-57	P.E.I. Report Week	Previous Week	Median 1953-57	N.S. Report Week	Previous Week	Median 1953-57	N.B. Report Week	Previous Week	Median 1953-57	QUE. Report Week	Previous Week	Median 1953-57	ONT. Report Week	Previous Week	Median 1953-57	MAN. Report Week	Previous Week	Median 1953-57	SASK. Report Week	Previous Week	Median 1953-57	ALTA. Report Week	Previous Week	Median 1953-57	B.C. Report Week	Previous Week	Median 1953-57	No.
1	Chickenpox	784	1,166	1,384	2,615	3,105	3,524	..	..	..	8	..	..	32	27	62	..	..	..	268	591	337	286	430	676	11	7	52	..	..	..	..	..	..	179	111	173	1
2	Diphtheria	1	1	5	2	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2
3	Dysentery:[4]	15	11	10	44	32	36	-	-	-	1	6	-	-	-	-	-	-	-	7	3	..	-	2	2	-	-	-	3	-	-	-	-	-	4	-	6	3
4	(a) Amoebic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	15	11	10	44	32	36	-	-	-	1	6	-	-	-	-	-	-	-	7	3	..	-	2	2	-	-	-	3	-	-	-	-	-	4	-	6	5
6	Encephalitis, infectious	-	-	-	-	-	1	-	-	-	..	..	..	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	218	159	131	541	278	294	..	..	..	57	74	26	135	62	56	..	..	..	-	-	-	20	16	-	4	-	2	-	3	-	..	..	..	2	4	8	7
8	Measles	466	592	1,590	1,370	4,776	4,776	*	-	5	..	..	..	79	42	69	..	..	..	65	188	296	111	107	445	32	12	59	..	..	..	160	218	-	19	25	142	8
9	Meningitis, meningococcal	11	10	6	22	15	16	-	2	-	4	-	-	-	-	-	1	2	-	-	2	-	4	4	2	1	-	-	1	-	-	..	..	..	-	-	2	9
10	Mumps	496	516	796	1,315	2,323	2,323	..	..	..	..	8	..	14	5	39	..	..	..	144	344	..	184	119	391	6	13	29	..	..	..	..	..	..	148	27	162	10
11	Poliomyelitis, epidemic:[4]	2	1	7	4	6	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	-	2	-	-	2	11
12	(a) With paralysis	2	1	5	4	6	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	12
13	(b) Without paralysis	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	114	119	186	396	900	509	-	-	-	..	..	..	11	5	9	..	..	..	7	17	8	12	14	53	1	1	3	..	..	..	71	71	33	12	11	20	14
15	Scarlet fever, etc.[5]	303	179	302	740	756	816	19	7	3	6	9	10	183	36	17	-	-	3	18	66	39	45	50	112	1	3	7	3	2	28	19	5	20	9	1	33	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	189	316	188	670	414	458	10	3	7	2	-	-	3	2	1	13	11	14	91	214	70	21	14	17	-	-	6	7	5	5	14	46	21	28	21	28	17
18	(a) Pulmonary	157	275	158	559	336	381	10	3	7	1	-	-	3	2	1	11	11	14	90	202	67	(7)	(7)	(7)	-	-	4	5	2	3	12	37	20	25	18	28	18
19	(b) Non-pulmonary	11	27	10	43	36	27	-	-	-	1	-	-	-	-	-	2	-	-	1	12	1	(7)	(7)	(7)	-	-	1	2	3	1	2	9	1	3	3	1	19
20	Typhoid and paratyphoid	7	8	8	19	21	16	1	-	-	-	-	-	-	-	-	5	-	-	1	8	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	20
21	Undulant fever	1	4	4	7	8	6	-	-	-	-	-	-	-	-	-	-	-	-	..	4	..	1	-	1	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	320	424	366	981	1,017	1,017	5	17	7	-	2	-	13	7	14	3	5	5	88	81	79	49	71	77	26	23	30	28	28	24	45	69	63	63	121	86	22
23	(a) Syphilis, primary	4	2	4	7	8	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	2	1	23
24	(b) " secondary	1	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	24
25	(c) " other	43	35	47	105	99	128	-	-	-	-	-	-	2	-	2	-	-	-	26	23	17	6	6	11	1	-	1	1	-	1	2	3	2	5	3	6	25
26	(d) Gonorrhoea	272	386	328	867	909	909	5	17	7	-	2	-	11	7	10	3	5	4	62	58	51	43	64	54	25	23	29	26	28	22	41	66	56	56	116	82	26
27	(e) Other venereal diseases[8]	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	157	220	170	486	324	501	-	-	-	-	1	1	14	23	11	-	-	-	49	116	64	40	46	42	-	-	10	-	2	5	22	17	9	32	15	13	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria - (19); Measles - (7,730); Meningitis, other - (54); Poliomyelitis, with paralysis - (11); Typhoid fever - (15);
Encephalitis, infectious - (19); Meningococcal infections - (70); Poliomyelitis, acute - (23); Poliomyelitis, without paralysis - (11); Undulant fever - (7);

Report for current week not received.

*NEWFOUNDLAND reports Measles (epidemic) at Arnold's Cove, P.B., and Sweet Bay, B.B.

DEPT. OF HEALTH
FEB 3- 1958
Venereal Disease
Control

9005-501
29-1-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended January 25, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

DEPT OF HEALTH FEB 7 - 1958 Disease

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	810	786	1,345	3,417	4,137	4,849	..	..	..	..	8	..	4	34	65	..	..	..	194	268	322	392	286	698	27	11	28	..	..	..	..	..	..	193	179	131	1
2	Diphtheria	1	1	5	3	19	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2
3	Dysentery:[4]	8	15	14	52	50	50	-	-	-	7	1	-	-	-	-	-	-	-	1	7	..	-	-	2	-	-	-	-	3	-	-	-	-	-	4	6	3
4	(a) Amoebic	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	8	15	13	52	49	49	-	-	-	7	1	-	-	-	-	-	-	-	1	7	..	-	-	2	-	-	-	-	3	-	-	-	-	-	4	6	5
6	Encephalitis, infectious	-	-	1	-	1	2	-	-	-	..	..	..	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	137	223	241	683	358	535	*	..	..	52	57	27	49	140	55	..	..	..	-	-	-	35	20	2	1	4	1	-	-	-	..	..	..	-	2	1	7
8	Measles	391	480	1,765	1,775	6,541	6,541	**	-	12	..	..	..	40	93	84	..	..	..	84	65	265	110	111	603	55	32	65	..	..	..	80	160	105	22	19	195	8
9	Meningitis, meningococcal	16	7	3	34	18	25	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	7	4	1	3	1	-	1	1	-	..	..	..	2	-	1	9
10	Mumps	335	501	902	1,655	3,225	3,225	..	..	..	..	4	..	42	15	44	..	..	..	98	144	..	147	184	309	15	6	26	..	..	..	..	..	..	33	148	172	10
11	Poliomyelitis, epidemic:[4]	2	2	4	6	8	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	-	11
12	(a) With paralysis	-	2	2	4	6	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	12
13	(b) Without paralysis	2	-	2	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	13
14	Rubella	131	115	285	528	1,350	790	-	-	-	..	..	..	-	12	8	..	..	..	9	7	7	19	12	69	1	1	1	..	..	..	83	71	31	19	12	60	14
15	Scarlet fever, etc.[5]	364	329	329	1,130	954	1,145	31	19	1	2	6	10	202	209	19	2	-	4	21	18	56	70	45	98	3	1	9	3	3	11	17	19	37	13	9	22	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	175	189	146	845	560	611	5	10	4	1	2	-	-	3	4	20	13	5	60	91	50	22	21	24	7	-	6	2	7	13	29	14	19	29	28	18	17
18	(a) Pulmonary	145	157	109	704	445	494	5	10	4	-	1	-	-	3	3	20	11	5	59	90	48	(7)	(7)	(7)	7	-	6	2	5	9	27	12	18	25	25	16	18
19	(b) Non-pulmonary	8	11	11	51	48	39	-	-	1	1	1	-	-	-	-	-	2	-	1	1	5	(7)	(7)	(7)	-	-	-	-	2	2	2	2	1	4	3	2	19
20	Typhoid and paratyphoid	4	7	5	23	27	27	-	1	-	-	-	-	-	-	-	1	5	-	2	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	20
21	Undulant fever	1	1	2	8	10	9	-	-	-	-	-	-	-	-	-	-	-	-	1	..	..	-	1	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	409	320	369	1,390	1,339	1,339	8	5	11	1	-	1	13	13	9	10	3	4	71	88	99	50	49	56	24	26	28	32	28	17	45	45	57	155	63	78	22
23	(a) Syphilis, primary	5	4	4	12	12	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	5	2	-	23
24	(b) " secondary	1	1	1	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	1	-	-	24
25	(c) " other	67	43	49	172	135	186	-	-	1	-	-	-	-	2	1	-	-	1	33	26	20	10	6	16	1	1	1	2	1	1	5	2	3	16	5	4	25
26	(d) Gonorrhoea	336	272	305	1,203	1,191	1,191	8	5	11	1	-	-	13	11	6	10	3	3	38	62	77	40	43	39	23	25	27	29	26	16	40	41	49	134	56	74	26
27	(e) Other venereal diseases[8]	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	151	159	264	639	635	721	-	-	-	-	-	-	31	16	10	-	-	1	33	49	84	33	40	52	1	-	4	-	-	11	17	22	7	36	32	17	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 15 (21); Encephalitis, infectious 27 (17); Measles 9,432 (8,309); Meningococcal infections 55 (51); Meningitis, other 43 (45); Poliomyelitis, acute 19 (15); Poliomyelitis, with paralysis 10 (9); Poliomyelitis, without paralysis 6 (4); Typhoid fever 13 (11); Undulant fever 9 (20);

*NEWFOUNDLAND reports Influenza (epidemic) at Cape Shore and Placentia East.

**NEWFOUNDLAND reports Measles (epidemic) at Sweet Bay, B.B., and Winterbrook, B.B.

YUKON TERRITORY: Number of cases four weeks ended January 25: chickenpox, 4; influenza, epidemic, 2; measles, 26; scarlet fever, 8; tuberculosis: pulmonary, 3; non-pulmonary, 1; gonorrhoea, 16.

THE FOLLOWING NOTES ARE EXTRACTED FROM SURVEILLANCE REPORTS OF EPIDEMIOLOGY DIVISION (D.N.H. & W.):

Infectious Hepatitis: Nova Scotia reports 9 cases at Mill Cove. British Columbia reports 20 cases at Clear Lake Sawmills.

Whooping cough: Indian and Northern Health Services, Department of National Health and Welfare, reports 20 cases among Indians at Hay River, Alberta.

9005-501
4-2-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

DEPT. OF HEALTH
FEB 17 1958

1285

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended February 1, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	741	810	1,284	4,158	5,008	6,133	..	..	..	..	..	..	8	4	48	..	..	..	175	194	363	379	392	557	26	27	34	..	..	..	..	..	..	153	193	179	1
2	Diphtheria	4	1	2	7	21	17	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	6	8	11	58	54	54	-	-	-	1	7	-	-	-	-	-	-	-	..	1	..	-	-	8	-	-	-	1	-	-	-	-	1	4	-	6	3
4	(a) Amoebic	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4
5	(b) Bacillary	5	8	11	57	53	54	-	-	-	1	7	-	-	-	-	-	-	-	..	1	..	-	-	8	-	-	-	1	-	-	-	-	1	3	-	6	5
6	Encephalitis, infectious	-	-	1	-	1	2	-	-	-	..	..	..	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	196	147	130	889	448	777	..	..	..	72	52	26	71	49	30	..	..	..	-	-	-	32	45	16	21	1	2	-	-	-	..	..	..	-	-	3	7
8	Measles	574	391	1,717	2,349	8,632	8,303	-	-	9	..	..	..	138	40	58	..	..	..	59	84	294	114	110	541	83	55	100	..	..	..	129	80	86	51	22	314	8
9	Meningitis, meningococcal	5	16	6	39	23	31	2	-	-	-	-	-	-	-	-	1	3	-	-	-	1	2	7	1	-	3	1	-	1	-	..	..	..	-	2	1	9
10	Mumps	362	335	903	2,017	4,128	4,128	*	..	..	1	..	..	53	42	27	..	..	..	132	98	..	126	147	398	8	15	37	..	..	..	..	..	..	42	33	222	10
11	Poliomyelitis, epidemic:[4]	-	2	7	6	11	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-	-	1	-	-	2	11
12	(a) With paralysis	-	-	3	4	8	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	12
13	(b) Without paralysis	-	2	2	2	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	13
14	Rubella	196	131	280	724	1,922	1,084	-	-	-	..	..	..	14	-	6	..	..	..	17	9	12	42	19	47	3	1	2	..	..	..	101	83	33	19	19	59	14
15	Scarlet fever, etc.[5]	411	364	342	1,541	1,231	1,487	14	31	4	24	2	8	241	202	10	-	2	2	24	21	92	63	70	71	2	3	11	-	3	11	38	17	29	5	13	27	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	173	175	176	1,018	708	812	1	5	3	-	1	1	-	-	1	13	20	18	72	60	82	17	22	28	8	7	6	4	2	6	43	29	14	15	29	27	17
18	(a) Pulmonary	143	145	138	847	555	660	1	5	3	-	-	-	-	-	1	11	20	15	70	59	78	(7)	(7)	(7)	8	7	6	4	2	5	42	27	12	15	25	24	18
19	(b) Non-pulmonary	5	8	12	56	58	48	-	-	-	-	1	-	-	-	-	2	-	-	2	1	5	(7)	(7)	(7)	-	-	-	-	-	-	1	2	2	-	4	2	19
20	Typhoid and paratyphoid	1	4	4	24	30	30	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	20
21	Undulant fever	-	1	1	8	10	9	-	-	-	-	-	-	-	-	-	-	-	-	..	1	..	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	339	409	379	1,729	1,675	1,719	8	8	9	1	1	1	7	13	15	3	10	4	84	71	81	45	50	60	24	24	28	25	32	22	47	45	67	95	155	88	22
23	(a) Syphilis, primary	-	5	2	12	14	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	23
24	(b) " secondary	2	1	-	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	24
25	(c) " other	34	67	48	206	162	228	-	-	3	-	-	-	1	-	2	-	-	1	25	33	18	4	10	8	-	1	1	-	2	2	-	5	1	4	16	5	25
26	(d) Gonorrhoea	303	336	328	1,506	1,498	1,509	8	8	6	1	1	1	6	13	14	3	10	2	59	38	64	41	40	53	24	23	26	24	29	20	47	40	65	90	134	81	26
27	(e) Other venereal diseases[8]	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	185	151	227	824	823	948	-	-	-	-	-	1	35	31	7	-	-	-	32	33	77	53	33	51	20	1	11	1	-	6	13	17	8	31	36	30	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 15 (15); Measles 11,948 (9,432); Meningitis, other 49 (43); Poliomyelitis, with paralysis 10 (10); Typhoid fever 23 (13);
Encephalitis, infectious 26 (27); Meningococcal infections 62 (55); Poliomyelitis, acute 19 (19); Poliomyelitis, without paralysis 9 (6); Undulant fever 15 (9);

The number of deaths from all causes increased slightly in the 114 large cities during the week ended February 1 as compared with the previous week. The numbers were 12,858 and 12,753, respectively. Deaths from influenza and pneumonia increased from 675 to 750. The increases in influenza and pneumonia deaths occurred in the cities of the Middle Atlantic, West North Central, South Atlantic, and West South Central Division. The cumulative total since September 1, 1957, is 12,475 as compared with 7,317 for the same period 1 year ago, 7,110 in 1955-56, and 6,533 in 1954-55.

* NEWFOUNDLAND reports Mumps (epidemic) at Corner Brook.

9005-501:11-2-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended February 8, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

DEPT. OF HEALTH
FEB 24 1958
Vital Statistics Division
Copy

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958 (9)	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	638	742	1,279	4,208	6,139	7,412	..	..	..	..	..	..	4	9	..	..	..	..	140	175	379	284	379	492	26	26	55	..	..	..	..	..	..	184	153	180	1
2	Diphtheria	2	4	1	8	22	19	-	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	9	6	10	64	61	61	-	-	-	5	1	-	-	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	4	2	3
4	(a) Amoebic	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4
5	(b) Bacillary	9	5	10	63	60	60	-	-	-	5	1	-	-	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	1	-	-	-	-	1	3	2	5
6	Encephalitis, infectious	2	-	-	2	1	3	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	334	227	97	1,259	515	938	..	..	..	186	72	26	121	74	56	..	..	..	-	-	-	18	60	5	9	21	2	-	-	-	..	..	..	-	-	5	7
8	Measles	771	574	1,795	2,952	10,828	10,098	-	-	10	..	..	..	248	138	..	..	..	..	102	59	266	207	114	623	55	83	196	..	..	..	108	129	56	51	51	223	8
9	Meningitis, meningococcal	14	5	9	51	35	39	5	2	-	-	-	-	-	-	-	-	1	1	1	-	-	5	2	3	-	-	-	1	-	-	..	..	..	2	-	-	9
10	Mumps	419	362	876	2,092	5,075	5,075	*	..	..	..	1	..	35	53	..	..	..	..	131	132	164	141	126	359	17	8	39	..	..	..	..	..	..	95	42	202	10
11	Poliomyelitis, epidemic:[4]	-	1	6	6	17	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	11
12	(a) With paralysis	-	1	3	4	11	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	12
13	(b) Without paralysis	-	-	1	2	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	177	196	294	884	2,560	1,517	-	-	-	..	..	..	5	14	..	..	..	..	9	17	20	32	42	53	1	3	3	..	..	..	96	101	26	34	19	53	14
15	Scarlet fever, etc.[5]	406	442	341	1,913	1,448	1,828	17	14	9	7	24	7	248	272	12	-	-	2	29	24	80	50	63	126	4	2	14	7	-	5	37	38	32	7	5	40	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	212	173	193	1,016	861	1,014	11	1	5	1	-	1	-	-	3	16	13	12	114	72	73	23	17	26	13	8	6	6	4	8	17	43	21	11	15	28	17
18	(a) Pulmonary	181	151	147	834	674	807	11	1	4	1	-	1	-	-	3	15	11	12	113	70	70	(7)	(7)	(7)	11	8	6	6	4	6	14	42	20	10	15	25	18
19	(b) Non-pulmonary	8	5	9	52	67	67	-	-	-	-	-	-	-	-	-	1	2	-	1	2	3	(7)	(7)	(7)	2	-	-	-	-	1	3	1	1	1	-	3	19
20	Typhoid and paratyphoid	7	1	5	23	33	34	-	-	-	-	-	-	-	-	-	1	-	1	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	20
21	Undulant fever	1	-	2	5	11	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	296	339	309	2,025	1,982	2,021	17	8	9	-	1	-	11	7	9	5	3	6	64	84	77	45	45	61	34	24	22	25	25	21	50	47	46	45	95	42	22
23	(a) Syphilis, primary	1	-	3	13	18	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	23
24	(b) " secondary	-	2	1	5	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	24
25	(c) " other	37	34	38	243	199	288	2	-	1	-	-	-	-	1	4	1	-	1	18	25	15	6	4	10	3	-	2	1	-	1	1	-	1	5	4	5	25
26	(d) Gonorrhoea	258	303	266	1,764	1,764	1,775	15	8	9	-	1	-	11	6	9	4	3	4	46	59	62	39	41	52	31	24	18	23	24	20	49	47	45	40	90	37	26
27	(e) Other venereal diseases[8]	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	136	187	162	849	1,091	1,100	-	-	-	-	-	1	10	37	1	-	-	1	34	32	64	33	53	41	-	20	8	-	1	3	16	13	9	43	31	16	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Excluding figures for the province of Quebec for week ended January 11, for all diseases except venereal diseases.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 22 (15); Measles 13,888 (11,948); Meningitis, other 36 (49); Poliomyelitis, with paralysis 9 (10); Typhoid fever 33 (23);
Encephalitis, infectious 11 (26); Meningococcal infections 62 (62); Poliomyelitis, acute 10 (19); Poliomyelitis, without paralysis 1 (9); Undulant fever 18 (15);

The number of deaths from all causes in the 114 large cities was 12,415 for the week ended February 8. This is the first time since the week ended January 4 that deaths from all causes were less than the peak in October. The number of deaths from influenza and pneumonia in 108 cities declined to 709 from 750 for the week ended February 1. However, there was an increase over the previous week in the East North Central, East South Central, and Pacific areas. The decline is the first since the last week in December.

*NEWFOUNDLAND reports Mumps (epidemic) at Lewisporte, N.D.B.

9005-501
19-2-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended February 15, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

DEPT. OF HEALTH
MAR 8 - 1958
Venereal Disease Control

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958 (9)	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	898	638	1,326	5,106	7,247	8,715	..	..	..	..	..	..	6	4	..	..	..	..	146	140	340	507	284	658	20	26	35	..	..	..	..	..	..	219	184	166	1
2	Diphtheria	-	2	2	8	33	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	2
3	Dysentery:[4]	7	9	9	71	350	70	-	-	-	2	5	-	-	-	-	-	-	-	1	3	-	-	-	4	2	-	1	1	-	-	-	-	-	1	1	4	3
4	(a) Amoebic	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	7	9	9	70	350	69	-	-	-	2	5	-	-	-	-	-	-	-	1	3	-	-	-	4	2	-	1	1	-	-	-	-	-	1	1	4	5
6	Encephalitis, infectious	-	2	-	2	1	4	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	6
7	Influenza, epidemic	258	337	99	1,520	585	1,244	..	..	..	66	186	23	100	121	48	..	..	..	-	-	-	78	21	4	14	9	2	-	-	-	..	..	..	-	-	23	7
8	Measles	822	771	1,864	3,774	12,729	11,778	-	-	4	..	..	..	366	248	..	..	..	..	100	102	374	123	207	624	69	55	70	..	..	..	115	108	129	49	51	254	8
9	Meningitis, meningococcal	5	10	4	52	42	45	-	5	1	-	-	-	-	-	-	2	-	1	-	1	-	1	1	1	-	-	-	1	1	-	..	..	..	1	2	-	9
10	Mumps	286	420	886	2,379	5,874	5,874	*	..	..	..	..	..	31	35	..	..	..	..	58	132	176	127	141	401	17	17	49	..	..	..	..	..	..	53	95	242	10
11	Poliomyelitis, epidemic:[4]	3	-	3	9	17	26	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	11
12	(a) With paralysis	3	-	3	7	11	21	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	12
13	(b) Without paralysis	-	-	-	2	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	183	177	432	1,067	3,112	2,077	-	-	-	..	..	..	..	5	..	..	..	..	6	9	14	33	32	71	-	1	1	..	..	..	123	96	13	21	34	79	14
15	Scarlet fever, etc.[5]	328	412	349	2,247	1,661	2,177	15	17	3	2	7	8	185	248	29	-	-	2	18	29	82	77	56	86	2	4	13	1	7	18	16	37	27	12	7	35	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	118	212	173	1,134	1,093	1,175	-	11	6	-	1	-	-	-	1	18	16	13	37	114	77	21	23	24	4	13	5	4	6	6	13	17	22	21	11	23	17
18	(a) Pulmonary	90	181	138	924	844	968	-	11	5	-	1	-	-	-	1	16	15	13	36	113	72	(7)	(7)	(7)	2	11	4	4	6	5	12	14	15	20	10	22	18
19	(b) Non-pulmonary	7	8	14	59	86	81	-	-	-	-	-	-	-	-	-	2	1	-	1	1	4	(7)	(7)	(7)	2	2	-	-	-	1	1	3	3	1	1	3	19
20	Typhoid and paratyphoid	7	6	7	29	39	41	1	-	-	-	-	-	-	-	-	-	-	-	4	5	3	-	1	1	-	-	-	1	-	-	1	-	-	-	-	1	20
21	Undulant fever	2	1	1	7	12	12	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	372	296	336	2,397	2,318	2,394	6	17	10	-	-	-	10	11	8	3	5	2	84	64	71	58	45	67	36	34	25	29	25	21	46	50	59	100	45	67	22
23	(a) Syphilis, primary	6	1	5	19	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	2	1	-	2	-	1	-	-	-	23
24	(b) " secondary	1	-	2	6	2	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	37	37	60	280	253	344	-	2	2	-	-	-	-	-	1	-	1	1	20	18	23	6	6	21	3	3	1	1	1	3	-	1	1	7	5	4	25
26	(d) Gonorrhoea	328	258	274	2,092	2,038	2,038	6	15	10	-	-	-	10	11	5	3	4	1	64	46	59	51	39	46	31	31	24	26	23	17	44	49	54	93	40	63	26
27	(e) Other venereal diseases[8]	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	127	136	182	976	1,214	1,233	-	-	-	-	-	2	10	10	5	-	-	-	56	34	86	21	33	37	-	-	3	2	-	3	8	16	11	30	43	15	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Excluding figures for the Province of Quebec for week ended January 11, for all diseases except venereal diseases.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	10 (22);	Measles	14,964 (13,888);	Meningitis, other	44 (36);	Poliomyelitis, with paralysis	9 (9);	Typhoid fever	11 (33);
Encephalitis, infectious	16 (11);	Meningococcal infections	71 (62);	Poliomyelitis, acute	21 (10);	Poliomyelitis, without paralysis	6 (1);	Undulant fever	7 (18);

Many of the states continue to report relatively small numbers of cases of influenza or influenza-like disease. The Vermont Department of Health states that there were 16 deaths from influenza and pneumonia in the towns and cities during January 1958 as compared with 6 in January 1957. The New Jersey State Department of Health reports sporadic cases in 5 counties. Oregon reports the occurrence of minor respiratory illness but no substantial outbreaks of "true epidemic influenza." California reports that influenza and pneumonia deaths in 8 selected cities have remained at about expected values for 4 consecutive weeks.

*NEWFOUNDLAND reports Mumps (epidemic) at Aquaforte and Ferryland District.

9005-501
26-2-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended February 22, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	822	898	1,199	5,928	8,384	9,914	..	..	..	..	..	..	12	6	..	..	..	..	166	146	226	437	507	592	16	20	31	..	..	..	..	..	..	191	219	186	1
2	Diphtheria	5	-	1	13	35	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	2
3	Dysentery:[4]	8	7	13	79	402	144	2	-	-	1	2	1	-	-	-	-	-	-	2	1	1	1	-	-	-	2	-	2	1	-	-	-	-	-	1	4	3
4	(a) Amoebic	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	8	7	13	78	402	143	2	-	-	1	2	1	-	-	-	-	-	-	2	1	1	1	-	-	-	2	-	2	1	-	-	-	-	-	1	4	5
6	Encephalitis, infectious	-	-	-	2	1	4	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	323	258	144	1,843	691	1,470	..	..	..	103	66	39	207	100	67	..	..	..	-	-	-	7	78	4	6	14	1	-	-	-	..	..	..	-	-	-	7
8	Measles	677	822	1,941	4,451	14,736	13,725	*	-	1	..	..	..	215	366	..	..	..	..	80	100	385	163	123	560	46	69	118	..	..	..	96	115	107	77	49	144	8
9	Meningitis, meningococcal	6	5	6	58	44	51	2	-	-	-	-	-	-	-	-	1	2	-	-	-	1	2	1	2	-	-	-	-	1	-	..	..	..	1	1	-	9
10	Mumps	344	286	1,102	2,723	6,724	6,724	..	..	..	..	..	..	71	31	..	..	..	..	110	58	226	114	127	619	3	17	46	..	..	..	..	..	..	46	53	135	10
11	Poliomyelitis, epidemic:[4]	1	3	6	10	17	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	1	11
12	(a) With paralysis	-	3	2	7	11	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	12
13	(b) Without paralysis	1	-	2	3	4	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	13
14	Rubella	167	183	560	1,234	3,784	2,723	-	-	-	..	..	..	2	..	..	..	..	..	4	6	35	61	33	69	3	-	2	..	..	..	68	123	50	29	21	12	14
15	Scarlet fever, etc.[5]	274	328	342	2,521	1,993	2,519	12	15	3	5	2	9	115	185	27	-	-	-	16	18	62	81	77	111	1	2	8	4	1	4	24	16	30	16	12	42	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	168	118	164	1,302	1,268	1,341	4	-	4	-	-	-	-	-	2	6	18	6	64	37	62	27	21	21	5	4	10	2	4	6	26	13	11	34	21	35	17
18	(a) Pulmonary	137	90	129	1,061	978	1,093	4	-	3	-	-	-	-	-	2	6	16	6	64	36	60	(7)	(7)	(7)	5	2	9	1	4	5	26	12	11	31	20	31	18
19	(b) Non-pulmonary	4	7	9	63	94	94	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	(7)	(7)	(7)	-	2	1	1	-	1	-	1	-	3	1	5	19
20	Typhoid and paratyphoid	4	7	4	33	45	45	-	1	-	-	-	-	-	-	-	-	-	-	4	4	2	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	20
21	Undulant fever	1	2	1	8	13	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	335	372	317	2,732	2,649	2,688	14	6	8	1	-	1	3	10	11	2	3	4	79	84	97	50	58	54	28	36	25	22	29	20	47	46	54	89	100	61	22
23	(a) Syphilis, primary	1	6	1	20	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	2	-	-	-	-	23
24	(b) " secondary	-	1	1	6	4	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	25	37	54	305	312	401	-	-	1	1	-	-	1	-	1	-	-	-	11	20	22	4	6	12	1	3	2	-	1	3	2	-	1	5	7	4	25
26	(d) Gonorrhoea	309	328	268	2,401	2,306	2,306	14	6	7	-	-	-	2	10	10	2	3	3	68	64	53	46	51	43	27	31	23	21	26	16	45	44	51	84	93	52	26
27	(e) Other venereal diseases[8]	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	135	127	185	1,111	1,306	1,376	-	-	-	-	-	4	13	10	3	-	-	-	22	56	57	26	21	36	-	-	9	6	2	3	9	8	12	59	30	15	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	13 (10);	Measles	16,470 (14,964);	Meningitis, other	40 (44);	Poliomyelitis, with paralysis	7 (9);	Typhoid fever	13 (11);
Encephalitis, infectious	22 (16);	Meningococcal infections	80 (71);	Poliomyelitis, acute	11 (21);	Poliomyelitis, without paralysis	3 (6);	Undulant fever	10 (7).

During the first 8 weeks of 1958 there have been only 151 cases of acute poliomyelitis reported in comparison with 358 cases during the same period of last year, a decline of 58 per cent. During the first 8 weeks of this year the ratio of paralytic to nonparalytic cases of poliomyelitis has been 1.7 to 1. In the same period of 1957 the ratio of paralytic to nonparalytic cases had been 2.1 to 1.

*NEWFOUNDLAND reports Measles (epidemic) at Sunnyside, T.B.

YUKON TERRITORY: Number of cases four weeks ended February 22: chickenpox, 1; dysentery, bacillary, 1; hepatitis, infectious, 3; influenza, epidemic, 5; measles, 7; mumps, 1; gonorrhoea, 19.

DEPT. OF HEALTH
MAR 10 1958
Venereal Disease
Control

9005-501
5-3-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended March 1, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	989	822	1,234	6,917	9,703	11,148	*	..	..	..	..	..	24	12	..	..	..	..	183	166	236	534	437	614	23	16	25	..	..	..	..	..	..	225	191	197	1
2	Diphtheria	-	5	2	13	39	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	2
3	Dysentery:[4]	8	8	14	87	447	159	-	2	-	-	1	-	-	-	-	-	-	-	6	2	1	-	1	1	1	-	-	1	2	-	-	-	-	-	-	6	3
4	(a) Amoebic	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	8	8	14	86	447	158	-	2	-	-	1	-	-	-	-	-	-	-	6	2	1	-	1	1	1	-	-	1	2	-	-	-	-	-	-	6	5
6	Encephalitis, infectious	1	-	-	3	1	4	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	6
7	Influenza, epidemic	151	323	327	1,994	781	1,895	..	..	..	56	103	29	48	207	87	..	..	..	-	-	-	44	7	5	3	6	2	-	-	2	..	..	..	-	-	42	7
8	Measles	618	677	1,884	5,069	16,468	15,609	**	-	2	..	..	..	96	215	..	..	..	..	83	80	290	216	163	534	40	46	110	..	..	..	127	96	147	56	77	178	8
9	Meningitis, meningococcal	7	6	8	65	54	57	1	2	-	-	-	-	-	-	-	-	1	2	1	-	-	1	2	2	2	-	-	1	-	-	..	..	..	1	1	2	9
10	Mumps	323	345	958	3,047	7,493	7,543	..	..	..	..	..	..	41	72	..	..	..	..	104	110	220	124	114	412	12	3	41	..	..	..	..	..	..	42	46	214	10
11	Poliomyelitis, epidemic:[4]	3	1	3	13	19	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	1	1	-	-	-	11
12	(a) With paralysis	3	-	1	10	12	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	12
13	(b) Without paralysis	-	1	1	3	5	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	13
14	Rubella	247	167	643	1,481	4,639	3,446	-	-	-	..	..	..	..	2	..	..	..	..	8	4	22	57	61	72	3	3	1	..	..	..	164	68	29	15	29	25	14
15	Scarlet fever, etc.[5]	332	274	402	2,853	2,319	2,921	24	12	2	1	5	9	136	115	30	1	-	6	42	16	79	80	81	88	4	1	7	5	4	19	22	24	45	17	16	46	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	172	168	209	1,474	1,487	1,541	9	4	6	1	-	1	4	-	1	7	6	12	74	64	88	33	27	26	5	5	11	19	2	12	4	26	23	16	34	20	17
18	(a) Pulmonary	127	137	174	1,188	1,170	1,259	9	4	6	1	-	1	4	-	1	7	6	12	70	64	85	(7)	(7)	(7)	4	5	11	13	1	11	4	26	22	15	31	17	18
19	(b) Non-pulmonary	12	4	10	75	100	100	-	-	-	-	-	-	-	-	-	-	-	-	4	-	3	(7)	(7)	(7)	1	-	-	6	1	1	-	-	-	1	3	3	19
20	Typhoid and paratyphoid	7	4	7	40	50	52	-	-	-	-	-	-	-	-	-	-	-	-	5	4	3	-	-	1	-	-	-	-	-	-	-	-	1	2	-	1	20
21	Undulant fever	1	1	2	9	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	318	335	354	3,050	2,951	3,090	17	14	8	2	1	1	2	3	10	4	2	1	86	79	103	51	50	59	19	28	35	26	22	17	47	47	65	64	89	51	22
23	(a) Syphilis, primary	-	1	4	20	30	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	23
24	(b) " secondary	1	-	2	7	6	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	37	25	56	342	355	461	1	-	2	-	1	-	-	1	1	-	-	-	14	11	26	11	4	13	2	1	1	1	-	4	6	2	1	2	5	7	25
26	(d) Gonorrhoea	280	309	292	2,681	2,558	2,601	16	14	6	2	-	-	2	2	5	4	2	1	71	68	83	40	46	44	17	27	31	25	21	14	41	45	60	62	84	47	26
27	(e) Other venereal diseases[8]	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	125	109	197	1,210	1,570	1,573	-	-	-	-	-	1	1	13	8	-	-	1	43	22	76	37	-	30	1	-	10	-	6	6	9	9	12	34	59	18	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	21	(	13	);	Measles	20,966	(16,470	);	Meningitis, other	65	(	40	);	Poliomyelitis, with paralysis	11	(	7	);	Typhoid fever	13	(	13	);
Encephalitis, infectious	21	(	22	);	Meningococcal infections	78	(	80	);	Poliomyelitis, acute	14	(	11	);	Poliomyelitis, without paralysis	3	(	3	);	Undulant fever	13	(	10	);

During the 6 months since the beginning of the current disease year, September 1, 1957, there have been 1,534 cases of meningococcal infection reported in comparison with 1,227 cases reported during the same period of 1956-57, an increase of 25 per cent. The increase in incidence has occurred in all parts of the country since 30 states and every geographic division but one, the Mountain, have reported more cases during the current disease year.

*NEWFOUNDLAND reports Chickenpox (epidemic) at Placentia and Grand Falls.

**NEWFOUNDLAND reports Measles (epidemic) at Windsor.

DEPT. OF HEALTH
MAR 17 1958
Venereal Disease Control

9005-501
12-3-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended March 8, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	832	988	1,111	7,748	10,946	12,259	..	..	..	..	..	..	2	24	..	..	..	..	155	183	252	463	534	621	18	23	22	..	..	..	..	..	..	194	224	162	1
2	Diphtheria	-	-	4	13	43	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	2	8	22	89	512	182	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	7	1	1	-	-	1	1	-	-	-	1	-	6	3
4	(a) Amoebic	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	2	8	22	88	512	181	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	7	1	1	-	-	1	1	-	-	-	1	-	6	5
6	Encephalitis, infectious	1	1	-	4	1	4	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	6
7	Influenza, epidemic	84	151	648	2,078	860	2,543	..	..	..	27	56	27	6	48	92	..	..	..	-	-	-	19	44	74	32	3	2	-	-	-	..	..	..	-	-	73	7
8	Measles	576	621	1,697	5,648	18,449	17,306	-	-	10	..	..	..	49	99	..	..	..	..	102	83	341	195	216	734	48	40	69	..	..	..	81	127	177	101	56	132	8
9	Meningitis, meningococcal	4	7	8	69	62	65	2	1	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	2	-	2	-	-	1	1	..	..	..	-	1	-	9
10	Mumps	334	323	879	3,381	8,372	8,714	*	..	..	..	..	..	24	41	..	..	..	..	132	104	216	128	124	369	11	12	22	..	..	..	..	..	..	39	42	195	10
11	Poliomyelitis, epidemic:[4]	-	3	5	13	19	35	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	-	-	1	11
12	(a) With paralysis	-	3	2	10	12	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	1	12
13	(b) Without paralysis	-	-	2	3	5	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	190	247	723	1,671	5,517	4,378	**	-	-	..	..	..	..	..	..	..	..	..	6	8	16	74	57	75	-	3	3	..	..	..	84	164	12	26	15	15	14
15	Scarlet fever, etc.[5]	245	333	402	3,099	2,571	3,323	15	24	2	3	1	9	89	137	28	-	1	2	20	42	89	71	80	115	4	4	6	1	5	17	26	22	50	16	17	45	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	153	168	191	1,479	1,661	1,732	3	9	6	4	1	1	-	4	2	12	7	8	70	74	66	19	33	22	12	5	14	-	19	5	(9)	(9)	17	33	16	23	17
18	(a) Pulmonary	126	123	148	1,171	1,307	1,407	3	9	6	3	1	1	-	4	2	12	7	8	68	70	58	(7)	(7)	(7)	10	4	13	-	13	4	-	-	17	30	15	21	18
19	(b) Non-pulmonary	8	12	10	78	110	109	-	-	-	1	-	-	-	-	-	-	-	-	2	4	1	(7)	(7)	(7)	2	1	1	-	6	1	-	-	-	3	1	4	19
20	Typhoid and paratyphoid	9	7	5	49	55	60	-	-	-	-	-	-	-	-	-	1	-	-	6	5	3	1	-	1	1	-	-	-	-	-	-	-	-	-	2	-	20
21	Undulant fever	1	1	3	10	17	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	..	..	..	-	-	-	21
22	Venereal diseases:	304	318	318	3,354	3,269	3,388	7	17	8	2	2	-	2	2	16	4	4	4	106	86	82	58	51	67	20	19	23	24	26	19	31	47	56	50	64	56	22
23	(a) Syphilis, primary	3	-	3	23	34	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-	23
24	(b) " secondary	1	1	1	8	7	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	46	37	57	388	402	523	-	1	-	-	-	-	1	-	2	-	-	-	26	14	21	10	11	16	1	2	2	3	1	2	4	6	3	1	2	5	25
26	(d) Gonorrhoea	254	280	266	2,935	2,824	2,850	7	16	8	2	2	-	1	2	14	4	4	3	79	71	58	47	40	51	19	17	23	19	25	18	27	41	53	49	62	48	26
27	(e) Other venereal diseases[8]	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	111	126	140	1,322	1,679	1,713	-	-	-	-	-	1	26	1	9	-	-	1	28	43	61	30	37	23	-	1	3	-	-	3	7	9	11	20	35	15	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Weekly figures not available.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 16 (21); Measles 24,280 (20,966); Meningitis, other 50 (65); Poliomyelitis, with paralysis 10 (11); Typhoid fever 12 (13);
Encephalitis, infectious 20 (21); Meningococcal infections 78 (78); Poliomyelitis, acute 19 (14); Poliomyelitis, without paralysis 5 (3); Undulant fever 16 (13);

The number of deaths from influenza in 108 cities was 814 which is 3.9 per cent below the number for the previous week. The median number for the previous 3 years was 389. The numbers for the current week were above the expected in all areas except the Mountain and Pacific.

*NEWFOUNDLAND reports Mumps (epidemic) at Lewisporte, N.D.B.

**NEWFOUNDLAND reports Rubella (epidemic) at Lewisporte, N.D.B.

9005-501
19-3-58

DEPT. OF HEALTH
MAR 24 1958
Venereal Disea
Control

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended March 15, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	768	836	1,137	8,520	12,013	13,396	*	..	..	..	..	..	28	6	..	..	..	..	80	155	257	489	463	587	23	18	32	..	..	..	..	..	..	148	194	174	1
2	Diphtheria	2	-	8	15	50	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2
3	Dysentery:[4]	9	2	12	98	561	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	8	1	4	3
4	(a) Amoebic	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	9	2	12	97	561	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	8	1	4	5
6	Encephalitis, infectious	1	1	-	5	1	4	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	131	84	477	2,209	945	3,020	**	..	..	54	27	36	29	6	63	..	..	..	-	-	-	46	19	26	2	32	2	-	-	-	..	..	..	-	-	61	7
8	Measles	691	576	1,781	6,339	20,701	18,629	-	-	4	..	..	..	101	49	..	..	..	..	35	102	257	170	195	547	52	48	62	..	..	..	112	81	261	221	101	103	8
9	Meningitis, meningococcal	6	4	7	75	63	72	4	2	1	-	-	-	-	-	-	1	1	-	-	-	1	1	1	2	-	-	-	-	-	-	..	..	..	-	-	1	9
10	Mumps	342	334	1,139	3,723	9,271	9,575	***	..	..	..	..	..	47	32	..	..	..	..	27	132	202	164	128	603	13	11	32	..	..	..	..	..	..	91	39	221	10
11	Poliomyelitis, epidemic:[4]	-	-	3	13	19	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
12	(a) With paralysis	-	-	2	10	12	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
13	(b) Without paralysis	-	-	1	3	5	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	175	190	728	1,846	6,245	5,436	-	-	-	..	..	..	..	..	..	..	..	..	3	6	33	89	74	148	-	-	4	..	..	..	66	84	29	17	26	15	14
15	Scarlet fever, etc.[5]	286	245	394	3,385	2,833	3,738	10	15	-	10	3	6	92	91	26	1	-	1	14	20	87	90	71	101	5	4	6	6	1	9	38	26	36	21	16	64	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	163	153	165	1,642	1,835	1,927	13	3	4	-	4	-	-	-	5	10	12	8	42	70	53	30	19	22	13	12	8	16	-	7	17	(9)	24	22	33	34	17
18	(a) Pulmonary	125	126	127	1,296	1,439	1,548	13	3	4	-	3	-	-	-	3	10	12	8	41	68	50	(7)	(7)	(7)	13	10	8	13	-	6	15	-	19	20	30	33	18
19	(b) Non-pulmonary	8	8	13	86	124	121	-	-	-	-	1	-	-	-	-	-	-	-	1	2	2	(7)	(7)	(7)	-	2	-	3	-	1	2	-	2	2	3	5	19
20	Typhoid and paratyphoid	4	9	4	53	61	64	-	-	-	-	-	-	-	-	-	-	1	-	4	6	2	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	20
21	Undulant fever	2	1	1	12	18	20	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	312	304	340	3,666	3,614	3,759	8	7	11	1	2	-	2	2	13	6	4	8	63	106	75	56	58	53	23	20	21	26	24	23	55	31	52	72	50	59	22
23	(a) Syphilis, primary	1	3	3	24	37	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	23
24	(b) " secondary	3	1	1	11	9	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	24
25	(c) " other	44	46	40	432	436	556	-	-	2	-	-	-	-	1	2	-	-	-	27	26	16	10	10	13	1	1	2	-	3	2	1	4	1	5	1	3	25
26	(d) Gonorrhoea	264	254	280	3,199	3,130	3,130	8	7	11	1	2	-	2	1	10	6	4	7	36	79	59	46	47	36	21	19	18	25	19	19	54	27	49	65	49	55	26
27	(e) Other venereal diseases[8]	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	82	111	185	1,404	1,902	1,902	-	-	-	-	-	3	10	26	1	-	-	-	6	28	78	38	30	52	1	-	5	2	-	1	8	7	16	17	20	21	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Figures for previous week not available.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	10	(	16	);	Measles	27,236	(	24,280	);	Meningitis, other	54	(	50	);	Poliomyelitis, with paralysis	3	(	10	);	Typhoid fever	17	(	12	);													
Encephalitis, infectious	24	(	20	);	Meningococcal infections	67	(	78	);	Poliomyelitis, acute	5	(	19	);	Poliomyelitis, without paralysis	1	(	5	);	Undulant fever	17	(	16	);													

Only 5 cases of poliomyelitis were reported for the current week, 3 of which were paralytic. The cases were reported from 5 different states. This total is well below the number reported in any week in March since 1940. The previous low total for any week in March was 10 in 1942.

*NEWFOUNDLAND reports Chickenpox (epidemic) in the Placentia area.

**NEWFOUNDLAND reports Influenza (epidemic) at Mount Carmel and St. Mary's District.

***NEWFOUNDLAND reports Mumps (epidemic) at Green's Harbour and Heart's Desire, T.B.

DEPT. OF HEALTH
MAR 31 1958
Venereal Disea
Control

9005-501
26-3-58

DEPT. OF HEALTH
APR 7 1958
Venereal Disease Control

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended March 22, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	845	768	1,031	9,365	13,282	14,424	..	..	..	..	..	..	6	28	..	..	..	..	182	80	258	304	489	534	23	23	37	..	..	..	..	..	..	330	148	172	1
2	Diphtheria	2	2	2	17	52	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2
3	Dysentery:[4]	38	9	22	136	624	307	-	-	-	2	-	-	-	-	-	-	-	-	23	-	-	1	1	6	-	-	-	-	-	-	-	-	-	12	8	15	3
4	(a) Amoebic	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	36	9	22	133	624	305	-	-	-	2	-	-	-	-	-	-	-	-	21	-	-	1	1	6	-	-	-	-	-	-	-	-	-	12	8	15	5
6	Encephalitis, infectious	-	1	-	5	2	4	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6
7	Influenza, epidemic	138	131	131	2,347	1,069	3,304	..	..	..	117	54	62	15	29	107	..	..	..	-	-	-	1	46	16	5	2	4	-	-	-	..	..	..	-	-	3	7
8	Measles	753	691	1,886	7,092	22,803	20,065	-	-	7	..	..	..	93	101	..	..	..	..	168	35	314	252	170	621	51	52	103	..	..	..	66	112	238	123	221	184	8
9	Meningitis, meningococcal	2	6	6	77	67	78	-	4	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	2	-	-	-	-	-	-	..	..	..	-	-	-	9
10	Mumps	496	342	926	4,219	10,205	13,369	*	..	..	..	..	..	57	47	..	..	..	..	193	27	241	144	164	360	21	13	35	..	..	..	..	..	..	81	91	219	10
11	Poliomyelitis, epidemic:[4]	-	-	2	13	20	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	11
12	(a) With paralysis	-	-	1	10	13	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	12
13	(b) Without paralysis	-	-	1	3	5	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	187	175	963	2,033	7,208	6,370	-	-	-	..	..	..	1	..	..	..	..	..	9	3	32	74	89	161	3	-	2	..	..	..	58	66	10	42	17	21	14
15	Scarlet fever, etc.[5] **	269	287	353	3,655	3,023	4,091	5	10	2	6	10	10	107	92	28	-	1	1	22	14	100	90	90	133	9	5	10	1	6	4	22	38	34	7	21	44	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	148	163	200	1,790	2,019	2,118	3	13	4	-	-	1	1	-	1	11	10	9	58	42	72	20	30	23	5	13	10	5	16	12	10	17	13	35	22	32	17
18	(a) Pulmonary	111	125	163	1,407	1,581	1,687	3	13	3	-	-	1	1	-	-	10	10	8	52	41	72	(7)	(7)	(7)	3	13	10	3	13	11	10	15	13	29	20	30	18
19	(b) Non-pulmonary	17	8	10	103	137	134	-	-	-	-	-	-	-	-	-	1	-	-	6	1	2	(7)	(7)	(7)	2	-	-	2	3	1	-	2	1	6	2	3	19
20	Typhoid and paratyphoid	9	4	6	62	66	76	-	-	-	-	-	-	-	-	-	-	-	-	7	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
21	Undulant fever	-	2	2	12	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	244	312	320	3,910	3,939	4,079	8	8	4	-	1	-	-	2	11	7	6	3	83	63	68	48	56	63	17	23	24	44	26	23	37	55	61	(9)	72	53	22
23	(a) Syphilis, primary	1	1	2	25	39	39	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	23
24	(b) " secondary	2	3	-	13	9	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	2	-	24
25	(c) " other	33	44	51	465	477	602	-	-	-	-	-	-	-	-	3	-	-	-	19	27	21	5	10	15	-	1	4	9	-	2	-	1	2	-	5	2	25
26	(d) Gonorrhoea	208	264	257	3,407	3,412	3,412	8	8	4	-	1	-	-	2	11	7	6	2	63	36	46	41	46	46	17	21	20	35	25	20	37	54	59	-	65	49	26
27	(e) Other venereal diseases[8]	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	108	82	160	1,512	2,052	2,052	-	-	1	-	-	2	5	10	2	-	-	-	36	6	76	39	38	43	1	1	3	-	2	2	16	8	15	11	17	13	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report not received.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	11	(10);	Measles	31,352	(27,236);	Meningitis, other	48	(54);	Poliomyelitis, with paralysis	6	(3);	Typhoid fever	11	(17);
Encephalitis, infectious	36	(24);	Meningococcal infections	66	(67);	Poliomyelitis, acute	14	(5);	Poliomyelitis, without paralysis	5	(1);	Undulant fever	8	(17);

The number of deaths from all causes reported by 114 large cities was 11,523 for the week ended March 22, about 5 per cent less than the previous week. There was about a 7 per cent decrease in the number of deaths from influenza and pneumonia, 599 being reported as compared with 642 for the previous week.

*NEWFOUNDLAND reports Mumps (epidemic) at Hickman's Harbour, T.B.

**NEWFOUNDLAND reports Scarlet Fever (epidemic) at Corner Brook and Canning's Cove, B.B.

YUKON TERRITORY: Number of cases four weeks ended March 22: dysentery, bacillary, 1; hepatitis, infectious, 3; influenza, epidemic, 3; measles, 6; tuberculosis, pulmonary, 1; gonorrhoea, 13.

9005-501
2-4-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended March 29, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

DEPT OF HEALTH
APR 14 1958
Vital Stat. Control

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	903	845	1,083	10,268	14,555	15,115	*	..	..	6	..	..	22	6	..	..	..	..	282	182	186	436	304	524	26	23	28	..	..	..	..	..	..	131	330	205	1
2	Diphtheria	1	2	4	18	54	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	2
3	Dysentery:[4]	2	38	22	138	646	333	-	-	-	-	2	-	-	-	-	-	-	-	-	23	-	-	1	1	-	-	-	-	-	1	2	-	-	-	12	7	3
4	(a) Amoebic	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	2	36	22	135	646	329	-	-	-	-	2	-	-	-	-	-	-	-	-	21	-	-	1	1	-	-	-	-	-	1	2	-	-	-	12	7	5
6	Encephalitis, infectious	-	-	-	5	2	4	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	75	146	399	2,430	1,213	3,955	**	..	..	14	117	65	53	15	69	..	..	..	-	-	-	1	9	9	7	5	8	-	-	-	..	..	..	-	-	12	7
8	Measles	665	753	1,749	7,757	24,986	21,672	-	-	2	..	..	..	17	93	..	..	..	..	117	168	379	339	252	531	36	51	70	..	..	..	54	66	291	102	123	161	8
9	Meningitis, meningococcal	4	2	7	81	70	86	-	-	1	-	-	-	-	-	-	3	1	-	-	-	1	1	1	2	-	-	-	-	-	-	..	..	..	-	-	1	9
10	Mumps	444	496	921	4,671	11,122	11,133	..	..	..	..	..	..	72	57	..	..	..	..	129	193	235	166	144	366	26	21	42	..	..	..	..	..	..	51	81	138	10
11	Poliomyelitis, epidemic:[4]	-	-	7	13	20	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	11
12	(a) With paralysis	-	-	3	10	13	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
13	(b) Without paralysis	-	-	2	3	5	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	13
14	Rubella	184	187	907	2,217	8,266	7,380	-	-	-	..	..	..	..	1	..	..	..	..	4	9	26	95	74	229	5	3	3	..	..	..	68	58	44	12	42	14	14
15	Scarlet fever, etc.[5]	192	272	332	3,852	3,266	4,423	10	5	2	2	6	9	28	110	31	-	-	10	23	22	74	86	90	102	10	9	3	6	1	28	20	22	59	7	7	65	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	151	148	169	1,955	2,210	2,240	2	3	3	1	-	1	-	1	2	8	11	14	71	58	61	22	20	23	8	5	9	3	5	5	15	10	14	21	35	19	17
18	(a) Pulmonary	119	111	139	1,537	1,724	1,785	2	3	2	1	-	1	-	1	2	7	10	13	68	52	58	(7)	(7)	(7)	6	3	8	3	3	4	14	10	14	18	29	19	18
19	(b) Non-pulmonary	10	17	5	116	141	141	-	-	-	-	-	-	-	-	-	1	1	-	3	6	2	(7)	(7)	(7)	2	2	-	-	2	-	1	-	-	3	6	1	19
20	Typhoid and paratyphoid	5	9	6	67	72	88	-	-	-	-	-	-	-	-	-	1	-	-	2	7	3	-	2	1	-	-	-	-	-	-	-	-	-	2	-	-	20
21	Undulant fever	1	-	1	13	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	329	244	299	4,239	4,234	4,393	7	8	5	1	-	-	11	-	8	3	7	6	71	83	83	56	48	71	18	17	18	39	44	27	47	37	36	76	(9)	46	22
23	(a) Syphilis, primary	-	1	3	25	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
24	(b) " secondary	1	2	-	14	10	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	24
25	(c) " other	30	33	46	495	546	642	-	-	-	1	-	-	1	-	1	-	-	2	17	19	20	4	5	13	-	-	2	1	9	1	2	-	2	4	-	3	25
26	(d) Gonorrhoea	298	208	253	3,705	3,637	3,637	7	8	5	-	-	-	10	-	8	3	7	3	54	63	65	52	41	55	18	17	18	37	35	23	45	37	34	72	-	40	26
27	(e) Other venereal diseases[8]	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	112	109	157	1,625	2,182	2,270	-	-	-	2	-	3	6	6	7	-	-	-	31	36	68	41	39	26	4	1	3	1	-	2	5	16	12	22	11	31	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report not received.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	11 (11);	Measles	33,202(31,352);	Meningitis, other	38 (48);	Poliomyelitis, with paralysis	7 (6);	Typhoid fever	10 (11);
Encephalitis, infectious	42 (36);	Meningococcal infections	58 (66);	Poliomyelitis, acute	15 (14);	Poliomyelitis, without paralysis	4 (5);	Undulant fever	10 (8);

The poliomyelitis disease year ended with the current week. There was a reduction of 9,287 cases or 62.4 per cent between 1957-58 and 1956-57. The reduction for paralytic cases was 68.7 per cent. The greatest reduction took place during the height of the poliomyelitis season, namely 75.0 per cent. Although there has been a decrease in the total number of paralytic cases there has been in general an increase in the proportion of paralytic to nonparalytic cases reported.

*NEWFOUNDLAND reports Chickenpox (epidemic) at Placentia and Jerseyside, P.B.

**NEWFOUNDLAND reports Influenza (epidemic) at Mount Carmel and St. Mary's, and St. Mary's District.

9005-501
9-4-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended April 5, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

DEPT. OF HEALTH
APR 21 1958
Venereal Disease Control

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	623	906	983	10,894	15,538	15,928	..	..	..	..	6	..	1	25	..	..	..	..	76	282	227	398	436	473	18	26	23	..	..	..	..	..	..	130	131	116	1
2	Diphtheria	-	1	1	18	56	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2
3	Dysentery:[4]	2	2	13	140	650	346	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	1	-	12	3
4	(a) Amoebic	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	2	2	12	137	650	341	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	1	-	12	5
6	Encephalitis, infectious	-	-	1	5	3	6	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	61	79	171	2,495	1,302	4,704	..	..	..	55	14	77	4	57	83	..	..	..	-	-	-	1	3	12	1	7	1	-	-	-	..	..	..	-	-	7	7
8	Measles	494	689	1,408	8,275	26,899	23,347	-	-	4	..	..	..	12	41	..	..	..	..	25	117	245	206	339	529	32	36	59	..	..	..	53	54	196	166	102	144	8
9	Meningitis, meningococcal	7	4	7	88	83	90	1	-	-	-	-	-	-	-	-	3	3	1	-	-	1	2	1	1	-	-	-	-	-	-	..	..	..	1	-	1	9
10	Mumps	272	458	764	4,957	12,039	12,101	..	..	..	..	..	..	12	86	..	..	..	..	48	129	170	141	166	394	24	26	32	..	..	..	..	..	..	47	51	131	10
11	Poliomyelitis, epidemic:[4]	2	-	4	15	24	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	11
12	(a) With paralysis	2	-	3	12	16	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	12
13	(b) Without paralysis	-	-	1	3	6	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	192	184	983	2,409	9,249	8,094	-	-	-	..	..	..	..	..	..	..	..	..	10	4	36	92	95	125	2	5	-	..	..	..	75	68	15	13	12	26	14
15	Scarlet fever, etc.[5]	158	193	324	4,011	3,526	4,961	9	10	-	8	2	12	21	29	32	1	-	3	4	23	66	83	86	83	1	10	4	2	6	9	23	20	31	6	7	24	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,5]	131	151	148	2,086	2,426	2,426	3	2	3	1	1	-	1	-	2	6	8	14	61	71	40	22	22	20	9	8	10	4	3	6	13	15	16	11	21	30	17
18	(a) Pulmonary	100	119	114	1,637	1,905	1,944	3	2	3	-	1	-	1	-	2	5	7	14	59	68	40	(7)	(7)	(7)	8	6	9	2	3	5	13	14	13	9	18	28	18
19	(b) Non-pulmonary	9	10	13	125	151	151	-	-	-	1	-	-	-	-	-	1	1	-	2	3	2	(7)	(7)	(7)	1	2	1	2	-	1	-	1	1	2	3	2	19
20	Typhoid and paratyphoid	3	5	7	71	79	93	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	20
21	Undulant fever	-	1	3	13	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	261	329	329	4,558	4,608	4,650	7	7	13	2	1	-	2	11	12	6	3	6	55	71	90	43	56	58	23	18	27	21	39	27	34	47	49	68	76	55	22
23	(a) Syphilis, primary	1	-	2	26	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
24	(b) " secondary	1	1	-	15	10	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	24
25	(c) " other	50	30	44	547	584	683	-	-	3	1	1	-	-	1	1	-	-	1	24	17	18	9	4	9	3	-	1	1	1	1	3	2	1	9	4	4	25
26	(d) Gonorrhoea	209	298	275	3,970	3,971	3,923	7	7	12	1	-	-	2	10	9	6	3	4	31	54	62	34	52	44	19	18	26	20	37	24	31	45	48	58	72	49	26
27	(e) Other venereal diseases[8]	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	81	112	171	1,706	2,278	2,453	-	-	-	8	2	2	4	6	1	-	-	-	12	31	45	21	41	17	-	4	5	-	1	2	3	5	7	33	22	31	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	15 (11);	Measles	34,830 (33,202);	Meningitis, other	36 (38);	Poliomyelitis, with paralysis	10 (7);	Typhoid fever	10 (10);
Encephalitis, infectious	29 (42);	Meningococcal infections	64 (58);	Poliomyelitis, acute	18 (15);	Poliomyelitis, without paralysis	4 (4);	Undulant fever	9 (10).

The number of deaths from all causes and from influenza and pneumonia in large cities continues to decrease. The numbers were 11,072 and 494, respectively, for the week ended April 6, as compared with 11,635 and 518 for the previous week. Influenza and pneumonia deaths continue to exceed the expected number.

DEPT. OF HEALTH
APR 21 1958
Venereal Disease Control

9005-501
16-4-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended April 12, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	608	623	873	11,502	16,433	16,776	..	..	..	..	..	..	9	1	..	..	..	..	143	76	191	312	398	421	15	18	17	..	..	..	..	..	..	129	130	125	1
2	Diphtheria	-	-	1	18	57	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	3	2	12	143	659	358	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	3
4	(a) Amoebic	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	3	2	12	140	659	353	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	5
6	Encephalitis, infectious	-	-	-	5	3	6	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	228	61	283	2,725	1,442	5,224	*	..	..	83	55	49	142	4	66	..	..	..	-	-	-	2	1	10	1	1	5	-	-	-	..	..	..	-	-	31	7
8	Measles	695	548	1,481	9,024	28,424	24,836	-	-	11	..	..	..	119	66	..	..	..	..	166	25	315	251	206	536	28	32	63	..	..	..	37	53	245	94	166	208	8
9	Meningitis, meningococcal	11	7	5	99	88	98	7	1	-	-	-	-	-	-	-	1	3	-	1	-	-	1	2	2	1	-	-	-	-	-	..	..	..	-	1	1	9
10	Mumps	242	283	852	5,210	12,677	12,756	..	..	..	..	..	..	21	23	..	..	..	..	61	48	209	110	141	339	16	24	33	..	..	..	..	..	..	34	47	131	10
11	Poliomyelitis, epidemic:[4]	-	2	3	15	27	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	11
12	(a) With paralysis	-	2	2	12	18	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	12
13	(b) Without paralysis	-	-	1	3	7	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	172	192	660	2,581	9,909	8,822	-	-	-	..	..	..	..	..	..	..	..	..	49	10	11	37	92	97	46	2	3	..	..	..	29	75	26	11	13	18	14
15	Scarlet fever, etc.[5]	144	186	292	4,183	3,725	5,253	12	9	1	5	8	9	24	49	24	-	1	1	13	4	71	55	83	84	1	1	4	-	2	23	32	23	23	2	6	26	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	127	131	213	2,213	2,648	2,648	5	3	4	1	1	1	-	1	2	6	6	12	60	61	89	20	22	28	15	9	9	3	4	5	6	13	28	11	11	26	17
18	(a) Pulmonary	96	100	169	1,733	2,083	2,119	5	3	4	-	-	1	-	1	2	6	5	12	55	59	88	(7)	(7)	(7)	10	8	8	3	2	4	6	13	26	11	9	25	18
19	(b) Non-pulmonary	11	9	9	136	161	161	-	-	-	1	1	-	-	-	-	-	1	-	5	2	2	(7)	(7)	(7)	5	1	1	-	2	1	-	-	1	-	2	2	19
20	Typhoid and paratyphoid	6	3	6	77	83	95	-	-	-	-	-	-	-	-	-	-	-	-	6	2	3	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	20
21	Undulant fever	2	-	-	15	28	28	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	307	261	292	4,865	4,896	4,974	16	7	8	-	2	1	-	2	8	5	6	3	68	55	69	52	43	49	18	23	17	39	21	16	57	34	48	52	68	54	22
23	(a) Syphilis, primary	1	1	3	27	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	23
24	(b) " secondary	-	1	1	15	10	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	24
25	(c) " other	30	50	41	577	619	717	-	-	1	-	1	-	-	-	1	-	-	1	20	24	20	6	9	12	-	3	1	3	1	1	-	3	1	1	9	5	25
26	(d) Gonorrhoea	274	209	244	4,244	4,221	4,206	16	7	5	-	1	1	-	2	6	5	6	2	48	31	53	46	34	44	17	19	14	35	20	14	57	31	47	50	58	50	26
27	(e) Other venereal diseases[8]	2	-	-	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	27
28	Whooping cough	58	81	134	1,764	2,346	2,621	-	-	-	6	8	-	7	4	6	-	-	1	8	12	57	15	21	24	-	-	3	2	-	2	1	3	10	14	33	110	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	7	(	15	);	Measles	36,392	84,830	);	Meningitis, other	30	(	36	);	Poliomyelitis, with paralysis	9	(	10	);	Typhoid fever	15	(	10	);															
Encephalitis, infectious	31	(	29	);	Meningococcal infections	57	(	64	);	Poliomyelitis, acute	17	(	18	);	Poliomyelitis, without paralysis	4	(	4	);	Undulant fever	18	(	9	);															

A slight increase in deaths from all causes and from influenza and pneumonia in large cities was reported for the current week. This may have been due in part to an earlier cut-off time for the reports of the previous week because of Good Friday. The number of deaths from all causes was 11,756, and for influenza and pneumonia, it was 516.

*NEWFOUNDLAND reports Influenza (epidemic) at Princeton, Southern Bay and Bonavista Bay.

APR 28 1958
Venereal Disease Control

9005-501
23-4-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended April 19, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] Report Week	Previous Week	Median 1953-57	Cumulative Total[3] 1958	1957	Median 1953-57	NFLD. Report Week	Previous Week	Median 1953-57	P.E.I. Report Week	Previous Week	Median 1953-57	N.S. Report Week	Previous Week	Median 1953-57	N.B. Report Week	Previous Week	Median 1953-57	QUE. Report Week	Previous Week	Median 1953-57	ONT. Report Week	Previous Week	Median 1953-57	MAN. Report Week	Previous Week	Median 1953-57	SASK. Report Week	Previous Week	Median 1953-57	ALTA. Report Week	Previous Week	Median 1953-57	B.C. Report Week	Previous Week	Median 1953-57	No.
1	Chickenpox	873	608	885	12,375	17,437	17,661	..	..	..	..	..	..	36	9	24	..	..	..	192	143	178	457	312	401	12	15	15	..	..	..	..	..	..	176	129	189	1
2	Diphtheria	2	-	3	20	57	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2
3	Dysentery:[4]	7	3	23	150	682	390	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	2	-	4	-	-	-	-	-	-	-	-	-	1	1	9	3
4	(a) Amoebic	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4
5	(b) Bacillary	6	3	23	146	682	385	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	2	-	4	-	-	-	-	-	-	-	-	-	-	1	9	5
6	Encephalitis, infectious	-	-	1	5	5	6	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	147	228	315	2,872	1,576	6,013	..	..	..	39	83	165	82	142	55	..	..	..	-	-	-	11	2	12	8	1	1	-	-	-	..	..	..	7	-	58	7
8	Measles	935	695	1,489	9,959	29,928	26,456	-	-	6	..	..	..	76	119	44	..	..	..	240	166	235	421	251	569	28	28	44	..	..	..	55	37	225	115	94	179	8
9	Meningitis, meningococcal	8	11	5	107	93	107	2	7	1	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	1	1	-	-	-	-	..	..	..	3	-	1	9
10	Mumps	395	242	727	5,605	13,297	13,556	..	..	..	..	..	..	9	21	33	..	..	..	135	61	189	147	110	348	71	16	31	..	..	..	..	..	..	33	34	131	10
11	Poliomyelitis, epidemic:[4]	-	-	4	15	29	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	11
12	(a) With paralysis	-	-	2	12	19	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12
13	(b) Without paralysis	-	-	1	3	8	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	304	172	691	2,885	10,600	9,612	-	-	-	..	..	..	4	..	..	..	..	..	10	49	32	115	37	73	7	46	1	..	..	..	154	29	27	14	11	35	14
15	Scarlet fever, etc.[5]	193	144	348	4,376	3,976	5,601	11	12	3	7	5	6	43	24	24	-	-	-	9	13	78	81	55	114	2	1	2	2	-	17	31	32	19	7	2	20	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	150	127	195	2,363	2,853	2,853	-	5	9	-	1	-	1	-	3	11	6	7	86	60	88	16	20	30	8	15	13	1	3	4	4	6	17	23	11	35	17
18	(a) Pulmonary	121	96	174	1,854	2,246	2,257	-	5	9	-	-	-	1	-	2	11	6	7	80	55	85	(7)	(7)	(7)	8	10	13	-	3	4	4	6	17	17	11	29	18
19	(b) Non-pulmonary	13	11	6	149	179	175	-	-	-	-	1	-	-	-	1	-	-	-	6	5	2	(7)	(7)	(7)	-	5	-	1	-	1	-	-	-	6	-	5	19
20	Typhoid and paratyphoid	11	6	8	88	89	107	-	-	-	-	-	-	-	-	-	-	-	-	10	6	6	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	20
21	Undulant fever	1	2	2	16	30	30	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	286	307	323	5,151	5,171	5,259	2	16	8	-	-	1	13	-	7	2	5	5	41	68	79	50	52	54	24	18	27	31	39	21	47	57	56	76	52	36	22
23	(a) Syphilis, primary	6	1	3	33	46	46	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	3	-	1	1	1	-	23
24	(b) " secondary	1	-	2	16	12	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	24
25	(c) " other	46	30	36	623	661	756	-	-	-	-	-	-	1	-	-	1	-	1	9	20	13	9	6	12	-	-	-	3	3	2	18	-	1	5	1	2	25
26	(d) Gonorrhoea	233	274	283	4,477	4,450	4,450	2	16	8	-	-	1	12	-	7	1	5	3	31	48	59	41	46	39	24	17	24	26	35	18	26	57	53	70	50	30	26
27	(e) Other venereal diseases[8]	-	2	-	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	27
28	Whooping cough	129	58	126	1,893	2,426	2,747	-	-	-	-	6	2	5	7	3	-	-	-	14	8	46	42	15	17	20	-	3	-	2	4	7	1	7	41	19	18	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	14	(7);	Measles	36,869	(36,392);	Meningitis, other	32	(30);	Poliomyelitis, with paralysis	5	(9);	Typhoid fever	16	(15);					
Encephalitis, infectious	31	(31);	Meningococcal infections	47	(57);	Poliomyelitis, acute	12	(17);	Poliomyelitis, without paralysis	2	(4);	Undulant fever	17	(18);					

Measles is being reported in larger numbers this year than last. Many of the states reporting increased numbers are those with large populations. A few states have also reported an increase in German measles. The cumulative total of meningococcal infections since January 1 is about 13 per cent in excess of that for last year. The cases have been widely distributed through all parts of the country.

YUKON TERRITORY: Number of cases four weeks ended April 19: measles, 1; gonorrhoea, 11; other venereal diseases (chancroid), 1.

DEPT. OF HEALTH
MAY 5 1958
Control

9005-501
30-4-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended April 26, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

DEPT. OF HEALTH
MAY 9 1958
CIRCULATION

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	768	879	758	13,149	18,195	18,532	..	..	..	..	..	..	30	42	38	..	..	..	110	192	170	422	457	392	37	12	8	..	..	..	..	..	..	169	176	87	1
2	Diphtheria	1	2	2	21	60	45	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2
3	Dysentery:[4]	9	7	14	159	718	404	-	-	-	1	-	-	-	-	-	2	-	-	-	4	-	1	2	-	-	-	-	-	-	1	1	-	-	4	1	12	3
4	(a) Amoebic	-	1	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4
5	(b) Bacillary	9	6	14	155	718	399	-	-	-	1	-	-	-	-	-	2	-	-	-	4	-	1	2	-	-	-	-	-	-	1	1	-	-	4	-	12	5
6	Encephalitis, infectious	1	-	-	6	5	6	1	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	111	158	143	2,994	1,682	6,402	..	..	..	65	39	37	26	82	57	..	..	..	-	-	-	-	22	12	2	8	6	-	-	-	..	..	..	18	7	4	7
8	Measles	1,068	991	1,599	11,083	31,583	27,881	-	-	8	..	..	..	60	132	30	..	..	..	210	240	316	365	421	554	305	28	27	..	..	..	41	55	226	87	115	216	8
9	Meningitis, meningococcal	4	8	7	111	100	110	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	1	-	-	-	-	..	..	..	1	3	1	9
10	Mumps	364	401	765	5,975	13,813	14,192	..	..	..	..	..	..	2	15	16	..	..	..	106	135	191	169	147	380	13	71	17	..	..	..	..	..	..	74	33	83	10
11	Poliomyelitis, epidemic:[4]	-	-	3	16	31	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	11
12	(a) With paralysis	-	-	1	13	20	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
13	(b) Without paralysis	-	-	1	3	9	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	13
14	Rubella	214	304	392	3,099	10,945	10,589	-	-	-	..	..	..	..	4	..	..	..	..	8	10	16	124	115	112	4	7	1	..	..	..	46	154	11	32	14	33	14
15	Scarlet fever, etc.[5] *	199	226	307	4,608	4,103	5,908	10	11	2	9	7	7	37	75	21	1	-	-	9	9	69	107	82	63	4	2	4	-	2	9	20	31	12	2	7	21	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	128	150	153	2,515	2,982	3,015	5	-	6	3	-	1	1	1	2	11	11	14	52	86	35	13	16	21	5	8	13	2	1	11	13	4	18	18	23	22	17
18	(a) Pulmonary	107	121	123	1,983	2,347	2,445	5	-	6	3	-	1	1	1	2	11	11	14	48	80	34	(7)	(7)	(7)	5	8	12	1	-	8	15	4	18	18	17	20	18
19	(b) Non-pulmonary	8	13	9	159	187	187	-	-	-	-	-	-	-	-	-	-	-	-	4	6	1	(7)	(7)	(7)	-	-	-	1	1	3	3	-	-	-	6	4	19
20	Typhoid and paratyphoid	4	11	5	92	96	112	-	-	-	-	-	-	-	-	-	-	-	-	3	10	2	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	20
21	Undulant fever	-	1	2	16	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	323	286	302	5,473	5,478	5,600	13	2	8	-	-	-	2	13	6	9	2	3	81	41	80	48	50	69	34	24	27	20	31	19	33	47	51	83	76	63	22
23	(a) Syphilis, primary	4	6	1	37	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	-	3	-	1	1	-	23
24	(b) " secondary	1	1	2	17	13	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	24
25	(c) " other	29	46	39	652	698	798	-	-	-	-	-	-	-	1	-	3	1	1	8	9	19	8	9	11	2	-	2	1	3	2	1	18	1	6	5	3	25
26	(d) Gonorrhoea	289	233	256	4,766	4,716	4,716	13	2	8	-	-	-	2	12	4	6	1	1	73	31	60	36	41	52	32	24	23	19	26	17	32	26	48	76	70	56	26
27	(e) Other venereal diseases[8]	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	90	129	195	1,983	2,489	2,953	-	-	-	8	-	5	3	5	18	-	-	-	16	14	59	26	42	32	1	20	5	2	-	2	13	7	12	21	41	9	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	11 (14);	Measles	40,004 (36,869);	Meningitis, other	46 (32);	Poliomyelitis, with paralysis	6 (5);	Typhoid fever	14 (16);
Encephalitis, infectious	40 (31);	Meningococcal infections	48 (47);	Poliomyelitis, acute	14 (12);	Poliomyelitis, without paralysis	5 (2);	Undulant fever	16 (17);

The number of poliomyelitis cases reported for the first 4 weeks of the 1958-59 disease year which began about April 1 is almost 60 per cent lower than the number for the same period last year. The number of paralytic cases is about one half of that for last year. Poliomyelitis cases have been reported more frequently in the southern part of the country, which is to be expected at this time of year.

*NEWFOUNDLAND reports Streptococcal sore throat (epidemic) at Lewisporte and Norris Arm, Gander District.

9005-501
7-5-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended May 3, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	780	768	998	13,929	19,532	19,532	..	..	..	..	..	..	46	30	26	..	..	..	52	110	176	503	422	435	12	37	24	..	..	..	..	..	..	167	169	136	1
2	Diphtheria	1	1	2	22	61	47	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2
3	Dysentery:[4]	7	9	23	166	741	431	-	-	-	-	1	-	-	-	-	-	2	-	1	-	2	2	1	2	4	-	-	-	-	-	-	1	-	-	4	10	3
4	(a) Amoebic	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	7	9	23	162	741	426	-	-	-	-	1	-	-	-	-	-	2	-	1	-	2	2	1	2	4	-	-	-	-	-	-	1	-	-	4	10	5
6	Encephalitis, infectious	1	1	-	7	6	6	-	1	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6
7	Influenza, epidemic	90	111	165	3,084	1,831	6,567	..	..	..	49	65	78	25	26	81	..	..	..	-	-	-	4	-	4	7	2	3	-	-	-	..	..	..	5	18	13	7
8	Measles	819	1,086	1,425	11,920	33,197	29,350	-	-	-	..	..	..	65	78	23	..	..	..	120	210	379	428	365	539	31	305	35	..	..	..	101	41	212	74	87	221	8
9	Meningitis, meningococcal	6	4	5	117	105	116	-	1	1	-	-	-	-	-	-	3	-	-	-	-	-	-	2	1	3	-	-	-	-	-	..	..	..	-	1	1	9
10	Mumps	326	369	791	6,306	14,537	14,902	..	..	..	..	..	..	16	7	25	..	..	..	26	106	189	180	169	345	20	13	29	..	..	..	..	..	..	84	74	122	10
11	Poliomyelitis, epidemic:[4]	1	-	3	17	32	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	11
12	(a) With paralysis	1	-	1	14	21	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	12
13	(b) Without paralysis	-	-	1	3	9	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	13
14	Rubella	267	214	744	3,366	11,689	11,268	-	-	-	..	..	..	..	..	..	..	..	..	5	8	31	120	124	117	44	4	-	..	..	..	74	46	32	24	32	30	14
15	Scarlet fever, etc.[5]	183	206	272	4,798	4,319	6,180	20	10	5	4	9	12	31	44	32	-	1	3	9	9	61	79	107	84	1	4	7	-	-	9	22	20	12	17	2	19	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	159	128	206	2,674	3,138	3,151	3	5	4	1	3	1	-	1	1	13	11	10	86	52	69	21	13	30	11	5	14	14	2	4	1	18	14	9	18	23	17
18	(a) Pulmonary	124	107	146	2,107	2,456	2,556	3	5	4	1	3	1	-	1	1	12	11	10	82	48	69	(7)	(7)	(7)	7	5	13	12	1	2	1	15	13	6	18	21	18
19	(b) Non-pulmonary	14	8	11	173	198	188	-	-	-	-	-	-	-	-	-	1	-	-	4	4	3	(7)	(7)	(7)	4	-	-	2	1	2	-	3	1	3	-	4	19
20	Typhoid and paratyphoid	10	4	10	102	104	122	-	-	-	-	-	-	-	-	-	-	-	-	9	3	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	20
21	Undulant fever	3	-	5	19	40	40	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	-	-	1	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	276	323	341	5,750	5,767	5,935	11	13	9	-	-	1	-	2	8	4	9	3	63	81	103	43	48	52	23	34	31	16	20	22	63	33	46	53	83	72	22
23	(a) Syphilis, primary	-	4	4	37	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	1	-	23
24	(b) " secondary	1	1	1	18	17	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	24
25	(c) " other	30	29	51	682	749	839	-	-	2	-	-	-	-	-	3	-	3	1	14	8	23	7	8	13	4	2	1	-	1	1	3	1	3	2	6	7	25
26	(d) Gonorrhoea	245	289	259	5,012	4,946	4,946	11	13	7	-	-	1	-	2	6	4	6	2	49	73	64	36	36	39	19	32	28	16	19	16	59	32	40	51	76	63	26
27	(e) Other venereal diseases[8]	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	89	90	197	2,072	2,619	3,168	-	-	-	-	8	4	1	3	5	-	-	-	10	16	70	38	26	30	-	1	3	3	2	3	10	13	14	27	21	24	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 15 (11); Measles 41,804 (40,004); Meningitis, other 39 (46); Poliomyelitis, with paralysis 7 (6); Typhoid fever 16 (14);
Encephalitis, infectious 30 (40); Meningococcal infections 43 (48); Poliomyelitis, acute 19 (14); Poliomyelitis, without paralysis 8 (5); Undulant fever 18 (16);

No significant changes were observed for the current week.

DEPT. OF NATIONAL HEALTH AND WELFARE
MAY 15 1958
Venereal Disease Control

9005-501
14-5-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended May 10, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week (9)	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	642	801	927	14,592	20,532	20,532	..	..	..	2	..	..	8	67	38	..	..	..	81	52	147	388	503	408	28	12	24	..	..	..	..	..	..	135	167	128	1
2	Diphtheria	1	1	2	23	64	50	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	10	7	12	176	753	461	-	-	-	6	-	-	-	-	-	-	-	-	3	1	-	-	2	2	-	4	-	-	-	-	-	-	-	1	-	5	3
4	(a) Amoebic	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	10	7	12	172	753	456	-	-	-	6	-	-	-	-	-	-	-	-	3	1	-	-	2	2	-	4	-	-	-	-	-	-	-	1	-	5	5
6	Encephalitis, infectious	1	1	1	8	7	7	1	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6
7	Influenza, epidemic	157	96	188	3,247	1,942	6,755	..	..	..	62	49	63	61	31	69	..	..	..	-	-	-	-	4	4	7	7	2	-	-	-	..	..	..	27	5	20	7
8	Measles	1,026	939	1,389	13,066	34,453	30,853	-	-	2	..	..	..	95	185	27	..	..	..	196	120	256	451	428	501	214	31	47	..	..	..	-	101	-	70	74	212	8
9	Meningitis, meningococcal	7	6	7	124	110	124	2	-	1	-	-	-	-	-	-	-	3	1	4	-	1	-	-	1	1	3	-	-	-	1	..	..	..	-	-	-	9
10	Mumps	374	340	676	6,694	15,134	15,629	..	..	..	..	..	..	26	30	21	..	..	..	126	26	145	143	180	337	38	20	19	..	..	..	..	..	..	41	84	116	10
11	Poliomyelitis, epidemic:[4]	-	1	2	18	33	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	11
12	(a) With paralysis	-	1	1	15	21	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	12
13	(b) Without paralysis	-	-	-	3	10	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	275	267	597	3,641	12,275	12,197	-	-	-	..	..	..	2	..	..	..	..	..	9	5	18	200	120	255	41	44	1	..	..	..	-	74	17	23	24	62	14
15	Scarlet fever, etc.[5]	148	191	291	4,954	4,470	6,471	14	20	8	7	4	9	16	39	26	-	-	1	7	9	57	90	79	66	2	1	6	1	-	5	-	22	21	11	17	13	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	180	159	202	2,854	3,307	3,314	9	3	5	2	1	1	2	-	2	10	13	17	85	86	63	34	21	26	14	11	15	18	14	12	-	1	19	6	9	27	17
18	(a) Pulmonary	135	124	162	2,242	2,591	2,686	9	3	5	2	1	1	2	-	2	10	12	17	83	82	63	(7)	(7)	(7)	13	7	14	14	12	8	-	1	18	2	6	24	18
19	(b) Non-pulmonary	11	14	9	184	208	208	-	-	-	-	-	-	-	-	-	-	1	-	2	4	1	(7)	(7)	(7)	1	4	1	4	2	3	-	-	2	4	3	3	19
20	Typhoid and paratyphoid	10	10	6	112	109	127	-	-	-	-	-	-	-	-	-	-	-	-	9	9	4	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	20
21	Undulant fever	6	2	2	25	43	41	-	-	-	-	-	-	-	-	-	-	-	-	6	-	1	-	1	-	-	1	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	218	276	309	5,968	6,056	6,213	10	11	9	-	-	1	9	-	4	7	4	4	41	63	80	35	43	45	10	23	25	32	16	21	-	63	58	74	53	73	22
23	(a) Syphilis, primary	1	-	4	38	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	23
24	(b) " secondary	1	1	2	19	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	24
25	(c) " other	19	30	44	701	793	873	-	-	1	-	-	-	-	-	-	-	-	2	8	14	18	2	7	13	-	4	3	1	-	1	-	3	4	8	2	6	25
26	(d) Gonorrhoea	197	245	249	5,209	5,185	5,185	10	11	8	-	-	1	9	-	4	7	4	2	33	49	46	33	36	37	10	19	22	30	16	20	-	59	54	65	51	67	26
27	(e) Other venereal diseases[8]	-	-	-	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	130	89	164	2,202	2,693	3,332	-	-	-	28	-	10	4	1	4	-	[illegible]	[illegible]	[illegible]	40	57	37	38	25	10	-	2	1	3	2	-	10	19	35	27	25	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report not received.

DEPT. OF HEALTH
MAY 26 1958
Venereal Disease
Control

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	5	(15);	Measles	42,754	(41,804);	Meningitis, other	28	(39);	Poliomyelitis, with paralysis	7	(7);	Typhoid fever	17	(16);
Encephalitis, infectious	42	(30);	Meningococcal infections	60	(43);	Poliomyelitis, acute	19	(19);	Poliomyelitis, without paralysis	8	(8);	Undulant fever	21	(18);

It is possible that measles may have reached its peak in the week ended May 3. The number of cases reported during the current week is 42,754 as compared with 41,864 for the week ended May 3. The total for the current week includes 2,608 delayed cases from the state of Iowa.

9005-501
21-5-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended May 17, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	538	644	775	15,138	21,307	21,307	*	..	..	..	2	..	11	10	18	..	..	..	97	81	157	321	388	420	9	28	15	..	..	..	..	..	..	100	135	142	1
2	Diphtheria	1	1	-	24	64	50	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	4	12	11	182	763	473	-	-	-	-	6	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	-	-	-	2	-	3	1	10	3
4	(a) Amoebic	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	4	12	11	178	763	468	-	-	-	-	6	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	-	-	-	2	-	3	1	10	5
6	Encephalitis, infectious	-	1	-	8	7	7	-	1	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	138	181	156	3,409	2,036	6,911	..	..	..	37	62	94	34	76	36	..	..	..	-	-	-	-	9	2	5	7	7	-	-	-	..	..	..	62	27	1	7
8	Measles	773	1,126	1,490	13,939	35,637	32,460	**	-	-	..	..	..	6	122	18	..	..	..	146	196	319	502	451	597	40	214	48	..	..	..	44	73	250	35	70	228	8
9	Meningitis, meningococcal	2	7	8	126	121	127	-	2	-	-	-	-	-	-	-	1	-	2	-	4	-	1	-	3	-	1	1	-	-	-	..	..	..	-	-	1	9
10	Mumps	267	377	701	6,964	15,732	16,278	***	..	..	..	..	..	28	29	57	..	..	..	42	126	143	150	143	286	27	38	25	..	..	..	..	..	..	20	41	101	10
11	Poliomyelitis, epidemic:[4]	1	-	5	19	35	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	11
12	(a) With paralysis	1	-	3	16	22	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	12
13	(b) Without paralysis	-	-	1	3	11	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	450	345	457	4,161	12,651	12,651	-	-	-	..	..	..	..	3	..	..	..	..	10	9	22	160	200	115	214	41	2	..	..	..	43	69	20	23	23	37	14
15	Scarlet fever, etc.[5] ****	199	196	321	5,201	4,632	6,802	12	14	2	14	7	4	28	34	31	-	-	6	18	7	58	80	90	97	7	2	10	2	1	10	30	30	14	8	11	14	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	141	190	199	3,005	3,515	3,521	6	9	5	1	2	2	-	2	3	10	10	12	43	85	97	21	34	24	16	14	16	9	18	7	20	10	16	15	6	30	17
18	(a) Pulmonary	107	145	173	2,359	2,768	2,833	6	9	5	-	2	1	-	2	2	10	10	12	42	83	91	(7)	(7)	(7)	15	13	16	7	14	6	15	10	15	12	2	28	18
19	(b) Non-pulmonary	13	11	14	197	219	219	-	-	-	1	-	1	-	-	-	-	-	-	1	2	2	(7)	(7)	(7)	1	1	-	2	4	2	5	-	1	3	4	5	19
20	Typhoid and paratyphoid	3	10	4	115	111	133	-	-	-	-	-	-	-	-	-	-	-	-	2	9	2	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	20
21	Undulant fever	1	6	2	26	44	43	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	1	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	280	278	305	6,326	6,374	6,507	15	13	9	-	-	-	7	9	5	7	7	4	46	41	71	48	35	64	38	10	19	22	32	25	44	57	55	53	74	44	22
23	(a) Syphilis, primary	2	1	3	40	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	23
24	(b) " secondary	3	2	1	23	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-	24
25	(c) " other	32	19	44	733	842	914	-	-	-	-	-	-	1	-	-	-	-	-	10	8	22	8	2	13	1	-	-	2	1	1	5	-	5	5	8	2	25
26	(d) Gonorrhoea	213	256	248	5,529	5,446	5,446	15	13	8	-	-	-	6	9	5	7	7	3	36	33	48	39	33	49	37	10	19	19	30	22	37	56	48	47	65	43	26
27	(e) Other venereal diseases[8]	-	-	-	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	145	180	149	2,397	2,828	3,481	-	-	-	1	28	2	20	4	7	-	-	-	38	15	50	27	37	22	-	10	3	-	1	10	4	50	12	55	35	19	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses)

Diphtheria	11	(	5	);	Measles	36,053	(42,754	);	Meningitis, other	33	(	28	);	Poliomyelitis, with paralysis	14	(	7	);	Typhoid fever	17	(	17	);														
Encephalitis, infectious	28	(	42	);	Meningococcal infections	36	(	60	);	Poliomyelitis, acute	26	(	19	);	Poliomyelitis, without paralysis	4	(	8	);	Undulant fever	16	(	21	);													

No significant changes were observed for the current week.

* NEWFOUNDLAND reports Chickenpox (epidemic) at Seal Cove, C.B. and Trinity East, T. B.

** NEWFOUNDLAND reports Measles (epidemic) at Winterbrook, B.B.

*** NEWFOUNDLAND reports Mumps (epidemic) at Fox Harbour, P.B.

**** NEWFOUNDLAND reports Scarlet fever (epidemic) at Lethbridge, B.B.

YUKON TERRITORY: Number of cases four weeks ended May 17: influenza, 5; measles, 3; rubella, 4; hepatitis, infectious, 3; gonorrhoea, 14.

DEPT. OF HEALTH
JUN 2 - 1958
Venereal Disease Control

9005-501
28-5-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended May 24, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

DEPT. OF HEALTH
JUN 9 - 1958

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	539	543	769	15,676	22,076	22,076	*	..	..	1	..	..	2	16	24	..	..	..	77	97	163	346	321	386	23	9	25	..	..	..	..	..	..	90	100	134	1
2	Diphtheria	4	1	1	28	66	50	-	-	-	-	-	-	-	-	-	-	1	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	4	4	10	186	770	491	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	3	3	6	3
4	(a) Amoebic	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	4	4	10	182	770	486	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	3	3	6	5
6	Encephalitis, infectious	-	-	-	8	7	8	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	260	162	160	3,693	2,196	7,072	..	..	..	68	37	50	25	53	76	..	..	..	-	-	-	-	5	4	2	5	1	-	-	-	..	..	..	165	62	3	7
8	Measles	1,065	848	1,574	15,079	36,913	33,945	-	-	4	..	..	..	17	81	21	..	..	..	287	146	332	579	502	657	47	40	52	..	..	..	72	44	219	63	35	181	8
9	Meningitis, meningococcal	5	2	6	131	130	136	1	-	1	-	-	-	-	-	1	-	1	-	2	-	1	1	1	-	1	-	-	-	-	-	..	..	..	-	-	-	9
10	Mumps	317	271	570	7,285	16,302	16,919	..	..	..	..	..	..	1	32	28	..	..	..	93	42	143	127	150	262	21	27	17	..	..	..	..	..	..	75	20	79	10
11	Poliomyelitis, epidemic:[4]	-	1	4	19	39	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	11
12	(a) With paralysis	-	1	2	16	24	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	12
13	(b) Without paralysis	-	-	1	3	13	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	281	450	419	4,442	13,070	13,070	-	-	-	..	..	..	..	..	..	..	..	..	9	10	24	184	160	124	3	214	1	..	..	..	69	43	94	16	23	44	14
15	Scarlet fever, etc.[5]	127	204	259	5,333	4,779	7,061	8	12	2	11	14	9	5	33	18	1	-	3	12	18	77	63	80	72	1	7	1	2	2	2	21	30	9	3	8	18	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	127	141	185	3,132	3,691	3,708	15	6	9	2	1	2	-	-	4	19	10	5	36	43	77	19	21	32	5	16	8	-	9	8	9	20	19	22	15	18	17
18	(a) Pulmonary	86	107	140	2,445	2,909	3,003	15	6	9	1	-	2	-	-	4	11	10	5	35	42	70	(7)	(7)	(7)	5	15	8	-	7	6	5	15	17	14	12	18	18
19	(b) Non-pulmonary	22	13	12	219	231	231	-	-	-	1	1	-	-	-	-	8	-	-	1	1	3	(7)	(7)	(7)	-	1	-	-	2	2	4	5	3	8	3	1	19
20	Typhoid and paratyphoid	4	3	5	119	115	154	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	20
21	Undulant fever	7	1	3	33	52	45	-	-	-	-	-	-	-	-	-	-	-	-	7	-	1	-	1	2	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	312	280	276	6,638	6,712	6,823	13	15	5	-	-	1	7	7	7	3	7	8	81	46	61	56	48	50	23	38	24	35	22	21	39	44	48	55	53	59	22
23	(a) Syphilis, primary	-	2	1	40	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	23
24	(b) " secondary	-	3	-	23	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	24
25	(c) " other	36	32	40	769	881	953	-	-	1	-	-	-	1	1	1	-	-	1	18	10	16	7	8	9	1	1	1	1	2	1	3	5	1	5	5	4	25
26	(d) Gonorrhoea	276	243	232	5,805	5,745	5,745	13	15	5	-	-	1	6	6	5	3	7	6	63	36	47	49	39	41	22	37	24	34	19	20	36	37	45	50	47	55	26
27	(e) Other venereal diseases[8]	-	-	-	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	132	145	147	2,529	2,952	3,563	-	-	-	15	1	-	7	20	3	-	-	1	30	38	35	41	27	35	2	-	2	-	-	3	3	4	11	34	55	15	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 11 (11); Measles 36,987 (36,053); Meningitis, other 34 (33); Poliomyelitis, with paralysis 14 (14); Typhoid fever 22 (7);
Encephalitis, infectious 35 (28); Meningococcal infections 45 (36); Poliomyelitis, acute 33 (26); Poliomyelitis, without paralysis 13 (4); Undulant fever 21 (16);

A total of 33 cases of paralytic poliomyelitis has been reported so far this year as compared with only 4 last year. There has been a total of 3 cases of nonparalytic poliomyelitis since January 1, 1958.

* NEWFOUNDLAND reports Chickenpox (epidemic) at Bloomfield, B.B. and Cavendish, T.B.

9005-501
4-6-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended May 31, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	661	539	750	16,337	22,832	22,832	*	..	..	..	1	..	-	2	29	..	..	..	111	77	124	388	346	416	22	23	24	..	..	..	..	..	..	140	90	134	1
2	Diphtheria	1	4	-	29	67	51	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	6	4	15	192	785	501	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	3	-	1	2	3	4	3
4	(a) Amoebic	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	6	4	15	188	785	496	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	3	-	-	2	3	4	5
6	Encephalitis, infectious	-	-	1	8	7	9	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	68	340	177	3,841	2,378	7,249	..	..	..	56	68	89	1	102	55	..	..	..	-	-	-	-	3	4	4	2	6	-	-	-	..	..	..	7	165	-	7
8	Measles	1,095	1,101	1,285	16,210	38,174	35,204	**	-	2	..	..	..	1	53	18	..	..	..	196	287	352	702	579	560	60	47	24	..	..	..	70	72	232	66	63	214	8
9	Meningitis, meningococcal	5	5	9	136	139	140	2	1	1	-	-	-	-	-	-	1	-	-	-	2	-	1	1	1	1	1	1	-	-	-	..	..	..	-	-	-	9
10	Mumps	312	328	629	7,608	16,805	17,575	..	..	..	..	..	..	4	12	27	..	..	..	106	93	131	157	127	297	28	21	20	..	..	..	..	..	..	17	75	91	10
11	Poliomyelitis, epidemic:[4]	9	-	8	28	40	105	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	5	-	4	11
12	(a) With paralysis	6	-	6	22	25	63	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	4	-	3	12
13	(b) Without paralysis	3	-	2	6	13	32	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	13
14	Rubella	306	281	460	4,748	13,530	13,530	-	-	-	..	..	..	..	..	..	..	..	..	6	9	21	244	184	93	2	3	1	..	..	..	38	69	25	16	16	60	14
15	Scarlet fever, etc.[5]	150	132	240	5,488	4,937	7,301	23	8	1	11	11	6	10	10	20	-	1	1	7	12	30	60	63	72	11	1	2	-	2	5	18	21	9	10	3	8	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	134	127	189	3,266	3,890	3,907	7	15	6	1	2	-	1	-	2	18	19	2	52	36	63	28	19	27	11	5	11	-	-	6	4	9	21	12	22	24	17
18	(a) Pulmonary	96	86	163	2,541	3,076	3,166	7	15	6	1	1	-	1	-	1	18	11	2	49	35	61	(7)	(7)	(7)	9	5	10	-	-	6	4	5	20	7	14	23	18
19	(b) Non-pulmonary	10	22	6	229	238	238	-	-	-	-	1	-	-	-	-	-	8	-	3	1	2	(7)	(7)	(7)	2	-	1	-	-	1	-	4	1	5	8	2	19
20	Typhoid and paratyphoid	5	4	11	124	125	166	-	-	-	-	-	-	-	-	-	-	-	-	4	4	5	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	20
21	Undulant fever	6	7	2	39	56	46	-	-	-	-	-	-	-	-	-	-	-	-	3	7	2	1	-	-	2	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	316	312	318	6,954	7,030	7,127	14	13	8	-	-	-	6	7	10	6	3	6	85	81	78	40	56	49	27	23	26	18	35	21	67	39	48	53	55	42	22
23	(a) Syphilis, primary	-	-	1	40	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
24	(b) " secondary	-	-	1	23	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	53	36	43	822	927	983	1	-	-	-	-	-	-	1	2	1	-	1	29	18	18	10	7	7	2	1	2	1	1	2	4	3	-	5	5	4	25
26	(d) Gonorrhoea	263	276	271	6,068	6,016	6,016	13	13	8	-	-	-	6	6	8	5	3	5	56	63	65	30	49	36	25	22	23	17	34	19	63	36	47	48	50	37	26
27	(e) Other venereal diseases[8]	-	-	-	1	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	74	132	145	2,603	3,139	3,665	-	-	-	6	15	11	2	7	6	-	-	-	10	30	55	33	41	54	3	2	2	-	-	3	9	3	10	11	34	17	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	11	(11);	Measles	24,083	(36,987);	Meningitis, other	21	(34);	Poliomyelitis, with paralysis	17	(14);	Typhoid fever	23	(22);					
Encephalitis, infectious	31	(35);	Meningococcal infections	42	(45);	Poliomyelitis, acute	41	(33);	Poliomyelitis, without paralysis	19	(13);	Undulant fever		( );					

Incidence of poliomyelitis increased from an average of about 15 cases per week in April to about 27 in May. However, incidence of total cases and paralytic cases continued to be less than half of that for the same period last year. The proportion of paralytic cases was about the same in the first 9 weeks of the current poliomyelitis disease year as it was in the same period of 1957, namely, about 45 per cent. About 57 per cent of the total and 67 per cent of the paralytic cases reported since April 1 were in the South Atlantic and South Central states.

*NEWFOUNDLAND reports Chickenpox (epidemic) at Cartwright, Labrador.
**NEWFOUNDLAND reports Measles (epidemic) at Heart's Content, T. B.

DEPT. OF HEALTH
JUN 16 1958
Venereal Disease Control

9005-501
10-6-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended June 7, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	609	661	881	16,946	23,713	23,713	..	..	..	8	..	..	6	-	43	..	..	..	75	111	129	403	388	422	17	22	27	..	..	..	..	..	..	100	140	173	1
2	Diphtheria	-	1	1	29	68	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	40	6	14	232	792	515	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	2	-	1	-	-	-	-	-	3	-	36	2	10	3
4	(a) Amoebic	1	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4
5	(b) Bacillary	39	6	14	227	792	510	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	2	-	1	-	-	-	-	-	3	-	35	2	10	5
6	Encephalitis, infectious	1	-	1	9	8	10	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	60	68	75	3,901	2,463	7,433	..	..	..	30	56	17	25	1	26	..	..	..	-	-	-	-	-	2	5	4	2	-	-	-	..	..	..	-	7	-	7
8	Measles	1,112	1,095	1,301	17,322	39,466	36,776	-	-	1	..	..	..	96	1	17	..	..	..	188	196	286	674	702	537	27	60	35	..	..	..	57	70	185	70	66	203	8
9	Meningitis, meningococcal	3	5	8	139	147	150	1	2	2	-	-	-	-	-	-	-	1	1	2	-	1	-	1	3	-	1	-	-	-	-	..	..	..	-	-	-	9
10	Mumps	356	312	662	7,964	17,278	18,236	..	..	..	..	..	..	12	4	39	..	..	..	59	106	159	149	157	326	91	28	22	..	..	..	..	..	..	45	17	106	10
11	Poliomyelitis, epidemic:[4]	4	9	11	32	46	110	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	1	1	1	-	-	-	-	1	-	-	-	5	5	11
12	(a) With paralysis	4	6	4	26	29	66	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	-	-	1	-	-	-	4	3	12
13	(b) Without paralysis	-	3	3	6	15	34	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	13
14	Rubella	352	306	394	5,100	13,924	13,924	-	-	-	..	..	..	..	..	..	..	..	..	13	6	37	193	244	82	59	2	3	..	..	..	54	38	36	33	16	41	14
15	Scarlet fever, etc.[5]	140	150	213	5,628	5,117	7,514	12	23	-	10	11	5	12	10	31	-	-	2	11	7	43	63	60	76	3	11	3	-	18	6	26	-	17	3	10	22	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	169	134	223	3,454	3,713	4,138	16	7	9	-	1	1	-	1	1	11	18	19	86	52	86	27	28	27	7	11	10	2	-	8	3	4	16	17	12	23	17
18	(a) Pulmonary	133	96	173	2,688	2,840	3,317	16	7	9	-	1	1	-	1	1	9	18	18	85	49	84	(7)	(7)	(7)	4	9	10	2	-	8	3	4	14	14	7	23	18
19	(b) Non-pulmonary	9	10	8	243	251	251	-	-	-	-	-	-	-	-	-	2	-	-	1	3	3	(7)	(7)	(7)	3	2	-	-	-	1	-	-	1	3	5	3	19
20	Typhoid and paratyphoid	6	5	8	130	129	178	-	-	-	-	-	-	-	-	-	-	-	-	6	4	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	20
21	Undulant fever	4	6	3	43	56	53	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	-	1	1	-	2	-	-	-	-	..	..	..	-	-	1	21
22	Venereal diseases:	295	316	311	7,249	7,350	7,415	10	14	7	-	-	1	9	6	13	4	6	6	63	85	74	28	40	55	19	27	21	28	18	27	62	67	46	72	53	61	22
23	(a) Syphilis, primary	1	-	1	41	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	23
24	(b) " secondary	-	-	1	23	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	44	53	42	866	978	1,037	-	1	-	-	-	-	4	-	2	2	1	1	18	29	17	3	10	10	2	2	1	1	1	1	4	4	1	10	5	4	25
26	(d) Gonorrhoea	250	263	266	6,318	6,282	6,273	10	13	7	-	-	1	5	6	11	2	5	4	45	56	59	25	30	43	17	25	18	27	17	26	57	63	43	62	48	53	26
27	(e) Other venereal diseases[8]	-	-	-	1	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	222	74	143	2,825	3,261	3,901	-	-	-	4	6	-	101	2	11	-	-	-	23	10	52	28	33	23	21	3	6	1	-	5	8	9	10	38	11	15	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria - (11); Measles - (24,083); Meningitis, other - (21); Poliomyelitis, with paralysis - (17); Typhoid fever - (23)
Encephalitis, infectious - (31); Meningococcal infections - (42); Poliomyelitis, acute - (41); Poliomyelitis, without paralysis - (19); Undulant fever - (18)

Report for current week not received.

DEPT. OF HEALTH
JUN 20 1958
Venereal Disease Cont. of

9005-501
18-6-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended June 14, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	525	609	741	17,471	24,444	24,444	..	..	..	..	8	..	3	6	47	..	..	..	98	75	143	269	403	419	22	17	23	..	..	..	..	..	..	133	100	98	1
2	Diphtheria	-	-	1	29	68	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	10	40	9	242	801	549	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	5	-	-	1	-	-	1	-	-	3	36	7	3
4	(a) Amoebic	-	1	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4
5	(b) Bacillary	10	39	9	237	801	544	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	5	-	-	1	-	-	1	-	-	3	35	7	5
6	Encephalitis, infectious	1	1	-	10	8	11	1	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	65	61	68	3,967	2,530	7,593	..	..	..	36	30	17	13	25	52	..	..	..	-	-	-	1	1	3	15	5	1	-	-	-	..	..	..	-	-	-	7
8	Measles	1,158	1,112	1,382	18,480	40,581	38,312	-	-	4	..	..	..	110	96	27	..	..	..	234	188	299	645	674	641	38	27	29	..	..	..	45	57	249	86	70	207	8
9	Meningitis, meningococcal	6	3	7	145	153	154	1	1	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	1	2	-	1	-	-	1	..	..	..	1	-	-	9
10	Mumps	275	356	503	8,239	17,781	18,735	..	..	..	..	..	..	19	12	33	..	..	..	96	59	112	119	149	220	29	91	16	..	..	..	..	..	..	12	45	84	10
11	Poliomyelitis, epidemic:[4]	1	4	5	34	47	117	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	1	-	-	-	-	1	-	-	-	2	11
12	(a) With paralysis	1	4	3	28	30	71	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	12
13	(b) Without paralysis	-	-	3	6	15	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	13
14	Rubella	383	352	470	5,483	14,283	14,283	-	-	-	..	..	..	..	..	..	..	..	..	15	13	32	301	193	97	6	59	2	..	..	..	45	54	19	16	33	34	14
15	Scarlet fever, etc.[5]	151	140	188	5,779	5,284	7,702	7	12	-	2	10	8	19	12	22	-	-	2	21	11	69	64	63	70	3	3	5	4	-	1	29	26	7	2	3	10	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	166	169	182	3,620	3,859	4,332	10	16	10	2	-	1	2	-	1	3	11	14	74	86	67	18	27	25	15	7	10	9	2	10	20	3	16	13	17	42	17
18	(a) Pulmonary	135	133	148	2,823	2,952	3,491	10	16	10	1	-	1	1	-	1	3	9	14	73	85	63	(7)	(7)	(7)	14	4	10	8	2	9	15	3	15	10	14	36	18
19	(b) Non-pulmonary	13	9	12	256	262	262	-	-	-	1	-	-	1	-	-	-	2	-	1	1	3	(7)	(7)	(7)	1	3	1	1	-	-	5	-	1	3	3	4	19
20	Typhoid and paratyphoid	7	6	9	137	135	188	-	-	-	-	-	-	-	-	-	-	-	-	6	6	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	20
21	Undulant fever	2	4	4	45	60	58	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	2	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	280	295	322	7,529	7,672	7,703	8	10	10	-	-	-	5	9	8	8	4	4	85	63	72	33	28	56	13	19	22	29	28	21	57	62	59	42	72	81	22
23	(a) Syphilis, primary	-	1	2	41	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	23
24	(b) " secondary	-	-	1	23	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	35	44	36	901	1,032	1,079	-	-	1	-	-	-	-	4	1	1	2	-	24	18	11	6	3	14	-	2	1	1	1	-	1	4	1	2	10	3	25
26	(d) Gonorrhoea	245	250	272	6,563	6,547	6,513	8	10	8	-	-	-	5	5	6	7	2	4	61	45	59	27	25	42	13	17	21	28	27	21	56	57	58	40	62	73	26
27	(e) Other venereal diseases[8]	-	-	-	1	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	132	222	165	2,957	3,356	4,080	-	-	-	1	4	-	20	101	7	-	-	-	10	23	34	33	28	34	-	21	1	-	1	2	15	8	15	53	36	21	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 12 (5); Measles 27,407 (33,807); Meningitis, other 84 (49); Poliomyelitis, with paralysis 25 (14); Typhoid fever 24 (8);
Encephalitis, infectious 38 (49); Meningococcal infections 34 (46); Poliomyelitis, acute 55 (29); Poliomyelitis, without paralysis 22 (12); Undulant fever 16 (13).

No significant changes were observed for the current week.

YUKON TERRITORY: Number of cases four weeks ended June 14: influenza, 11; measles, 3; hepatitis, infectious, 6; gonorrhoea, 20.

DEPT. OF HEALTH
JUN 27 1958
Venereal Diseases

9005-501
24-6-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended June 21, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	631	525	714	18,102	25,109	25,109	..	..	..	..	..	..	19	3	28	..	..	..	51	98	131	371	269	421	35	32	21	..	..	..	..	..	..	155	133	113	1
2	Diphtheria	3	-	-	29	68	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	2
3	Dysentery:[4]	12	10	14	254	809	600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	5	-	2	1	-	-	1	-	9	3	6	3
4	(a) Amoebic	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	12	10	14	249	809	594	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	5	-	2	1	-	-	1	-	9	3	6	5
6	Encephalitis, infectious	1	1	-	11	10	11	-	1	-	..	..	..	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza; epidemic	49	65	89	4,016	2,750	7,761	..	..	..	41	36	24	7	13	42	..	..	..	-	-	-	-	1	3	1	15	1	-	-	-	..	..	..	-	-	1	7
8	Measles	1,056	1,158	1,254	19,536	41,835	39,478	*	-	2	..	..	..	62	110	30	..	..	..	191	234	226	628	645	484	47	38	38	..	..	..	44	45	188	84	86	195	8
9	Meningitis, meningococcal	4	6	6	149	158	158	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	2	-	-	-	-	..	..	..	-	1	-	9
10	Mumps	246	275	504	8,485	18,118	19,111	..	..	..	..	..	..	13	19	26	..	..	..	58	96	120	117	119	259	21	29	15	..	..	..	..	..	..	37	12	81	10
11	Poliomyelitis, epidemic:[4]	1	1	7	35	48	131	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	11
12	(a) With paralysis	1	1	5	29	30	80	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	12
13	(b) Without paralysis	-	-	2	6	16	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	13
14	Rubella	420	383	325	5,903	14,593	14,593	-	-	-	..	..	..	..	..	..	..	..	..	13	15	32	301	301	78	47	6	-	..	..	..	35	45	40	24	16	37	14
15	Scarlet fever, etc.[5] **	119	151	170	5,898	5,367	7,872	5	7	2	3	2	7	13	19	21	-	-	2	15	21	45	48	64	82	3	3	3	1	4	3	30	29	12	1	2	11	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	108	166	197	3,728	4,016	4,552	7	10	10	1	2	2	1	2	3	10	3	12	35	74	62	20	18	22	10	15	17	5	9	11	7	20	22	12	13	32	17
18	(a) Pulmonary	79	135	160	2,902	3,071	3,683	7	10	10	1	1	1	1	1	3	9	3	12	33	73	61	(7)	(7)	(7)	10	14	17	3	8	7	7	15	21	8	10	25	18
19	(b) Non-pulmonary	9	13	14	265	273	273	-	-	-	-	1	-	-	1	-	1	-	-	2	1	1	(7)	(7)	(7)	-	1	-	2	1	3	-	5	1	4	3	4	19
20	Typhoid and paratyphoid	1	7	7	138	136	199	-	-	-	-	-	-	-	-	-	-	-	-	1	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	20
21	Undulant fever	3	2	3	48	60	60	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	2	1	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	323	280	323	7,852	7,996	7,996	6	8	5	-	-	-	3	5	16	8	8	4	36	85	69	55	33	51	46	13	24	25	29	23	49	57	56	95	42	75	22
23	(a) Syphilis, primary	-	-	2	41	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	23
24	(b) " secondary	-	-	1	23	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	24
25	(c) " other	40	35	41	941	1,064	1,129	-	-	-	-	-	-	-	-	1	3	1	-	18	24	16	8	6	9	-	-	2	1	1	2	1	1	2	9	2	5	25
26	(d) Gonorrhoea	283	245	279	6,846	6,835	6,747	6	8	5	-	-	-	3	5	15	5	7	4	18	61	50	47	27	40	46	13	22	24	28	19	48	56	52	86	40	69	26
27	(e) Other venereal diseases[8]	-	-	-	1	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	229	132	130	3,186	3,462	4,239	-	-	-	2	1	10	42	20	7	-	-	-	24	10	49	24	33	33	53	-	1	4	-	2	42	15	15	38	53	19	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 5 (12); Measles 21,366 (27,407); Meningitis, other 26 (84); Poliomyelitis, with paralysis 28 (25); Typhoid fever 18 (24);
Encephalitis, infectious 40 (38); Meningococcal infections 34 (34); Poliomyelitis, acute 56 (55); Poliomyelitis, without paralysis 19 (22); Undulant fever 23 (16);

No significant changes were observed for the current week.

*NEWFOUNDLAND reports Measles (epidemic) at Summerville, B.B. and Monkstown, P.B.
**NEWFOUNDLAND reports Scarlet fever and Streptococcal sore throat (epidemic) at Hobb's Cove, B.B.

DEPT. OF HEALTH JUL 7 1958 Vancouver, B.C.

9005-501
2-7-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended June 28, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

DEPT. OF HEALTH
JUL 14 1958
General Disease Schedule

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	486	631	586	18,588	25,548	25,548	*	..	..	..	..	..	-	19	29	..	..	..	41	51	61	246	371	312	45	35	29	..	..	..	9	..	..	145	155	134	1
2	Diphtheria	-	3	1	29	68	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	2
3	Dysentery:[4]	8	12	16	262	829	616	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	-	1	2	-	-	-	-	4	9	8	3
4	(a) Amoebic	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	8	12	16	257	829	610	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	-	1	2	-	-	-	-	4	9	8	5
6	Encephalitis, infectious	-	1	1	11	11	11	-	-	-	..	..	..	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	254	49	43	4,270	2,788	7,895	..	..	..	52	41	13	150	7	31	1	..	..	-	-	-	-	-	1	1	1	1	-	-	-	..	..	..	50	-	-	7
8	Measles	869	1,056	896	20,405	42,433	40,340	-	-	2	..	..	..	-	62	23	..	..	..	105	191	194	610	628	388	55	47	19	..	..	..	35	44	-	64	84	124	8
9	Meningitis, meningococcal	8	4	4	157	167	167	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	-	-	-	-	1	..	..	-	-	1	9
10	Mumps	179	246	378	8,664	18,373	19,423	..	..	..	..	..	..	-	13	13	..	..	..	11	58	84	112	117	193	27	21	18	..	..	..	5	..	..	24	37	56	10
11	Poliomyelitis, epidemic:[4]	3	1	14	38	50	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	1	2	-	-	1	11
12	(a) With paralysis	3	1	9	32	32	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	1	1	-	-	1	12
13	(b) Without paralysis	-	-	5	6	16	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	225	420	205	6,128	14,794	14,794	-	-	-	..	..	..	..	..	..	..	..	..	7	13	15	169	301	62	3	47	-	..	..	..	33	35	27	13	24	32	14
15	Scarlet fever, etc.[5]	108	119	172	6,006	5,477	8,044	8	5	1	10	3	1	-	13	29	-	-	1	5	15	26	61	48	54	5	3	4	-	1	5	16	30	12	3	1	14	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	129	108	172	3,873	4,134	4,773	2	7	8	3	1	1	-	1	1	18	10	17	42	35	41	19	20	24	20	10	16	10	5	10	-	7	25	15	12	34	17
18	(a) Pulmonary	99	79	145	3,015	3,154	3,865	2	7	7	2	1	-	-	1	1	17	9	17	40	33	40	(7)	(7)	(7)	17	10	14	7	3	8	-	7	23	14	8	30	18
19	(b) Non-pulmonary	11	9	11	278	279	279	-	-	-	1	-	-	-	-	-	1	1	-	2	2	1	(7)	(7)	(7)	3	-	1	3	2	2	-	-	2	1	4	5	19
20	Typhoid and paratyphoid	2	1	6	140	142	205	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	20
21	Undulant fever	2	3	2	50	62	62	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	-	..	..	..	1	-	-	21
22	Venereal diseases:	344	323	274	8,196	8,303	8,305	21	6	6	3	-	-	3	3	7	9	8	6	71	36	46	35	55	48	12	46	27	37	25	32	70	49	54	83	95	64	22
23	(a) Syphilis, primary	2	-	3	43	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	23
24	(b) " secondary	4	-	1	27	26	26	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	24
25	(c) " other	48	40	36	989	1,102	1,152	1	-	-	-	-	-	1	-	-	1	3	-	28	18	14	6	8	9	-	-	1	1	1	1	2	1	1	8	9	2	25
26	(d) Gonorrhoea	288	283	241	7,134	7,102	7,027	20	6	6	3	-	-	2	3	4	8	5	5	41	18	32	27	47	36	12	46	26	36	24	30	65	48	52	74	86	59	26
27	(e) Other venereal diseases[8]	2	-	-	3	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	27
28	Whooping cough	78	229	121	3,264	3,539	4,378	**	-	-	1	2	5	-	42	2	-	-	-	8	24	35	26	24	28	-	53	2	2	4	2	15	42	18	26	38	23	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 7 (5);	Measles 15,307 (21,366);	Meningitis, other 31 (26);	Poliomyelitis, with paralysis 37 (28);	Typhoid fever 18 (18);
Encephalitis, infectious 38 (40);	Meningococcal infections 38 (34);	Poliomyelitis, acute 70 (56);	Poliomyelitis, without paralysis 25 (19);	Undulant fever 16 (23);

The 1957-58 diphtheria disease year came to an end this week. A review of the year, as covered in this report from the week ended June 29, 1957, to the week ended June 28, 1958, shows a total of 1,122 cases as compared with 1,219 cases during the comparable period in 1956-57, an 8.0 per cent reduction. For the median disease year of the 5-year period 1952-53 to 1956-57, 2,156 cases were reported.

*NEWFOUNDLAND reports Chickenpox (epidemic) at Ferryland; Renews, Ferryland District; Richard's Harbour, Burgeo and La Poile District.

**NEWFOUNDLAND reports Whooping cough (epidemic) at Little Bay, Hermitage Bay.

9005-501
9-7-58

DEPT. OF HEALTH
JUL 21 1958
Venereal Disease
Control

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended July 5, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	No.
1	Chickenpox	365	510	392	18,977	25,853	25,853	*	..	..	..	..	..	10	24	31	..	..	..	31	41	58	240	246	188	21	45	29	..	..	..	3	9	..	60	145	79	1
2	Diphtheria	-	-	1	32	69	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	14	8	12	276	834	642	-	-	-	-	-	-	-	-	-	3	-	-	-	3	1	2	-	1	2	-	-	-	1	-	-	-	-	7	4	5	3
4	(a) Amoebic	-	-	-	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	14	8	12	271	833	636	-	-	-	-	-	-	-	-	-	3	-	-	-	3	1	2	-	1	2	-	-	-	1	-	-	-	-	7	4	5	5
6	Encephalitis, infectious	-	-	-	11	11	13	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	112	260	41	4,388	2,834	8,035	..	..	..	25	52	12	66	156	30	..	1	..	-	-	-	-	-	1	-	1	1	-	-	-	21	..	..	-	50	4	7
8	Measles	778	929	711	21,243	42,967	41,140	-	-	3	8	..	..	61	60	17	..	..	..	156	105	97	408	610	222	16	55	23	..	..	..	35	35	101	94	64	74	8
9	Meningitis, meningococcal	4	8	6	161	170	170	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	1	-	1	-	-	-	..	1	..	1	-	1	9
10	Mumps	151	199	234	8,835	18,579	19,684	**	..	..	..	..	..	35	20	10	..	..	..	23	11	36	60	112	128	10	27	8	..	..	..	4	5	..	19	24	45	10
11	Poliomyelitis, epidemic:[4]	-	3	20	38	55	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-	3	-	-	-	1	-	-	1	-	-	2	11
12	(a) With paralysis	-	3	8	32	36	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	-	-	-	-	-	-	-	-	-	2	12
13	(b) Without paralysis	-	-	8	6	17	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	2	13
14	Rubella	67	225	172	6,195	14,927	14,927	-	-	-	..	..	..	10	..	..	..	..	..	12	7	10	-	169	65	3	3	2	..	..	..	28	33	14	14	13	10	14
15	Scarlet fever, etc.[5]	116	141	116	6,155	5,548	8,176	5	8	1	7	10	6	28	33	28	-	-	-	3	5	24	37	61	30	2	5	4	1	-	2	10	16	11	23	3	5	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,5]	144	130	176	4,018	4,228	4,935	2	2	8	3	3	1	-	1	4	13	18	11	71	42	70	19	19	23	11	20	12	-	10	7	16	-	18	9	15	26	17
18	(a) Pulmonary	112	99	146	3,127	3,219	3,994	2	2	8	2	2	1	-	-	3	13	17	11	67	40	69	(7)	(7)	(7)	9	17	12	-	7	6	12	-	17	7	14	22	18
19	(b) Non-pulmonary	13	12	7	292	285	285	-	-	-	1	1	-	-	1	-	-	1	-	4	2	2	(7)	(7)	(7)	2	3	-	-	3	2	4	-	2	2	1	1	19
20	Typhoid and paratyphoid	8	2	4	148	145	213	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	6	1	-	20
21	Undulant fever	1	2	2	51	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	..	..	..	-	1	-	21
22	Venereal diseases:	370	344	310	8,566	8,594	8,683	7	21	6	-	3	-	2	3	10	6	9	6	100	71	74	65	35	53	22	12	26	19	37	20	65	70	42	84	83	68	22
23	(a) Syphilis, primary	2	2	3	45	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	23
24	(b) " secondary	2	4	-	29	26	26	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	24
25	(c) " other	41	48	45	1,030	1,148	1,188	-	1	2	-	-	-	1	1	1	-	1	-	27	28	22	7	6	9	1	-	1	-	1	1	-	2	1	5	8	3	25
26	(d) Gonorrhoea	325	288	265	7,459	7,343	7,312	7	20	5	-	3	-	1	2	8	6	8	5	72	41	46	57	27	39	20	12	23	19	36	17	64	65	42	79	74	62	26
27	(e) Other venereal diseases[8]	-	2	-	3	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	27
28	Whooping cough	106	94	123	3,386	3,633	4,519	-	-	1	1	1	3	26	16	4	-	-	-	15	8	31	17	26	27	-	-	4	-	2	5	8	15	7	39	26	19	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 9 (7); Measles 10,523 (15,307); Meningitis, other 48 (31); Poliomyelitis, with paralysis 30 (37); Typhoid fever 22 (18);
Encephalitis, infectious 33 (38); Meningococcal infections 35 (38); Poliomyelitis, acute 63 (70); Poliomyelitis, without paralysis 22 (25); Undulant fever 22 (16);

The average incidence of poliomyelitis per week during June was almost double that for May. The number of reported cases during June rose from 29 in the first week to 70 in the last week, with an average of about 53 cases per week. The average in May was about 27 per week. In June of 1957 the average was 109 cases per week. The proportion of paralytic cases increased slightly during the past month to about 50 per cent; during the first 9 weeks of the current poliomyelitis disease year the proportion of paralytic cases was about 45 per cent.

***NEWFOUNDLAND reports Chickenpox (epidemic) at Carbonear, C.B.**
****NEWFOUNDLAND reports Mumps (epidemic) at Carbonear, C.B.**

9005-501

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended July 12, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	321	365	340	19,298	26,105	26,105	..	..	..	..	..	..	110	10	27	..	..	..	31	31	41	128	240	130	15	21	16	..	..	..	8	3	..	29	60	70	1
2	Diphtheria	-	-	-	32	69	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	16	14	23	292	843	653	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	2	1	1	2	-	-	-	-	-	-	-	15	7	6	3
4	(a) Amoebic	-	-	-	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	16	14	23	287	841	647	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	2	1	1	2	-	-	-	-	-	-	-	15	7	6	5
6	Encephalitis, infectious	-	-	1	11	11	13	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	6
7	Influenza, epidemic	327	112	69	4,715	2,872	8,183	..	..	..	23	25	30	304	66	25	..	..	..	-	-	-	-	-	-	-	-	2	-	-	-	..	21	..	-	-	-	7
8	Measles	708	778	564	21,951	43,508	41,633	*	-	1	6	8	..	77	61	10	..	..	..	128	156	135	373	408	219	27	16	11	..	..	..	69	35	62	28	94	94	8
9	Meningitis, meningococcal	2	5	5	164	175	175	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	-	-	-	-	1	..	..	-	1	1	9
10	Mumps	188	116	202	8,988	18,744	19,823	..	..	..	..	..	..	6	-	7	..	..	..	13	23	40	67	60	115	68	10	13	..	..	..	2	4	..	32	19	36	10
11	Poliomyelitis, epidemic:[4]	1	-	11	39	66	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	-	1	-	-	1	-	-	3	-	-	3	11
12	(a) With paralysis	1	-	8	33	44	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	1	-	-	1	12
13	(b) Without paralysis	-	-	4	6	20	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	102	67	198	6,297	15,066	15,066	-	-	-	..	..	..	..	10	..	..	..	..	4	12	4	51	-	17	4	3	-	..	..	..	34	28	11	9	14	35	14
15	Scarlet fever, etc.[5]	113	116	113	6,268	5,591	8,288	5	5	2	10	7	8	31	28	10	-	-	1	11	3	21	44	37	23	1	2	5	-	1	5	4	10	7	7	23	11	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	127	144	162	4,145	4,294	5,120	4	2	7	-	3	-	-	-	2	3	13	9	50	71	48	14	19	24	20	11	12	5	-	8	11	16	15	20	9	27	17
18	(a) Pulmonary	96	112	129	3,223	3,263	4,149	3	2	7	-	2	-	-	-	2	2	13	9	46	67	46	(7)	(7)	(7)	17	9	12	5	-	4	7	12	15	16	7	24	18
19	(b) Non-pulmonary	17	13	9	309	288	288	1	-	-	-	1	-	-	-	-	1	-	-	4	4	2	(7)	(7)	(7)	3	2	-	-	-	1	4	4	-	4	2	2	19
20	Typhoid and paratyphoid	8	8	6	156	151	225	-	-	-	-	-	-	-	1	-	-	-	-	2	-	3	2	-	-	1	-	-	-	1	-	-	-	-	3	6	-	20
21	Undulant fever	7	1	4	58	72	71	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	1	-	1	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	254	370	333	8,820	8,901	9,012	-	7	11	-	-	2	-	2	7	6	6	4	56	100	58	35	65	42	7	22	26	44	19	35	42	65	56	64	84	70	22
23	(a) Syphilis, primary	-	2	3	47	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	23
24	(b) " secondary	2	2	-	31	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	24
25	(c) " other	35	41	36	1,063	1,181	1,231	-	-	1	-	-	-	-	1	2	-	-	1	13	27	13	12	7	10	-	1	2	3	-	1	1	-	2	6	5	6	25
26	(d) Gonorrhoea	217	325	282	7,676	7,612	7,604	-	7	10	-	-	2	-	1	7	6	6	3	43	72	40	23	57	32	7	20	24	41	19	31	39	64	54	58	79	64	26
27	(e) Other venereal diseases[8]	-	-	-	3	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	207	106	100	3,593	3,711	4,622	-	-	-	7	1	1	145	26	2	-	-	-	8	15	41	26	17	32	6	-	3	-	-	2	-	8	4	15	39	9	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 10 (9); Measles 9,675 (10,523); Meningitis, other 37 (48); Poliomyelitis, with paralysis 44 (30); Typhoid fever 25 (
Encephalitis, infectious 33 (33); Meningococcal infections 33 (35); Poliomyelitis, acute 104 (63); Poliomyelitis, without paralysis 34 (22); Undulant fever 32 (

The number of cases of poliomyelitis reported for the current week was 104 of which 31 cases were reported in Florida. This brings the total for the state to 108 for the year. Thirty-one of the 108 cases were paralytic, 43 nonparalytic and 34 were unspecified. Most of the cases have occurred in the southern part of the state.

*NEWFOUNDLAND reports Measles (epidemic) at Heart's Delight, T.B.

DEPT. OF HEALTH
JUL 25 1958
Venereal Disease
Control

9005-501
23-7-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended July 19, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week (9)	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	266	321	301	19,564	26,307	26,307	..	..	..	..	..	..	26	110	18	..	..	..	34	31	35	142	128	123	43	15	15	..	..	..	..	8	..	21	29	63	1
2	Diphtheria	1	-	2	33	70	61	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	12	16	12	304	844	665	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	-	1	-	-	-	8	15	2	3
4	(a) Amoebic	1	-	-	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4
5	(b) Bacillary	11	16	6	298	842	653	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	1	-	-	-	7	15	2	5
6	Encephalitis, infectious	1	-	-	12	11	14	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	228	327	36	4,943	2,927	8,310	..	..	..	21	23	9	196	304	13	..	..	..	-	-	-	2	-	7	2	-	2	-	-	-	..	..	..	7	-	-	7
8	Measles	508	708	481	22,459	43,943	42,113	**	-	1	22	6	..	38	77	30	..	..	..	115	128	116	281	373	166	30	27	11	..	..	..	-	69	68	22	28	72	8
9	Meningitis, meningococcal	3	2	3	167	179	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	..	1	..	2	-	1	9
10	Mumps	111	188	141	9,099	18,891	20,007	..	..	..	..	..	..	38	6	3	..	..	..	13	13	27	32	67	77	13	68	8	..	..	..	..	2	..	15	32	25	10
11	Poliomyelitis, epidemic:[4]	3	1	28	42	76	219	1	-	-	-	-	-	-	-	1	-	-	1	-	-	3	-	-	5	1	1	1	-	-	1	-	-	3	1	-	3	11
12	(a) With paralysis	3	1	18	36	48	127	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	1	1	-	-	-	-	-	-	2	1	-	3	12
13	(b) Without paralysis	-	-	10	6	26	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	1	-	-	3	13
14	Rubella	58	102	91	6,355	15,168	15,168	-	-	-	..	..	..	..	..	..	..	..	..	6	4	4	16	51	38	-	4	-	..	..	..	-	34	29	36	9	14	14
15	Scarlet fever, etc.[5]	70	113	114	6,338	5,724	8,405	2	5	3	5	10	8	14	31	16	-	-	1	14	11	16	23	44	26	6	1	2	4	-	3	-	4	5	2	7	6	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	88	127	184	4,233	4,422	5,376	1	4	3	3	-	1	1	-	2	5	3	15	35	50	78	12	14	18	10	20	13	14	5	2	-	11	24	7	20	27	17
18	(a) Pulmonary	69	96	152	3,292	3,366	4,368	1	3	3	3	-	1	1	-	2	5	2	11	33	46	73	(7)	(7)	(7)	8	17	12	12	5	-	-	7	21	6	16	23	18
19	(b) Non-pulmonary	7	17	13	316	299	299	-	1	-	-	-	-	-	-	-	-	1	1	2	4	2	(7)	(7)	(7)	2	3	1	2	-	-	-	4	3	1	4	4	19
20	Typhoid and paratyphoid	3	8	5	159	153	226	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	-	-	1	-	-	-	-	-	-	-	-	3	1	20
21	Undulant fever	7	7	2	65	74	74	-	-	-	-	-	-	-	-	-	-	-	-	5	6	-	-	-	-	2	1	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	202	254	340	9,022	9,197	9,288	-	-	7	2	-	1	7	-	11	3	6	5	55	56	70	46	35	58	17	7	21	22	44	34	-	42	59	50	64	61	22
23	(a) Syphilis, primary	1	-	3	46	79	79	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	23
24	(b) " secondary	2	2	1	33	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	24
25	(c) " other	30	35	44	1,095	1,209	1,287	-	-	-	1	-	-	4	-	4	-	-	-	11	13	18	5	12	12	1	-	1	4	3	2	-	1	-	4	6	4	25
26	(d) Gonorrhoea	169	217	302	7,845	7,876	7,833	-	-	7	1	-	-	3	-	9	3	6	4	43	43	52	41	23	51	16	7	20	16	41	32	-	39	57	46	58	57	26
27	(e) Other venereal diseases[8]	-	-	-	3	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	50	207	127	3,643	3,824	4,759	-	-	-	-	7	1	11	145	7	-	-	-	12	8	36	19	26	43	-	6	2	-	-	2	-	[illegible]	14	8	15	16	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report not received.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	14 (10);	Measles	7,956 (9,675);	Meningitis, other	73 (37);	Poliomyelitis, with paralysis	52 (44);	Typhoid fever	25 ([illegible])
Encephalitis, infectious	38 (33);	Meningococcal infections	42 (33);	Poliomyelitis, acute	125 (104);	Poliomyelitis, without paralysis	50 (34);	Undulant fever	14 ([illegible])

No significant changes were observed for the current week. Of the 14 cases of diphtheria reported 10 were in Minnesota. This makes a total of 26 cases for the State this year.

*NEWFOUNDLAND reports Sonne Dysentery (epidemic) at Belleoram.
**NEWFOUNDLAND reports Measles (epidemic) at Placentia.

YUKON TERRITORY: Number of cases four weeks ended July 12: chickenpox, 1; dysentery, bacillary, 1; influenza, 2; measles, 14; mumps, 2; hepatitis, infectious, 2; gonorrhoea, 10.

DEPT. OF HEALTH
AUG 1 - 1958
Venereal Disease Control

9005-501
30-7-58

DEPT. OF HEALTH
AUG 8 - 1958
Venereal Disease

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended July 26, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	192	270	255	19,756	26,564	26,564	..	..	..	..	4	..	9	26	9	..	..	..	29	34	42	101	142	93	11	43	12	..	..	..	..	..	..	42	21	44	1
2	Diphtheria	1	1	3	32	76	61	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	39	12	17	343	853	687	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	1	1	3	23	2	1	-	1	-	1	-	-	11	8	9	3
4	(a) Amoebic	-	1	-	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4
5	(b) Bacillary	39	11	17	337	851	675	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	1	1	3	23	2	1	-	1	-	1	-	-	11	7	9	5
6	Encephalitis, infectious	-	1	1	12	13	14	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	6
7	Influenza, epidemic	57	232	25	5,004	2,953	8,374	..	..	..	18	21	6	39	196	8	..	..	..	-	-	-	-	6	1	-	2	-	-	-	-	..	..	..	-	7	-	7
8	Measles	346	553	396	22,805	44,243	42,531	-	-	3	9	22	..	13	38	17	..	..	..	50	115	73	209	281	151	13	30	19	..	..	..	43	45	72	9	22	48	8
9	Meningitis, meningococcal	6	4	3	173	181	181	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	2	-	1	1	1	-	-	-	-	1	..	1	-	2	-	9
10	Mumps	66	111	161	9,165	19,052	20,156	..	..	..	..	..	..	17	38	7	..	..	..	7	13	28	23	32	82	8	13	13	..	..	..	..	..	..	11	15	20	10
11	Poliomyelitis, epidemic:[4]	2	4	30	44	89	256	-	1	1	-	-	-	-	-	1	-	-	1	1	-	3	-	-	9	-	1	-	-	-	1	1	1	4	-	1	6	11
12	(a) With paralysis	1	3	11	37	56	141	-	1	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	3	-	1	-	-	-	1	-	-	1	-	1	3	12
13	(b) Without paralysis	1	1	17	7	31	100	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	7	-	-	-	-	-	-	1	1	2	-	-	3	13
14	Rubella	45	85	74	6,400	15,246	15,246	-	-	-	..	..	..	..	..	..	..	..	..	4	6	7	13	16	26	8	-	-	..	..	..	16	27	8	4	36	13	14
15	Scarlet fever, etc.[5]	46	77	85	6,384	5,791	8,498	5	2	-	9	5	10	1	14	12	-	-	1	4	14	12	16	23	12	5	6	5	-	4	3	3	7	5	3	2	8	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	124	103	194	4,357	4,643	5,573	17	1	19	-	3	-	2	1	-	10	5	8	38	35	83	23	12	17	21	10	11	2	14	11	6	15	17	5	7	31	17
18	(a) Pulmonary	93	82	165	3,385	3,552	4,524	15	1	19	-	3	-	2	1	-	10	5	8	36	33	77	(7)	(7)	(7)	20	8	9	1	12	9	5	13	17	4	6	26	18
19	(b) Non-pulmonary	8	9	14	324	310	310	2	-	-	-	-	-	-	-	-	-	-	-	2	2	6	(7)	(7)	(7)	1	2	-	1	2	1	1	2	2	1	1	4	19
20	Typhoid and paratyphoid	2	3	12	161	164	241	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	20
21	Undulant fever	5	7	4	70	79	76	-	-	-	-	-	-	-	-	-	-	-	-	3	5	1	-	-	1	2	2	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	328	263	341	9,350	9,541	9,683	9	-	7	1	2	-	3	7	10	12	3	7	52	55	77	64	46	63	34	17	22	22	22	32	78	61	55	53	50	72	22
23	(a) Syphilis, primary	6	1	2	52	81	81	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	-	23
24	(b) " secondary	3	2	1	36	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	2	-	-	-	-	-	24
25	(c) " other	26	30	44	1,121	1,239	1,322	-	-	-	1	1	-	-	4	1	2	-	-	12	11	17	2	5	13	1	1	1	1	4	1	2	-	-	5	4	4	25
26	(d) Gonorrhoea	293	230	282	8,138	8,185	8,151	9	-	5	-	1	-	2	3	9	9	3	7	40	43	49	60	41	49	33	16	20	20	16	29	72	61	53	48	46	64	26
27	(e) Other venereal diseases[8]	-	-	-	3	5	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	151	58	140	3,794	3,987	4,886	-	-	-	1	-	2	50	11	4	1	-	-	32	12	50	22	19	43	1	-	4	-	-	4	7	8	23	37	8	14	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	1 (14);	Measles	5,565 (7,956);	Meningitis, other	146 (73);	Poliomyelitis, with paralysis	72 (52);	Typhoid fever	26 (25);
Encephalitis, infectious	60 (38);	Meningococcal infections	43 (42);	Poliomyelitis, acute	143 (125);	Poliomyelitis, without paralysis	48 (50);	Undulant fever	21 (14);

The number of cases of poliomyelitis reported for the week ended July 26 is 143 as compared with 265 for the corresponding week in 1957, and 654 in 1956. The number of paralytic cases reported increased from 52 for the previous week to 72. The numbers for the same weeks in 1957 and 1956 were 52 and 287 respectively, and for the second consecutive week the number of cases with paralysis was in excess of the number for the same week in 1957. About one-fourth of the States have reported more paralytic cases so far this year than during the same period last year. The proportion of total cases reported as paralytic remains higher than last year. In all but 3 of the 17 weeks since the beginning of the disease year, about April 1, paralytic cases have exceeded the number reported as non-paralytic.

9005-501
6-8-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended August 2, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

DEPT. OF HEALTH
AUG 18 1958
Control of Disease

173.

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	134	192	196	19,894	26,687	26,687	..	..	..	..	..	..	12	9	11	..	..	..	12	29	26	61	101	63	17	11	13	..	..	..	(9)	..	..	32	42	29	1
2	Diphtheria	1	1	1	33	80	63	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	28	39	15	371	859	696	-	-	-	3	-	-	-	-	-	-	-	-	8	3	-	1	1	2	1	23	-	-	-	-	-	1	-	15	11	7	3
4	(a) Amoebic	2	-	-	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4
5	(b) Bacillary	26	39	15	363	857	684	-	-	-	3	-	-	-	-	-	-	-	-	8	3	-	1	1	2	1	23	-	-	-	-	-	1	-	13	11	7	5
6	Encephalitis, infectious	-	-	1	12	14	14	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	82	57	73	5,086	3,048	8,466	..	..	..	29	18	15	44	39	15	..	..	..	-	-	-	-	-	2	1	-	-	-	-	-	..	..	..	8	-	-	7
8	Measles	267	346	316	23,117	44,559	42,790	*	-	-	..	9	..	28	13	13	..	..	..	59	50	59	151	209	95	13	13	10	..	..	..	-	43	42	16	9	60	8
9	Meningitis, meningococcal	7	7	6	182	189	188	3	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	3	-	-	1	-	-	-	-	..	1	..	1	-	-	9
10	Mumps	64	66	150	9,229	19,160	20,317	..	..	..	..	..	..	10	17	7	..	..	..	8	7	20	30	23	65	11	8	7	..	..	..	..	..	..	5	11	23	10
11	Poliomyelitis, epidemic:[4]	2	2	37	47	100	307	-	-	-	-	-	1	-	-	1	-	-	-	1	1	3	-	-	10	1	-	1	-	-	4	-	1	7	-	-	2	11
12	(a) With paralysis	2	1	14	39	61	164	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	4	1	-	1	-	-	-	-	-	2	-	-	2	12
13	(b) Without paralysis	-	1	19	8	37	122	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	6	-	-	-	-	-	2	-	1	2	-	-	1	13
14	Rubella	15	45	89	6,442	15,346	15,346	-	-	-	..	..	..	..	..	..	..	..	..	5	4	4	6	13	28	-	8	1	..	..	..	-	16	17	4	4	9	14
15	Scarlet fever, etc.[5]	60	46	77	6,451	5,859	8,588	2	5	2	14	9	5	15	1	23	1	-	-	10	4	7	11	16	19	1	5	2	-	-	3	-	3	5	6	3	7	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	173	124	168	4,563	4,810	5,716	9	17	8	-	-	1	-	2	1	27	10	10	32	38	59	11	23	20	10	21	17	16	2	7	-	6	24	18	5	28	17
18	(a) Pulmonary	148	93	130	3,561	3,674	4,644	9	15	8	-	-	-	-	2	1	21	10	9	81	36	57	(7)	(7)	(7)	9	20	17	14	1	3	-	5	22	14	4	26	18
19	(b) Non-pulmonary	14	8	14	343	319	322	-	2	-	-	-	-	-	-	-	6	-	-	1	2	3	(7)	(7)	(7)	1	1	2	2	1	2	-	1	2	4	1	2	19
20	Typhoid and paratyphoid	6	2	10	167	165	245	-	-	-	-	-	-	-	-	-	-	-	-	5	1	3	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	20
21	Undulant fever	-	5	3	70	79	77	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	2	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	246	328	355	9,657	9,927	10,022	8	9	8	1	1	-	2	3	9	7	12	6	37	52	70	44	64	60	31	34	28	42	22	29	-	78	59	74	53	66	22
23	(a) Syphilis, primary	4	6	2	56	84	84	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	2	1	2	-	-	23
24	(b) " secondary	1	3	2	37	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	-	-	-	24
25	(c) " other	20	26	35	1,141	1,292	1,362	-	-	-	-	1	-	-	-	2	1	2	-	6	12	9	6	2	13	-	1	2	2	1	1	-	2	3	5	5	4	25
26	(d) Gonorrhoea	221	293	319	8,420	8,515	8,488	8	9	5	1	-	-	2	2	7	5	9	6	31	40	55	37	60	44	31	33	27	39	20	28	-	72	57	67	48	62	26
27	(e) Other venereal diseases[8]	-	-	-	3	5	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	138	151	164	3,940	4,151	4,988	-	-	-	-	1	5	50	50	11	-	1	-	34	32	46	20	22	46	-	1	2	-	-	2	-	7	17	34	37	15	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report not received.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 7 (1); Measles 4,157 (5,565); Meningitis, other 96 (146); Poliomyelitis, with paralysis 69 (72); Typhoid fever 27 (26);
Encephalitis, infectious 53 (60); Meningococcal infections 40 (43); Poliomyelitis, acute 161 (143); Poliomyelitis, without paralysis 66 (48); Undulant fever 15 (21);

The total number of cases of poliomyelitis reported for the week ended August 2 was 161 of which 69 were paralytic. This represents an increase of about 18 per cent in total cases as compared with the previous week. However, there was a slight decrease in the number of paralytic cases. The number of paralytic cases continued to be larger than the number reported as nonparalytic. Since April 1 about 48 per cent of the total cases have been reported as paralytic, in contrast to about 31 per cent for the same period last year.

*NEWFOUNDLAND reports Measles (epidemic) at Heart's Desire, T.B.

9005-501
13-8-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended August 9, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

DEPT. OF HEALTH
AUG 25 1958
Notifiable Disease

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	263	132	133	20,155	26,784	26,784	..	..	..	..	..	..	1	12	7	..	..	..	158	12	24	57	61	46	19	17	10	..	..	..	..	..	..	28	32	22	1
2	Diphtheria	-	1	1	33	81	66	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	17	29	21	389	875	717	-	-	-	1	3	-	-	-	-	-	-	-	3	8	2	1	1	2	4	1	-	-	-	-	-	1	-	8	15	14	3
4	(a) Amoebic	-	2	-	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4
5	(b) Bacillary	17	27	21	381	873	705	-	-	-	1	3	-	-	-	-	-	-	-	3	8	2	1	1	2	4	1	-	-	-	-	-	1	-	8	13	14	5
6	Encephalitis, infectious	-	-	1	12	17	17	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	41	81	67	5,126	3,240	8,550	..	..	..	28	29	25	-	43	14	..	..	..	-	-	-	-	-	2	-	1	-	-	-	-	..	..	..	13	8	-	7
8	Measles	310	293	259	23,453	44,780	43,078	*	-	-	9	..	..	6	31	12	..	..	..	50	59	61	190	151	66	27	13	8	..	..	..	18	23	53	10	16	37	8
9	Meningitis, meningococcal	6	7	4	188	200	195	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	1	1	-	-	-	-	1	..	..	..	-	1	-	9
10	Mumps	93	64	162	9,322	19,326	20,448	..	..	..	..	..	..	2	10	2	..	..	..	27	8	24	43	30	67	2	11	8	..	..	..	..	..	..	19	5	29	10
11	Poliomyelitis, epidemic:[4]	7	2	51	54	106	372	-	-	1	-	-	-	-	-	2	-	-	2	-	1	5	-	-	15	5	1	2	-	-	5	2	-	9	-	-	5	11
12	(a) With paralysis	7	2	23	46	64	206	-	-	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	6	5	1	-	-	-	1	2	-	1	-	-	1	12
13	(b) Without paralysis	-	-	22	8	40	143	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	10	-	-	2	-	-	1	-	-	4	-	-	2	13
14	Rubella	30	33	60	6,490	15,412	15,412	-	-	-	..	..	..	..	3	..	..	..	..	2	5	2	16	6	22	1	-	-	..	..	..	7	15	12	4	4	7	14
15	Scarlet fever, etc.[5]	55	58	81	6,504	5,932	8,659	1	2	2	11	14	8	8	11	16	-	1	-	7	10	13	16	11	16	-	1	2	2	-	-	4	2	5	6	6	4	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	95	174	166	4,656	4,944	6,041	2	9	6	-	-	2	-	-	1	12	27	13	36	82	52	14	11	17	11	10	10	2	16	11	7	1	17	11	18	23	17
18	(a) Pulmonary	78	149	134	3,638	3,780	4,932	2	9	5	-	-	1	-	-	1	12	21	11	34	81	51	(7)	(7)	(7)	10	9	10	2	14	9	7	1	16	11	14	21	18
19	(b) Non-pulmonary	3	14	7	345	329	330	-	-	-	-	-	1	-	-	-	-	6	-	2	1	1	(7)	(7)	(7)	1	1	-	-	2	2	-	-	1	-	4	2	19
20	Typhoid and paratyphoid	7	6	6	174	170	258	-	-	-	-	-	-	-	-	-	1	-	-	2	5	5	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	20
21	Undulant fever	2	-	1	72	80	80	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	341	289	334	10,043	10,255	10,370	7	8	14	-	1	1	6	4	7	7	7	7	105	37	99	46	44	49	13	31	25	41	42	37	58	41	50	58	74	66	22
23	(a) Syphilis, primary	2	4	3	58	89	89	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	2	-	23
24	(b) " secondary	1	2	-	39	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	24
25	(c) " other	35	21	40	1,178	1,337	1,399	-	-	-	-	-	-	2	-	1	2	1	1	20	6	14	5	6	8	-	-	-	-	2	1	1	1	1	5	5	3	25
26	(d) Gonorrhoea	303	262	307	8,765	8,792	8,780	7	8	11	-	1	-	4	4	5	5	5	5	85	31	86	38	37	43	13	31	25	41	39	34	57	39	48	53	67	62	26
27	(e) Other venereal diseases[8]	-	-	-	3	6	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	99	148	167	4,049	4,318	5,113	-	-	-	-	-	3	-	50	5	-	-	-	17	34	69	22	20	56	-	-	1	3	-	6	10	10	18	47	34	13	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 9 (7); Measles 3,192 (4,157); Meningitis, other 92 (96); Poliomyelitis, with paralysis 90 (69); Typhoid fever 30 (27);
Encephalitis, infectious 52 (53); Meningococcal infections 44 (40); Poliomyelitis, acute 201 (161); Poliomyelitis, without paralysis 85 (66); Undulant fever 19 (15);

The number of cases of poliomyelitis reported for the week ended August 9 was 201, which is nearly 25 per cent higher than the 161 reported in the previous week but considerably lower than the total of 357 cases for the same week in 1957. Ninety of the 201 cases were paralytic; 85 were nonparalytic; and 26 were unspecified.

* NEWFOUNDLAND reports Measles (epidemic) at Terra Nova, B.B.

YUKON TERRITORY: Number of cases four weeks ended August 9: influenza, epidemic, 3; measles, 4; hepatitis, infectious, 4; gonorrhoea, 9.

9005-501
20-8-58

DEPT. OF HEALTH
SEP 2 - 1958
Venereal Disease Control

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended August 16, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total[3] 1957	CANADA Cumulative Total[3] Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week (9)	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	67	263	118	20,[illegible]	26,858	26,858	..	..	..	..	..	..	1	1	8	..	..	..	11	158	20	37	57	44	11	19	9	..	..	..	..	..	..	7	28	24	1
2	Diphtheria	-	-	1	33	84	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	30	17	16	419	888	733	-	-	-	1	1	-	-	-	-	2	-	-	-	3	-	1	1	4	11	4	-	-	-	3	-	-	-	15	8	5	3
4	(a) Amoebic	-	-	-	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	30	17	16	411	886	721	-	-	-	1	1	-	-	-	-	2	-	-	-	3	-	1	1	4	11	4	-	-	-	3	-	-	-	15	8	5	5
6	Encephalitis, infectious	-	-	1	12	21	19	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	113	41	66	5,239	3,740	8,616	..	..	..	45	28	27	64	-	31	..	..	..	-	-	-	-	-	2	4	-	-	-	-	-	..	..	..	-	13	-	7
8	Measles	200	310	240	23,653	45,041	43,284	-	-	2	10	9	..	7	6	14	..	..	..	35	50	31	117	190	54	20	27	10	..	..	..	-	18	54	11	10	22	8
9	Meningitis, meningococcal	7	6	5	195	205	202	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	3	3	2	-	1	-	-	-	-	..	..	..	1	-	-	9
10	Mumps	83	98	100	9,410	19,408	20,528	..	..	..	..	..	..	9	5	6	..	..	..	8	27	16	54	43	47	2	2	8	..	..	..	..	..	..	10	19	17	10
11	Poliomyelitis, epidemic:[4]	10	7	68	65	120	440	-	-	-	-	-	1	-	-	4	-	-	1	3	-	6	-	-	16	7	5	2	-	-	5	-	2	16	-	-	11	11
12	(a) With paralysis	8	7	43	55	73	246	-	-	-	-	-	1	-	-	1	-	-	-	3	-	5	-	-	4	5	5	1	-	-	2	-	2	2	-	-	3	12
13	(b) Without paralysis	2	-	23	10	45	163	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	6	2	-	2	-	-	-	-	-	4	-	-	8	13
14	Rubella	18	30	49	6,508	15,487	15,487	-	-	-	..	..	..	..	..	..	..	..	..	-	2	4	8	16	15	1	1	1	..	..	..	-	7	13	9	4	8	14
15	Scarlet fever, etc.[5]	43	61	59	6,553	6,028	8,717	7	1	-	6	11	10	11	14	12	-	-	-	2	7	9	11	16	16	1	-	1	-	2	5	-	4	3	5	6	8	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	96	95	226	4,752	5,066	6,140	1	2	4	6	-	-	-	-	1	9	12	13	46	36	105	21	14	17	2	11	12	4	2	11	-	7	10	7	11	28	17
18	(a) Pulmonary	65	78	190	3,703	3,872	5,015	1	2	4	5	-	-	-	-	1	7	12	12	42	34	102	(7)	(7)	(7)	2	10	10	2	2	8	-	7	10	6	11	24	18
19	(b) Non-pulmonary	10	3	12	355	341	345	-	-	-	1	-	-	-	-	-	2	-	1	4	2	3	(7)	(7)	(7)	-	1	1	2	-	3	-	-	-	1	-	4	19
20	Typhoid and paratyphoid	13	7	10	187	172	268	1	-	-	-	-	-	-	-	-	-	1	-	11	2	3	-	3	1	-	-	-	-	-	1	-	-	-	1	1	-	20
21	Undulant fever	-	2	3	72	82	84	-	-	-	-	-	-	-	-	-	-	4	-	-	1	1	-	1	1	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	196	341	357	10,239	10,572	10,699	9	7	9	-	-	-	5	6	14	7	7	7	74	105	73	55	46	50	-	13	26	46	41	43	-	58	50	(9)	58	57	22
23	(a) Syphilis, primary	-	2	1	58	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	23
24	(b) " secondary	-	1	1	39	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	23	35	38	1,201	1,367	1,443	-	-	-	-	-	-	2	2	1	1	2	1	12	20	21	6	5	8	-	-	1	2	-	3	-	1	-	-	5	3	25
26	(d) Gonorrhoea	173	303	302	8,938	9,078	9,062	9	7	8	-	-	-	3	4	12	6	5	5	62	85	49	49	38	39	-	13	24	44	41	40	-	57	50	-	53	53	26
27	(e) Other venereal diseases[8]	-	-	-	3	6	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	84	99	174	4,133	4,457	5,287	-	-	-	3	-	-	11	-	7	-	-	1	21	17	85	33	22	56	-	-	10	-	3	4	-	10	15	16	47	16	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report not received.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	10	(9);	Measles	2,525	(3,192);	Meningitis, other	107	(92);	Poliomyelitis, with paralysis	114	(89);	Typhoid fever	39	(30);
Encephalitis, infectious	58	(52);	Meningococcal infections	38	(44);	Poliomyelitis, acute	233	(199);	Poliomyelitis, without paralysis	82	(85);	Undulant fever	12	(19);

The number of reported cases of poliomyelitis for the week ended August 16 was 233, of which 114 were paralytic. This compares with corrected totals of 199 and 89 respectively for the previous week and 314 and 81 respectively for the week ended August 17, 1957.

The number of paralytic cases continues to be in excess of nonparalytic each week, and to exceed the number of such cases reported in the same week last year.

9005-501
27-8-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended August 23, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week (9)	ALTA. Previous Week (9)	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	553	67	112	20,777	26,930	26,930	..	..	..	..	..	..	-	1	5	..	..	..	12	11	23	50	37	38	4	11	4	..	..	..	..	..	..	6	7	21	1
2	Diphtheria	-	-	1	33	89	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	40	36	13	465	894	752	4	-	-	-	1	-	2	-	-	-	2	-	2	-	2	6	7	1	5	11	-	-	-	-	-	-	-	21	15	6	3
4	(a) Amoebic	-	-	-	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	40	36	13	457	890	734	4	-	-	-	1	-	2	-	-	-	2	-	2	-	1	6	7	1	5	11	-	-	-	-	-	-	-	21	15	6	5
6	Encephalitis, infectious	2	-	1	14	21	21	1	-	-	..	..	..	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	6
7	Influenza, epidemic	41	115	58	5,282	4,110	8,674	..	..	..	39	45	9	-	66	40	..	..	..	-	-	-	-	-	3	1	4	2	-	-	-	..	..	..	1	-	1	7
8	Measles	144	202	196	23,799	45,237	43,477	*	-	-	10	10	..	-	9	12	..	..	..	29	35	52	72	117	59	8	20	9	..	..	..	-	-	21	25	11	23	8
9	Meningitis, meningococcal	6	7	6	201	215	208	-	2	2	-	-	-	2	-	-	-	1	-	-	-	-	2	3	1	1	-	-	-	-	-	..	..	..	1	1	-	9
10	Mumps	52	83	110	9,462	19,481	20,644	..	..	..	..	..	..	-	9	10	..	..	..	5	8	13	34	54	43	3	2	8	..	..	..	..	..	..	10	10	19	10
11	Poliomyelitis, epidemic:[4]	12	10	68	77	139	516	-	-	1	-	-	1	-	-	3	-	-	3	-	3	9	1	-	13	11	7	3	-	-	9	-	-	13	-	-	8	11
12	(a) With paralysis	11	8	40	66	86	273	-	-	1	-	-	1	-	-	2	-	-	-	-	3	6	1	-	4	10	5	2	-	-	2	-	-	4	-	-	3	12
13	(b) Without paralysis	1	2	20	11	51	195	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	6	1	2	1	-	-	3	-	-	1	-	-	2	13
14	Rubella	17	18	63	6,525	15,550	15,550	-	-	-	..	..	..	..	..	..	..	..	..	4	-	4	4	8	14	1	1	1	..	..	..	-	-	6	8	9	9	14
15	Scarlet fever, etc.[5]	39	43	78	6,592	6,122	8,795	9	7	-	7	6	3	-	11	24	-	-	1	3	2	9	7	11	11	1	1	2	-	-	-	-	-	4	12	5	4	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	111	97	211	4,882	5,286	6,333	2	1	6	2	6	1	1	1	-	12	9	3	51	46	62	15	21	23	6	2	20	10	4	8	-	-	18	12	7	18	17
18	(a) Pulmonary	86	66	142	3,804	4,076	5,179	2	1	6	1	5	-	1	1	-	11	7	3	49	42	62	(7)	(7)	(7)	6	2	20	6	2	7	-	-	14	10	6	16	18
19	(b) Non-pulmonary	10	10	5	369	345	360	-	-	-	1	1	-	-	-	-	1	2	-	2	4	1	(7)	(7)	(7)	-	-	-	4	2	1	-	-	-	2	1	1	19
20	Typhoid and paratyphoid	8	13	14	195	186	280	-	1	-	-	-	-	-	-	-	-	-	1	5	11	10	1	-	2	-	-	-	-	-	-	-	-	-	2	1	-	20
21	Undulant fever	2	-	4	74	86	89	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	250	291	351	10,584	10,861	11,053	13	9	8	-	-	-	3	7	8	8	7	5	38	74	78	58	55	47	27	-	30	19	46	33	-	-	62	84	93	74	22
23	(a) Syphilis, primary	-	1	3	59	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	23
24	(b) " secondary	3	-	2	42	32	32	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	24	30	40	1,232	1,392	1,468	1	-	1	-	-	-	1	2	-	1	1	-	9	12	14	6	6	8	2	-	1	-	2	-	-	-	-	4	7	5	25
26	(d) Gonorrhoea	223	260	302	9,248	9,337	9,337	12	9	8	-	-	-	2	5	8	5	6	5	29	62	55	51	49	39	25	-	29	19	44	28	-	-	60	80	85	64	26
27	(e) Other venereal diseases[8]	-	-	1	3	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	94	84	190	4,227	4,647	5,465	-	-	-	-	3	1	-	11	3	-	-	-	16	21	61	43	33	56	-	-	4	3	-	3	-	-	16	32	16	21	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report not received.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	5	(10);	Measles	1,704	(2,525);	Meningitis, other	82	(107);	Poliomyelitis, with paralysis	144	(114);	Typhoid fever	31	([illegible]);
Encephalitis, infectious	82	(58);	Meningococcal infections	42	(38);	Poliomyelitis, acute	309	(233);	Poliomyelitis, without paralysis	122	(82);	Undulant fever	20	([illegible]);

The 309 cases of poliomyelitis reported this week represent about a 36 per cent increase over the corrected total for last week, 228 cases. For the week ended August 9, 199 cases were reported. The number of paralytic cases has also increased — 144 cases this week as compared with 115 last week and 89 in the week ended August 9. The number of paralytic cases continues to make up about 46 per cent of the total.

*NEWFOUNDLAND reports Measles (epidemic) at Trepassey and vicinity, Hearts' Desire, T.B. and Hearts' Delight, T.B.

DEPT. OF HEALTH
SEP 5 - 1958
Venereal Disease
Control

9005-501
3-9-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended August 30, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

DEPT. OF HEALTH
SEP 15 1958
Venereal Disease Control

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	107	72	98	20,403	27,051	27,051	..	..	..	..	..	..	-	-	6	..	..	..	44	12	14	33	50	27	6	4	13	..	..	..	..	..	..	24	6	20	1
2	Diphtheria	1	-	2	34	96	68	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2
3	Dysentery:[4]	44	41	18	510	902	771	-	4	-	3	-	-	-	2	-	1	-	-	1	2	1	1	7	3	5	5	-	-	-	-	4	-	2	29	21	6	3
4	(a) Amoebic	-	-	-	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	44	41	18	502	898	752	-	4	-	3	-	-	-	2	-	1	-	-	1	2	1	1	7	3	5	5	-	-	-	-	4	-	2	29	21	6	5
6	Encephalitis, infectious	-	2	1	14	22	22	-	1	-	..	..	..	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	66	63	113	5,370	4,485	8,801	..	..	..	20	39	39	20	22	43	1	..	..	-	-	-	-	-	3	-	1	2	-	-	-	..	..	..	25	1	-	7
8	Measles	162	162	152	24,003	45,359	43,678	*	-	1	9	10	..	2	3	17	..	..	..	11	29	15	110	72	37	5	8	9	..	..	..	10	15	34	15	25	16	8
9	Meningitis, meningococcal	3	6	5	205	220	209	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	..	..	..	-	1	-	9
10	Mumps	27	57	100	9,494	19,522	20,726	..	..	..	..	..	..	-	5	6	..	..	..	4	5	14	14	34	64	6	3	5	..	..	..	..	..	..	3	10	15	10
11	Poliomyelitis, epidemic:[4]	19	14	76	99	152	599	-	-	-	-	-	-	-	-	1	-	-	3	-	-	9	-	1	15	16	11	3	-	-	7	3	2	10	-	-	8	11
12	(a) With paralysis	12	12	27	80	92	318	-	-	-	-	-	-	-	-	1	-	-	-	-	-	7	-	1	5	10	10	1	-	-	1	2	1	3	-	-	3	12
13	(b) Without paralysis	7	2	32	19	58	227	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	5	6	1	2	-	-	4	1	1	6	-	-	6	13
14	Rubella	47	28	28	6,591	15,607	15,607	-	-	-	..	..	..	..	..	..	..	..	..	-	4	1	10	4	9	21	1	-	..	..	..	7	11	8	9	8	8	14
15	Scarlet fever, etc.[5]	46	56	61	6,655	6,177	8,878	8	9	1	9	7	3	2	15	12	-	-	1	1	3	9	13	7	11	3	1	2	-	-	4	2	2	2	8	12	3	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	118	116	186	5,025	5,448	6,544	6	2	9	2	2	1	2	1	1	3	12	14	33	51	81	20	15	17	6	6	10	3	10	13	35	5	12	8	12	22	17
18	(a) Pulmonary	90	91	157	3,916	4,212	5,356	6	2	9	1	1	1	2	1	1	3	11	14	33	49	81	(7)	(7)	(7)	5	6	10	1	6	9	31	5	11	8	10	17	18
19	(b) Non-pulmonary	8	10	10	380	355	373	-	-	-	1	1	-	-	-	-	-	1	-	-	2	1	(7)	(7)	(7)	1	-	-	2	4	3	4	-	1	-	2	3	19
20	Typhoid and paratyphoid	11	8	7	206	188	284	-	-	-	1	-	-	-	-	-	1	-	-	4	5	5	2	1	1	-	-	-	-	-	-	3	-	-	-	2	-	20
21	Undulant fever	1	2	3	75	89	90	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	323	318	354	11,044	11,176	11,395	8	13	7	-	-	1	4	3	6	6	8	5	42	38	64	52	58	56	35	27	34	42	19	37	37	68	64	97	84	91	22
23	(a) Syphilis, primary	3	-	6	62	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	23
24	(b) " secondary	3	3	1	45	32	32	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	24
25	(c) " other	19	24	37	1,252	1,421	1,514	-	1	-	-	-	-	-	1	1	1	1	1	9	9	16	5	6	6	-	2	1	2	-	2	-	-	2	2	4	7	25
26	(d) Gonorrhoea	298	291	318	9,682	9,622	9,660	8	12	7	-	-	1	4	2	5	5	5	3	33	29	45	44	51	50	34	25	32	39	19	37	37	68	60	94	80	86	26
27	(e) Other venereal diseases[8]	-	-	-	3	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	133	116	254	4,401	4,815	5,636	-	-	-	-	-	-	40	6	6	-	-	-	28	16	57	30	43	63	-	-	8	6	3	7	13	16	29	16	32	19	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	15 (5);	Measles	1,327 (1,704);	Meningitis, other	116 (82);	Poliomyelitis, with paralysis	126 (144);	Typhoid fever	37 (31);
Encephalitis, infectious	86 (82);	Meningococcal infections	31 (42);	Poliomyelitis, acute	280 (309);	Poliomyelitis, without paralysis	105 (122);	Undulant fever	8 (20);

The total number of reported cases of poliomyelitis for the current week (35th) is 280 with 126 of these being paralytic and 105 nonparalytic. The number is less in each category than that reported last week, 309 total, 144 paralytic and 122 nonparalytic, but is higher than that for the week ended August 16. The lower number of paralytic cases results from the decrease in the number of paralytic cases reported in Michigan, 25 as compared with 43 last week. The reported figures for the 35th week of last year totaled 272 of which 76 were paralytic and 145 nonparalytic. The number of paralytic cases continues to exceed last year's figure for the comparable week.

*NEWFOUNDLAND reports Measles (epidemic) at Trepassey and Ferryland District.

9005-501
10-9-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended September 6, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	81	108	83	20,485	27,133	27,133	..	..	..	..	..	..	-	1	4	..	..	..	41	44	17	24	33	30	6	6	3	..	..	..	..	..	..	10	24	17	1
2	Diphtheria	1	1	1	35	101	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
3	Dysentery:[4]	34	45	10	545	912	776	-	-	-	8	3	-	-	-	-	-	1	-	5	1	1	3	2	3	1	5	-	-	-	-	2	4	-	15	29	5	3
4	(a) Amoebic	-	1	-	9	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	34	44	10	536	908	757	-	-	-	8	3	-	-	-	-	-	1	-	5	1	1	3	1	2	1	5	-	-	-	-	2	4	-	15	29	5	5
6	Encephalitis, infectious	4	-	2	18	22	23	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	6
7	Influenza, epidemic	65	66	90	5,435	5,046	8,915	..	..	..	25	20	48	38	20	62	1	1	..	-	-	-	-	-	-	2	-	1	-	-	-	..	..	..	-	25	2	7
8	Measles	125	164	176	24,130	45,535	43,847	*	-	1	..	9	..	2	4	12	..	..	..	32	11	39	70	110	27	-	5	11	..	..	..	12	10	16	9	15	18	8
9	Meningitis, meningococcal	4	3	6	209	226	216	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	..	..	..	-	-	-	9
10	Mumps	51	32	98	9,550	19,636	20,838	..	..	..	..	..	..	8	5	5	..	..	..	8	4	14	21	14	55	4	6	9	..	..	..	..	..	..	10	3	14	10
11	Poliomyelitis, epidemic:[4]	22	19	83	121	175	666	-	-	-	-	-	1	-	-	3	-	-	3	2	-	13	-	-	19	15	16	2	-	-	8	5	3	12	-	-	6	11
12	(a) With paralysis	18	12	45	98	105	354	-	-	-	-	-	1	-	-	3	-	-	-	2	-	7	-	-	6	12	10	2	-	-	4	4	2	3	-	-	2	12
13	(b) Without paralysis	4	7	32	23	67	250	-	-	-	-	-	-	-	-	-	-	-	3	-	-	4	-	-	7	3	6	1	-	-	3	1	1	3	-	-	5	13
14	Rubella	40	47	43	6,631	15,666	15,666	-	-	-	..	..	..	3	..	..	..	..	..	3	-	4	8	10	15	4	21	-	..	..	..	10	7	8	12	9	9	14
15	Scarlet fever, etc.[5]	92	78	60	6,779	6,242	8,972	6	8	-	5	9	4	53	34	16	1	-	-	5	1	7	6	13	13	-	3	2	2	-	1	12	2	7	2	8	4	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	116	118	183	5,134	5,619	6,705	5	6	14	-	2	1	-	2	-	6	3	7	59	33	71	11	20	14	11	6	20	10	3	3	4	35	17	10	8	31	17
18	(a) Pulmonary	97	90	161	4,007	4,358	5,500	5	6	14	-	1	1	-	2	-	4	3	7	58	33	69	(7)	(7)	(7)	8	5	18	9	1	3	4	31	14	9	8	26	18
19	(b) Non-pulmonary	8	8	8	388	362	379	-	-	-	-	1	-	-	-	-	2	-	-	1	-	2	(7)	(7)	(7)	3	1	1	1	2	1	-	4	-	1	-	3	19
20	Typhoid and paratyphoid	13	11	7	219	191	293	1	-	-	-	1	-	-	-	-	1	1	-	10	4	5	-	2	1	-	-	-	1	-	-	-	3	-	-	-	-	20
21	Undulant fever	1	1	2	76	94	94	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	313	323	340	11,357	11,491	11,638	25	8	12	-	-	-	9	4	11	4	6	3	66	42	74	52	52	59	19	35	35	27	42	27	71	37	55	40	97	61	22
23	(a) Syphilis, primary	4	3	2	66	95	95	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	3	-	1	-	-	-	23
24	(b) " secondary	-	3	3	45	32	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	24
25	(c) " other	23	19	36	1,275	1,464	1,567	-	-	1	-	-	-	1	-	2	2	1	-	8	9	15	9	5	11	-	-	1	1	2	2	1	-	2	1	2	3	25
26	(d) Gonorrhoea	286	298	300	9,968	9,892	9,892	25	8	12	-	-	-	8	4	9	2	5	3	57	33	62	43	44	44	19	34	34	26	39	24	67	37	52	39	94	56	26
27	(e) Other venereal diseases[8]	-	-	-	3	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	101	133	207	4,502	5,058	5,843	-	-	-	3	-	-	3	40	2	-	-	-	30	28	69	41	30	70	-	-	5	4	6	6	11	13	21	9	16	15	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 9 (15); Encephalitis, infectious 78 (86); Measles 1,238 (1,327); Meningococcal infections 63 (31); Meningitis, other 157 (116); Poliomyelitis, acute 317 (280); Poliomyelitis, with paralysis 153 (126); Poliomyelitis, without paralysis 122 (105); Typhoid fever 28 (37); Undulant fever 22 (8);

The number of poliomyelitis cases reported for the week ended September 6 was 317 of which 153 were paralytic, 122 nonparalytic, and 42 unspecified. The corrected total for the previous week was 286 (126 paralytic, 109 nonparalytic, and 52 unspecified). For the same week last year, there were 241 cases of which 73 were paralytic, 122 nonparalytic, and 46 unspecified.

***NEWFOUNDLAND reports Measles (epidemic) at Trepassey and Ferryland District.**

YUKON TERRITORY: Number of cases four weeks ended September 6: chickenpox, 1; measles, 2; scarlet fever, 1; hepatitis, infectious, 5; gonorrhoea, 18.

9005-501
17-9-58

DEPT. OF HEALTH
SEP 19 1958
Venereal Disease

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended September 13, 1958, in comparison with the previous week [1], and the 5-year (1953-1957) Median

DEPT. OF HEALTH
SEP 26 1958
Venereal Disease Control

1883.

No.	DISEASE	CANADA [2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total [3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	98	81	118	20,583	27,251	27,251	..	..	..	..	..	..	-	-	11	..	..	..	5	41	29	58	24	47	7	6	[illegible]	..	..	..	..	..	28	10	18	1
2	Diphtheria	1	1	1	36	104	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2
3	Dysentery: [4]	47	35	13	593	980	791	-	-	-	-	8	-	-	-	-	-	-	-	10	5	2	6	4	2	3	1	1	1	-	-	2	2	-	25	15	3	3
4	(a) Amoebic	-	-	-	9	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	47	35	13	584	976	772	-	-	-	-	8	-	-	-	-	-	-	-	10	5	2	6	4	2	3	1	1	1	-	-	2	2	-	25	15	3	5
6	Encephalitis, infectious	3	4	2	21	23	25	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	3	-	-	1	-	-	-	-	6
7	Influenza, epidemic	114	66	54	5,550	6,773	8,969	..	..	..	33	25	25	74	38	24	..	1	..	1	-	-	-	-	4	1	2	2	-	-	-	..	..	..	5	-	1	7
8	Measles	549	116	150	24,670	45,652	43,969	-	-	-	..	..	..	18	2	6	..	..	..	13	32	29	93	70	34	382	-	4	..	..	..	21	12	24	22	-	25	8
9	Meningitis, meningococcal	2	4	5	211	231	227	-	2	-	-	-	-	-	2	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	..	..	..	-	-	1	9
10	Mumps	76	41	153	9,616	19,792	20,977	..	..	..	..	..	..	13	8	6	..	..	..	5	8	19	44	21	67	4	4	6	..	..	..	..	..	..	10	-	13	10
11	Poliomyelitis, epidemic: [4]	15	22	69	136	190	718	-	-	-	-	-	-	-	-	1	-	-	4	6	2	12	-	-	14	6	15	-	-	-	3	3	5	18	-	-	12	11
12	(a) With paralysis	9	18	32	107	112	374	-	-	-	-	-	-	-	-	-	-	-	-	5	2	7	-	-	9	4	12	-	-	-	1	-	4	3	-	-	5	12
13	(b) Without paralysis	6	4	23	29	74	271	-	-	-	-	-	-	-	-	-	-	-	4	1	-	4	-	-	5	2	3	-	-	-	2	3	1	2	-	-	7	13
14	Rubella	52	36	50	6,679	15,737	15,737	-	-	-	..	..	..	2	3	..	..	..	..	-	3	2	16	8	19	19	-	-	..	..	..	9	10	11	6	12	14	14
15	Scarlet fever, etc. [5]	66	96	75	6,869	6,313	9,047	5	6	-	3	5	5	27	53	13	1	1	-	3	5	7	15	6	15	6	4	4	3	2	-	2	12	7	1	2	6	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis: [4,6]	112	116	166	5,246	5,768	6,853	6	5	10	-	-	2	-	-	1	15	6	9	32	59	70	17	11	20	9	11	10	1	10	12	19	4	8	13	10	21	17
18	(a) Pulmonary	86	97	140	4,093	4,472	5,632	6	5	9	-	-	2	-	-	1	14	4	9	32	58	69	(7)	(7)	(7)	6	8	10	1	9	9	16	4	8	11	9	19	18
19	(b) Non-pulmonary	9	8	6	397	372	393	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	(7)	(7)	(7)	3	3	-	-	1	-	3	-	-	2	1	2	19
20	Typhoid and paratyphoid	10	15	9	231	205	311	-	1	-	-	-	-	-	-	-	-	1	-	7	10	3	3	2	2	-	-	-	-	1	-	-	-	-	-	-	1	20
21	Undulant fever	2	1	2	78	97	97	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	303	313	303	11,660	11,789	11,981	8	25	7	-	-	1	8	9	8	6	4	3	67	66	74	(9)	52	41	47	19	24	39	27	27	54	71	63	74	40	74	22
23	(a) Syphilis, primary	2	4	4	68	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	3	2	-	-	-	23
24	(b) " secondary	-	-	1	45	32	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	24
25	(c) " other	19	23	36	1,294	1,495	1,607	-	-	-	-	-	-	-	1	1	-	2	1	11	8	17	-	9	8	-	-	2	4	1	2	2	1	-	2	1	-	25
26	(d) Gonorrhoea	282	286	272	10,250	10,155	10,164	8	25	7	-	-	1	8	8	7	6	2	2	56	57	54	-	43	33	47	19	22	34	26	27	51	67	49	72	39	73	26
27	(e) Other venereal diseases [8]	-	-	-	3	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	193	101	263	4,695	5,286	6,099	-	-	-	11	3	-	34	3	4	-	-	-	16	30	113	67	41	66	1	-	6	4	4	6	17	11	29	43	9	16	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report not received.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 17 (9); Measles 1,185 (1,238); Meningitis, other 183 (157); Poliomyelitis, with paralysis 193 (153); Typhoid fever 36 (28);
Encephalitis, infectious 132 (78); Meningococcal infections 56 (63); Poliomyelitis, acute 399 (319); Poliomyelitis, without paralysis 155 (124); Undulant fever 15 (22);

The number of reported cases of poliomyelitis this week totals 399, of which 193 were paralytic and 155 nonparalytic. The corrected figures for last week are 319 total, 153 paralytic, and 124 nonparalytic cases. For the corresponding week of last year 282 cases were reported; 90 were paralytic and 149 were nonparalytic. Since the slight drop in the number of reported cases for the week ended August 30 the number has been increasing again, and the figures for this week are the highest recorded in all categories this year.

9005-501
24-9-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended September 20, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

DEPT. OF HE
Vencer
Com

No.	DISEASE	CANADA[2] Report Week	CANADA[2] Previous Week	CANADA[2] Median 1953-57	CANADA[2] Cumulative Total[3] 1958	CANADA[2] Cumulative Total[3] 1957	CANADA[2] Cumulative Total[3] Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	72	98	110	20,655	27,361	27,361	..	..	..	..	..	..	1	-	2	..	..	..	14	5	48	39	58	41	10	7	5	..	..	..	..	..	..	8	28	17	1
2	Diphtheria	1	1	1	37	105	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2
3	Dysentery:[4]	38	47	10	631	990	810	-	-	-	6	-	-	-	-	-	1	-	-	11	10	2	6	6	2	3	3	-	-	1	-	-	2	-	11	25	2	3
4	(a) Amoebic	-	-	-	9	5	4	-	-	-	-	-	-	-	-	-	(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	37	47	9	621	985	791	-	-	-	6	-	-	-	-	-	(7)	-	-	11	10	2	6	6	2	3	3	-	-	1	-	-	2	-	11	25	2	5
6	Encephalitis, infectious	-	3	1	21	24	29	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	46	114	77	5,598	10,029	9,203	..	..	..	15	33	30	19	74	39	..	..	..	-	1	-	1	-	2	6	1	4	-	-	-	..	..	..	5	5	1	7
8	Measles	262	551	152	24,939	45,856	44,175	*	-	2	..	..	..	6	20	17	..	..	..	123	13	31	101	93	28	8	382	8	..	..	..	11	21	26	13	22	20	8
9	Meningitis, meningococcal	10	2	4	221	240	232	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	1	-	-	..	..	..	2	-	-	9
10	Mumps	105	79	139	9,724	19,886	21,139	..	..	..	..	..	..	-	16	2	..	..	..	47	5	25	35	44	56	5	4	8	..	..	..	..	..	..	18	10	31	10
11	Poliomyelitis, epidemic:[4]	29	15	52	165	212	765	1	-	-	-	-	-	-	-	2	-	-	1	7	6	13	3	-	10	16	6	-	1	-	5	1	3	12	-	-	5	11
12	(a) With paralysis	23	9	20	130	128	393	1	-	-	-	-	-	-	-	1	-	-	1	6	5	8	3	-	8	12	4	-	1	-	3	-	-	-	-	-	2	12
13	(b) Without paralysis	6	6	21	35	80	293	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	-	-	4	4	2	-	-	-	2	1	3	2	-	-	5	13
14	Rubella	60	52	44	6,739	15,785	15,785	-	-	-	..	..	..	6	2	..	..	..	..	-	-	6	15	16	16	20	19	-	..	..	..	15	9	10	4	6	8	14
15	Scarlet fever, etc.[5]	85	66	96	6,956	6,412	9,176	6	5	1	13	3	8	16	27	16	1	1	-	8	3	15	19	15	18	2	6	3	3	3	1	8	2	10	9	1	13	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	151	112	178	5,397	5,923	7,099	3	6	6	1	-	-	2	-	4	11	15	10	82	32	73	16	17	13	10	9	12	-	1	9	14	19	18	12	13	15	17
18	(a) Pulmonary	123	86	149	4,215	4,587	5,842	3	6	6	-	-	-	2	-	1	9	14	10	79	32	70	(7)	(7)	(7)	8	6	12	-	1	6	11	16	18	11	11	14	18
19	(b) Non-pulmonary	12	9	10	409	386	403	-	-	-	1	-	-	-	-	-	2	1	-	3	-	3	(7)	(7)	(7)	2	3	-	-	-	2	3	3	1	1	2	1	19
20	Typhoid and paratyphoid	7	10	18	238	220	327	-	-	1	-	-	-	-	-	-	-	-	-	4	7	7	2	3	3	-	-	-	1	-	-	-	-	1	-	-	2	20
21	Undulant fever	-	2	1	78	103	101	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	362	359	382	12,078	12,171	12,310	-	8	5	-	-	-	10	8	12	9	6	7	70	67	66	57	56	67	31	47	27	29	39	25	77	54	69	79	74	68	22
23	(a) Syphilis, primary	2	2	5	70	104	104	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	23
24	(b) " secondary	5	1	1	51	33	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	1	-	1	-	-	-	24
25	(c) " other	30	31	42	1,336	1,546	1,655	-	-	-	-	-	-	-	-	2	2	-	1	18	11	16	4	12	11	1	-	-	1	4	2	1	2	3	3	2	3	25
26	(d) Gonorrhoea	325	325	325	10,618	10,480	10,480	-	8	5	-	-	-	10	8	10	7	6	6	51	56	55	49	43	55	29	47	27	28	34	23	75	51	63	76	72	67	26
27	(e) Other venereal diseases[8]	-	-	-	3	8	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	155	194	305	4,853	5,623	6,308	-	-	-	7	11	-	11	35	8	-	-	1	45	16	110	44	67	52	3	1	4	2	4	8	22	17	25	21	43	25	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	28 (17);	Measles	1,102 (1,185);	Meningitis, other	115 (183);	Poliomyelitis, with paralysis	220 (191);	Typhoid fever	33 (36);
Encephalitis, infectious	116 (132);	Meningococcal infections	65 (56);	Poliomyelitis, acute	434 (394);	Poliomyelitis, without paralysis	141 (156);	Undulant fever	16 (15);

The total number of cases of poliomyelitis reported for the week ended September 20 is 434; 220 of these were paralytic cases and 141 were nonparalytic. The corrected figures for last week are 394 total cases, 191 paralytic, and 156 nonparalytic. The total number of reported cases this week is about 10 per cent higher than the previous week's figure, and the number of paralytic cases is about 15 per cent higher. The total number of reported cases for the week ended September 21, 1957, was 212, of which 82 were paralytic and 93 nonparalytic. The cumulative total of paralytic cases is now above the cumulative figure for the same period last year.

*NEWFOUNDLAND reports Measles (epidemic) at Trepassey, Ferryland District, Sandy Cove and Eastport, B.B.

9005-501

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended September 27, 1958, in comparison with the previous Week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	137	73	125	20,793	27,478	27,478	..	..	..	..	..	..	14	2	5	..	..	..	32	14	34	67	39	58	5	10	5	..	..	..	..	..	..	19	8	19	1
2	Diphtheria	2	1	4	39	109	77	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2
3	Dysentery:[4]	79	38	12	710	1,003	820	-	-	-	2	6	-	-	-	-	-	1	-	8	11	-	46	6	4	-	3	1	-	-	1	2	-	-	21	11	4	3
4	(a) Amoebic	-	-	-	9	5	4	-	-	-	-	-	-	-	-	-	-	(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	79	37	12	700	998	801	-	-	-	2	6	-	-	-	-	-	(7)	-	8	11	-	46	6	4	-	3	1	-	-	1	2	-	-	21	11	4	5
6	Encephalitis, infectious	1	-	2	22	26	31	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	113	46	80	5,711	15,447	9,271	..	..	..	53	15	28	54	19	42	..	..	..	-	-	-	-	1	3	3	6	-	-	-	-	..	..	..	3	5	-	7
8	Measles	294	262	206	25,233	46,052	44,513	-	-	-	..	..	..	22	6	2	..	..	..	112	123	56	110	101	35	8	8	12	..	..	..	9	11	39	33	13	26	8
9	Meningitis, meningococcal	3	10	4	224	249	236	1	4	1	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	1	1	-	-	1	-	..	..	..	-	2	1	9
10	Mumps	97	105	164	9,821	20,033	21,363	..	..	..	..	..	..	10	-	20	..	..	..	25	47	33	41	35	68	9	5	9	..	..	..	..	..	..	12	18	28	10
11	Poliomyelitis, epidemic:[4]	23	29	47	189	226	808	-	1	-	-	-	-	-	-	2	-	-	4	4	7	11	-	3	7	15	16	2	-	1	4	4	1	6	-	-	10	11
12	(a) With paralysis	14	23	20	145	134	413	-	1	-	-	-	-	-	-	1	-	-	-	3	6	11	-	3	3	9	12	2	-	1	-	2	-	1	-	-	3	12
13	(b) Without paralysis	9	6	22	44	87	312	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	4	6	4	2	-	-	2	2	1	2	-	-	4	13
14	Rubella	36	60	29	6,775	15,836	15,836	-	-	-	..	..	..	..	6	..	..	..	..	3	-	1	17	15	16	-	20	-	..	..	..	10	15	4	6	4	10	14
15	Scarlet fever, etc.[5]	153	85	94	7,109	6,625	9,339	17	6	2	9	13	-	71	16	11	-	1	5	8	8	16	20	19	23	3	2	6	9	3	5	2	8	12	14	9	6	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	140	151	170	5,566	6,046	7,328	8	3	4	2	1	1	-	2	2	2	11	10	69	82	70	26	16	14	15	10	14	4	-	6	5	14	13	9	12	25	17
18	(a) Pulmonary	107	123	146	4,347	4,683	6,033	8	3	4	2	-	1	-	2	2	2	9	10	69	79	70	(7)	(7)	(7)	13	8	14	2	-	5	4	11	13	7	11	23	18
19	(b) Non-pulmonary	7	12	6	420	391	407	-	-	-	-	1	-	-	-	-	-	2	-	-	3	-	(7)	(7)	(7)	2	2	-	2	-	1	1	3	-	2	1	1	19
20	Typhoid and paratyphoid	9	7	10	247	224	340	-	-	-	-	-	-	-	-	-	-	-	-	4	4	5	4	2	2	-	-	-	-	1	-	1	-	-	-	-	-	20
21	Undulant fever	3	-	3	81	106	104	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	1	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	364	362	333	12,442	12,451	12,673	7	-	10	3	-	2	4	10	14	9	9	4	82	70	79	61	57	53	51	31	36	45	29	31	55	77	51	47	79	56	22
23	(a) Syphilis, primary	4	2	3	74	107	107	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	23
24	(b) " secondary	2	5	1	53	33	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	1	-	-	-	1	-	1	-	-	24
25	(c) " other	41	30	44	1,377	1,585	1,716	-	-	1	1	-	-	-	-	1	2	2	1	20	18	14	10	4	11	2	1	2	1	1	1	2	1	2	3	3	4	25
26	(d) Gonorrhoea	316	325	294	10,934	10,717	10,767	6	-	8	2	-	2	4	10	10	6	7	4	61	51	66	50	49	43	49	29	34	43	28	30	53	75	49	42	76	50	26
27	(e) Other venereal diseases[8]	1	-	-	4	9	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	27
28	Whooping cough	145	156	248	4,999	5,826	6,633	-	-	-	1	7	1	6	12	7	1	-	-	20	45	99	65	44	84	-	3	7	6	2	7	23	22	27	23	21	28	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 14 (28); Measles 1,047 (1,102); Meningitis, other 149 (115); Poliomyelitis, with paralysis 179 (221); Typhoid fever 30 (33);
Encephalitis, infectious 70 (116); Meningococcal infections 37 (65); Poliomyelitis, acute 386 (431); Poliomyelitis, without paralysis 162 (141); Undulant fever 11 (16);

For the current week 386 cases of poliomyelitis were reported. Of these 179 were paralytic and 162 nonparalytic cases. For the previous week, the corrected figures are 431 cases reported, 221 of which were paralytic and 141 nonparalytic. For the week ended September 28, 1957, there were 230 cases reported of which 105 were paralytic and 94 nonparalytic. All of the geographic divisions except the East North Central and East South Central division showed a decrease. A decrease in paralytic cases occurred in all of the divisions except the South Atlantic and East South Central divisions.

Michigan reported a higher incidence of total cases (159) again this week but the number of paralytic cases was slightly less than last week. Most of the other States which have been reporting relatively high numbers of cases in recent weeks reported somewhat fewer cases for the current week.

*NEWFOUNDLAND reports Measles epidemic at Grey River, Burgeo, La Poile District and Aquaforte - Ferryland District.

9005-501

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended October 4, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	153	137	161	20,946	27,607	27,607	..	..	..	..	..	..	3	14	6	..	..	..	28	32	42	86	67	58	1	5	7	..	..	..	..	..	..	35	19	31	1
2	Diphtheria	-	2	1	39	110	84	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	37	79	9	747	1,011	834	-	-	-	2	2	-	-	-	-	-	-	-	1	8	-	7	46	3	3	-	2	-	-	-	5	2	-	19	21	-	3
4	(a) Amoebic	-	-	-	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	37	79	9	737	1,006	810	-	-	-	2	2	-	-	-	-	-	-	-	1	8	-	7	46	1	3	-	2	-	-	-	5	2	-	19	21	-	5
6	Encephalitis, infectious	-	1	1	22	26	33	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	103	118	82	5,819	21,895	9,405	..	..	..	65	53	17	37	59	74	..	..	..	-	-	-	-	-	7	-	3	-	-	-	-	..	..	..	1	3	2	7
8	Measles	281	316	222	25,536	46,283	44,797	*	-	-	..	..	..	*30	44	9	..	..	..	22	112	46	129	110	29	10	8	9	..	..	..	43	9	26	47	33	53	8
9	Meningitis, meningococcal	3	3	4	228	259	238	1	1	1	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	1	-	-	-	-	..	..	..	-	-	1	9
10	Mumps	145	97	179	9,966	20,129	21,533	**	..	..	..	..	..	15	10	4	..	..	..	21	25	34	82	41	75	6	9	7	..	..	..	..	..	..	21	12	36	10
11	Poliomyelitis, epidemic:[4]	16	24	43	206	233	843	-	-	-	-	-	1	-	-	1	-	-	3	7	4	6	2	1	10	6	15	1	-	-	3	1	4	8	-	-	8	11
12	(a) With paralysis	10	15	20	155	140	439	-	-	-	-	-	1	-	-	-	-	-	-	5	3	5	2	1	4	3	9	1	-	-	1	-	2	2	-	-	4	12
13	(b) Without paralysis	6	9	19	51	87	323	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	-	4	3	6	-	-	-	-	1	2	1	-	-	4	13
14	Rubella	82	36	42	6,857	15,896	15,896	-	-	-	..	..	..	..	..	..	..	..	..	2	3	7	18	17	19	20	-	-	..	..	..	21	10	10	21	6	7	14
15	Scarlet fever, etc.[5]	153	153	106	7,262	6,756	9,439	17	17	2	9	9	9	35	71	20	-	-	1	14	8	20	48	20	23	5	3	4	-	9	6	6	2	7	19	14	15	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	116	140	173	5,682	6,201	7,523	2	8	4	-	2	2	2	-	1	13	2	18	51	69	64	24	26	24	8	15	9	-	4	7	8	5	15	8	9	30	17
18	(a) Pulmonary	87	107	133	4,434	4,805	6,193	2	8	4	-	2	-	2	-	1	12	2	17	49	69	63	(7)	(7)	(7)	7	13	9	-	2	7	8	4	15	7	7	27	18
19	(b) Non-pulmonary	5	7	9	425	396	415	-	-	-	-	-	1	-	-	-	1	-	1	2	-	1	(7)	(7)	(7)	1	2	-	-	2	1	-	1	1	1	2	3	19
20	Typhoid and paratyphoid	5	9	8	252	228	347	-	-	-	-	-	-	-	-	-	-	-	-	4	4	5	-	4	1	-	-	-	-	-	-	-	-	1	1	1	-	20
21	Undulant fever	1	3	2	82	109	106	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	1	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	343	364	364	12,785	12,746	12,985	5	7	7	1	3	1	4	4	9	9	9	6	69	82	102	46	61	62	35	51	34	17	45	27	38	55	63	119	47	58	22
23	(a) Syphilis, primary	1	4	3	75	113	113	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	2	-	-	-	23
24	(b) " secondary	3	2	1	56	33	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	1	-	24
25	(c) " other	27	41	48	1,404	1,633	1,757	-	-	-	-	1	-	1	-	1	1	2	-	11	20	25	6	10	10	-	2	1	1	1	1	-	2	4	7	3	3	25
26	(d) Gonorrhoea	312	316	315	11,246	10,958	11,033	5	6	6	1	2	1	3	4	9	8	6	5	58	61	73	38	50	52	35	49	33	15	43	24	38	53	58	111	42	53	26
27	(e) Other venereal diseases[8]	-	1	-	4	9	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	27
28	Whooping cough	148	145	221	5,147	5,926	6,811	-	-	-	14	1	2	7	6	15	-	1	-	19	20	60	68	65	44	-	-	8	5	6	6	17	23	15	10	5	12	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 39 (14); Measles 1,208 (1,047); Meningitis, other 199 (149); Poliomyelitis, with paralysis 133 (179); Typhoid fever 37 (30);
Encephalitis, infectious 65 (70); Meningococcal infections 52 (37); Poliomyelitis, acute 315 (388); Poliomyelitis, without paralysis 122 (162); Undulant fever 19 (11)

A total of 315 cases of poliomyelitis have been reported for the week ended October 4. Of these, 133 were reported as paralytic and 122 as nonparalytic cases. For the week ended October 5, 1957, there were 201 reported cases of which 100 were paralytic and 64 nonparalytic. Four of the geographic divisions reported substantial decreases in incidence compared with the previous week. These include both the Middle Atlantic and East North Central Divisions from which most of the cases have been reported in recent weeks. In the East North Central Division, Michigan reported a decrease from 159 cases last week to 98 this week; the decrease in paralytic cases was from 56 to 32. However, Ohio has reported a considerable increase compared with last week. Most of the cases reported in Ohio have been unspecified as to paralytic status.

*NEWFOUNDLAND reports Measles (epidemic) at Peter's River and St. Mary's District. NOVA SCOTIA reports Measles (epidemic) in Barrington Municipality.

**NEWFOUNDLAND reports Mumps (epidemic) at St. Bride's and Placentia East.

YUKON TERRITORY: Number of cases four weeks ended October 4: influenza, epidemic, 4; measles, 1; mumps, 1; hepatitis, infectious, 6; gonorrhoea, 16.

9005-501
15-10-58

DEPT. OF HEALTH
OCT 20 1958
Venereal Disease Control

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended October 11, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

DEPT. OF HEALTH
OCT 27 1958
Vital Statistics

No.	DISEASE	CANADA[2] Report Week	Previous Week	Median 1953-57	Cumulative to date[3] 1958	1957	Median 1953-57	NFLD. Report Week	Previous Week	Median 1953-57	P.E.I. Report Week	Previous Week	Median 1953-57	N.S. Report Week	Previous Week	Median 1953-57	N.B. Report Week	Previous Week	Median 1953-57	QUE. Report Week	Previous Week	Median 1953-57	ONT. Report Week	Previous Week	Median 1953-57	MAN. Report Week	Previous Week	Median 1953-57	SASK. Report Week	Previous Week	Median 1953-57	ALTA. Report Week	Previous Week	Median 1953-57	B.C. Report Week	Previous Week	Median 1953-57	No.
1	Chickenpox	113	153	212	21,059	27,766	27,766	*	..	..	..	..	..	3	3	3	..	..	..	28	28	67	36	86	71	11	1	11	..	..	..	..	..	..	35	35	51	1
2	Diphtheria	6	-	-	45	110	89	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	30	37	12	977	1,023	840	-	-	-	-	2	-	-	-	-	-	-	-	3	1	1	2	7	1	2	3	-	2	-	-	2	5	-	19	19	6	3
4	(a) Amoebic	-	-	-	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	30	37	12	767	1,018	816	-	-	-	-	2	-	-	-	-	-	-	-	3	1	1	2	7	1	2	3	-	2	-	-	2	5	-	19	19	6	5
6	Encephalitis, infectious	1	-	-	23	26	33	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	19	103	118	5,838	53,506	9,685	..	..	..	9	65	19	8	37	64	..	..	..	-	-	-	-	-	2	2	-	1	-	-	-	..	..	..	-	1	1	7
8	Measles	321	281	301	25,857	46,466	45,380	**	-	-	..	..	..	21	30	11	..	..	..	28	22	73	110	129	40	30	10	7	..	..	..	49	43	11	83	47	31	8
9	Meningitis, meningococcal	4	4	5	233	266	243	2	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	-	1	1	-	-	..	..	..	-	-	-	9
10	Mumps	98	145	171	10,064	20,196	21,791	..	..	..	..	..	..	2	15	4	..	..	..	15	21	47	35	82	61	23	6	11	..	..	..	..	..	..	23	21	42	10
11	Poliomyelitis, epidemic:[4]	20	17	40	227	240	866	-	-	-	-	-	-	-	-	-	1	-	4	10	7	6	-	3	9	7	6	7	-	-	1	2	1	9	-	-	9	11
12	(a) With paralysis	16	11	25	172	147	451	-	-	-	-	-	-	-	-	-	1	-	1	8	5	2	-	3	9	6	3	1	-	-	-	1	-	2	-	-	4	12
13	(b) Without paralysis	4	6	11	55	87	335	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	-	-	1	1	3	-	-	-	1	1	1	-	-	-	3	13
14	Rubella	33	82	43	6,890	15,932	15,932	-	-	-	..	..	..	..	..	..	..	..	..	2	2	3	4	18	16	-	20	-	..	..	..	16	21	11	11	21	12	14
15	Scarlet fever, etc.[5]	121	153	113	7,383	7,057	9,588	15	17	4	2	9	9	6	35	20	-	-	1	13	14	16	28	48	22	14	5	5	15	-	1	10	6	5	13	19	11	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	139	116	195	5,821	6,359	7,728	11	2	3	-	-	1	-	2	3	6	13	10	72	51	58	11	24	23	7	8	17	8	-	10	18	8	22	6	8	27	17
18	(a) Pulmonary	122	87	160	4,556	4,923	6,375	11	2	3	-	-	1	-	2	3	6	12	9	69	49	58	(7)	(7)	(7)	6	7	14	6	-	7	18	8	20	6	7	24	18
19	(b) Non-pulmonary	6	5	11	431	408	426	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	(7)	(7)	(7)	1	1	-	2	-	2	-	-	-	-	1	3	19
20	Typhoid and paratyphoid	7	5	9	259	235	353	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	1	-	-	-	-	-	3	-	-	1	-	-	-	1	-	20
21	Undulant fever	1	1	1	83	110	108	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	293	343	323	13,078	13,066	13,272	9	5	8	-	1	1	5	4	12	1	9	3	52	69	76	41	46	53	35	35	31	30	17	30	46	38	65	74	119	47	22
23	(a) Syphilis, primary	3	1	3	78	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	23
24	(b) " secondary	1	3	1	57	36	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	1	-	24
25	(c) " other	30	27	41	1,434	1,659	1,801	-	-	1	-	-	-	1	1	1	-	1	-	15	11	18	4	6	10	-	-	1	1	1	-	1	-	1	8	7	2	25
26	(d) Gonorrhoea	257	312	288	11,503	11,246	11,276	9	5	6	-	1	1	4	3	10	1	8	3	37	58	54	36	38	43	35	35	30	28	15	28	44	38	54	63	111	39	26
27	(e) Other venereal diseases[8]	2	-	-	6	9	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	27
28	Whooping cough	112	148	178	5,259	5,994	7,059	-	-	-	13	14	1	6	7	3	-	-	-	26	19	62	34	68	33	4	-	5	5	5	4	14	17	12	10	18	16	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	12	(	39	);	Measles	1,533	(	1,208	);	Meningitis, other	80	(	199	);	Poliomyelitis, with paralysis	152	(	131	);	Typhoid fever	22	(	37	);													
Encephalitis, infectious	55	(	65	);	Meningococcal infections	43	(	52	);	Poliomyelitis, acute	311	(	313	);	Poliomyelitis, without paralysis	116	(	122	);	Undulant fever	16	(	19	);													

The number of reported cases of poliomyelitis for the week ended October 11 is 311. Of these, 152 cases were paralytic and 116 nonparalytic. For the week ended October 12, 1957, there were 167 total cases reported with 88 of these paralytic and 63 nonparalytic. Reports from 2 States have not been received. The numbers of total cases and paralytic cases reported from most of the geographic divisions for the current week remained about the same as or less than those for the previous week. But the West North Central and South Atlantic Divisions each reported a sizable increase and the number of paralytic cases in the Middle Atlantic Division is about double that for the previous week. The total figure for the East North Central Division is less than that for the previous week but the number of paralytic cases is slightly higher. The decrease in the total for this division is largely due to the lower number of cases reported in Ohio. Michigan reported about the same number for each category as last week. Fifty-three of the 98 cases reported in Michigan for the current week had onset in the week ended October 3; 28 had onset in the week ended September 26.

*NEWFOUNDLAND reports Chickenpox (epidemic) at St. Mary's and Aquaforte, Ferryland District. **NEWFOUNDLAND reports Measles (epidemic) at Bay Roberts, C.B.

9005-501
22-10-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended October 18, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

DEPT. OF HEALTH
OCT 31 1958
Vital Statistics

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	168	115	377	21,229	27,935	28,154	*	..	..	..	..	..	4	5	15	..	..	..	34	28	91	80	36	146	7	11	16	..	..	..	..	..	..	43	35	51	1
2	Diphtheria	-	9	2	48	112	90	-	6	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	37	30	7	814	1,025	847	-	-	-	-	-	-	1	-	-	-	-	-	3	3	1	10	2	-	-	2	1	1	2	-	13	2	-	9	19	3	3
4	(a) Amoebic	-	-	-	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	37	30	6	804	1,020	822	-	-	-	-	-	-	1	-	-	-	-	-	3	3	1	10	2	-	-	2	1	1	2	-	13	2	-	9	19	3	5
6	Encephalitis, infectious	-	1	1	23	26	34	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	66	66	62	5,951	90,512	9,745	**	..	..	33	9	22	18	55	42	..	..	..	-	-	-	-	-	3	2	2	6	-	-	-	..	..	..	13	-	-	7
8	Measles	491	321	360	26,348	46,596	46,166	***	-	1	..	..	..	51	21	9	..	..	..	33	28	57	300	110	68	35	30	13	..	..	..	28	49	22	44	83	61	8
9	Meningitis, meningococcal	4	4	5	237	272	246	1	2	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	1	-	-	-	1	-	..	..	..	1	-	-	9
10	Mumps	156	102	249	10,224	20,294	22,086	****	..	..	..	..	..	5	6	20	..	..	..	23	15	38	91	35	104	5	23	14	..	..	..	..	..	..	32	23	44	10
11	Poliomyelitis, epidemic:[4]	20	20	23	246	242	899	-	-	-	-	-	-	-	-	1	2	1	3	4	10	6	-	-	5	12	7	1	-	-	1	2	2	10	-	-	4	11
12	(a) With paralysis	14	16	14	188	149	470	-	-	-	-	-	-	-	-	-	2	1	-	4	8	4	-	-	2	7	6	1	-	-	-	1	1	1	-	-	4	12
13	(b) Without paralysis	6	4	8	58	87	346	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	1	5	1	-	-	-	1	1	1	1	-	-	2	13
14	Rubella	44	33	45	6,934	15,977	15,977	-	-	-	..	..	..	..	..	..	..	..	..	3	2	2	19	4	12	-	-	-	..	..	..	11	16	7	11	11	12	14
15	Scarlet fever, etc.[5]	229	157	143	7,648	7,115	9,731	26	15	3	-	2	9	22	42	28	-	-	1	16	18	27	49	28	36	69	14	6	1	15	1	18	10	7	28	13	11	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	93	139	199	5,914	6,488	7,942	6	11	3	1	-	1	2	-	1	11	6	6	28	72	78	12	11	20	5	7	8	7	8	10	17	18	21	4	6	18	17
18	(a) Pulmonary	75	122	151	4,631	5,017	6,551	6	11	3	1	-	-	2	-	1	11	6	6	27	69	76	(7)	(7)	(7)	4	6	8	7	6	8	14	18	20	3	6	17	18
19	(b) Non-pulmonary	6	6	6	437	418	438	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	(7)	(7)	(7)	1	1	-	-	2	1	3	-	-	1	-	1	19
20	Typhoid and paratyphoid	4	7	8	263	238	366	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	-	1	1	-	-	-	-	3	-	2	1	-	-	-	-	20
21	Undulant fever	2	1	3	85	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	302	293	335	13,380	13,367	13,563	8	9	7	-	-	1	8	6	13	11	1	6	70	52	83	61	41	57	14	34	33	31	30	23	41	46	54	58	74	66	22
23	(a) Syphilis, primary	7	3	3	85	121	121	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	1	-	1	1	1	1	-	-	23
24	(b) " secondary	2	1	1	59	36	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	24
25	(c) " other	23	30	42	1,457	1,687	1,838	-	-	2	-	-	-	-	1	2	3	-	-	9	15	16	7	4	9	-	-	1	2	1	1	1	1	2	1	8	3	25
26	(d) Gonorrhoea	270	257	289	11,773	11,513	11,638	8	9	7	-	-	1	6	5	11	8	1	5	60	37	67	52	36	42	14	34	31	28	28	21	39	44	45	55	63	63	26
27	(e) Other venereal diseases[8]	-	2	-	6	10	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	27
28	Whooping cough	133	113	227	5,393	6,184	7,286	-	-	-	11	13	-	2	6	9	-	1	-	27	26	66	43	34	69	2	4	4	3	5	5	23	14	17	22	10	10	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	36	(12);	Measles	1,743	(1,533);	Meningitis, other	168	(80);	Poliomyelitis, with paralysis	140	(156);	Typhoid fever	25	(22);
Encephalitis, infectious	85	(55);	Meningococcal infections	43	(43);	Poliomyelitis, acute	289	(316);	Poliomyelitis, without paralysis	88	(116);	Undulant fever	12	(16);

For the week ended October 18, 1958, 289 cases of poliomyelitis have been reported. Of these, 140 were paralytic and 88 nonparalytic. All of the geographic divisions except the South Central and Pacific Divisions had less total cases and the same or less paralytic cases for the current week as compared with the previous week. In the Pacific Division, California reported 23 cases with 19 of these being paralytic. However, some of these are delayed reports from the previous week. Texas, Mississippi and Tennessee account for most of the cases in 2 South Central Divisions.

Only 9 cases (2 paralytic) have been reported from New Jersey. Ohio has reported a relatively large number of cases (36) again this week, most of which are in the unspecified category. Michigan has reported a substantial decline in both total and paralytic cases.

*NEWFOUNDLAND reports Chickenpox (epidemic) at Gaskier's, S.M.B. **NEWFOUNDLAND reports Influenza (epidemic) at St. David's and St. George's District.

***NEWFOUNDLAND reports Measles (epidemic) at Gaskier's, S.M.B. ****NEWFOUNDLAND reports Mumps (epidemic) at McKay's and St. George's District.

9005-501
29-10-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended October 25, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

DEPT. OF HEALTH
NOV 7 - 1958
Yenc

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	341	168	409	21,570	28,222	28,746	..	..	..	..	..	..	48	4	11	..	..	..	73	34	147	138	80	139	10	7	13	..	..	..	..	..	..	72	43	68	1
2	Diphtheria	-	-	6	48	121	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	31	37	9	845	1,028	863	-	-	-	-	-	-	-	1	-	-	-	-	3	3	2	8	10	-	1	-	1	1	1	-	1	13	-	17	9	2	3
4	(a) Amoebic	-	-	-	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	31	37	9	835	1,023	835	-	-	-	-	-	-	-	1	-	-	-	-	3	3	-	8	10	-	1	-	1	1	1	-	1	13	-	17	9	2	5
6	Encephalitis, infectious	-	-	1	23	28	35	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	114	66	73	6,066	18,898	9,818	..	..	..	30	33	19	74	18	50	..	..	..	-	-	-	-	-	3	8	2	2	-	-	-	..	..	..	2	13	-	7
8	Measles	496	491	530	26,844	46,696	46,696	*	-	-	..	..	..	35	51	19	..	..	..	49	33	93	272	300	58	7	35	18	..	..	..	41	28	69	92	44	64	8
9	Meningitis, meningococcal	3	5	7	241	283	254	-	1	-	-	-	-	1	-	-	-	-	1	2	-	1	-	2	2	-	1	1	-	-	-	..	..	..	-	1	1	9
10	Mumps	178	156	297	10,402	20,423	22,361	..	..	..	..	..	..	14	5	12	..	..	..	53	23	88	92	91	126	5	5	12	..	..	..	..	..	..	14	32	29	10
11	Poliomyelitis, epidemic:[4]	10	20	33	257	254	919	-	-	-	-	-	-	-	-	2	-	2	2	4	4	7	-	-	5	6	12	2	-	-	4	-	2	4	-	-	9	11
12	(a) With paralysis	8	14	19	197	160	480	-	-	-	-	-	-	-	-	1	-	2	-	4	4	5	-	-	3	4	7	1	-	-	2	-	1	2	-	-	5	12
13	(b) Without paralysis	2	6	11	60	88	352	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	2	5	-	-	-	1	-	1	1	-	-	3	13
14	Rubella	53	44	43	6,987	16,020	16,020	-	-	-	..	..	..	..	..	..	..	..	..	1	3	6	25	19	13	2	-	-	..	..	..	12	11	11	13	11	4	14
15	Scarlet fever, etc.[5]	218	229	146	7,866	7,258	9,926	24	26	3	4	-	4	46	22	26	-	-	2	10	16	33	43	49	47	33	69	6	-	1	2	19	18	11	39	28	17	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	158	93	204	6,090	6,623	8,112	2	6	5	-	1	-	-	2	2	10	11	14	74	28	84	30	12	16	6	5	13	17	7	8	2	17	14	17	4	30	17
18	(a) Pulmonary	123	75	176	4,767	5,122	6,696	2	6	5	-	1	-	-	2	2	10	11	14	74	27	81	(7)	(7)	(7)	6	4	13	17	7	8	2	14	14	12	3	27	18
19	(b) Non-pulmonary	5	6	11	447	427	455	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	(7)	(7)	(7)	-	1	-	-	-	1	-	3	-	5	1	3	19
20	Typhoid and paratyphoid	4	4	11	267	245	371	1	-	-	-	-	-	-	-	-	-	-	-	2	2	6	-	-	1	-	-	-	-	-	-	-	2	2	1	-	1	20
21	Undulant fever	-	2	3	85	113	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	392	302	369	13,772	13,652	13,890	11	8	7	1	-	1	5	8	15	15	11	4	69	70	71	51	61	59	98	14	25	33	31	36	60	41	65	49	58	70	22
23	(a) Syphilis, primary	4	7	3	89	124	124	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	3	1	-	1	-	-	-	1	-	-	1	-	-	1	1	23
24	(b) " secondary	1	2	1	60	37	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	24
25	(c) " other	30	23	37	1,487	1,720	1,904	-	-	-	-	-	-	-	-	2	1	3	-	17	9	15	6	7	8	1	-	-	1	2	-	3	1	1	1	1	4	25
26	(d) Gonorrhoea	357	270	317	12,130	11,759	11,955	11	8	7	1	-	1	5	6	15	14	8	3	52	60	46	42	52	52	96	14	24	32	28	36	56	39	62	48	55	65	26
27	(e) Other venereal diseases[8]	-	-	-	6	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	178	133	234	5,571	6,304	7,547	-	-	-	20	11	3	-	2	6	-	-	1	36	27	78	87	43	60	-	2	11	-	3	5	7	23	23	28	22	9	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	38 (36);	Measles	2,064 (1,743);	Meningitis, other	145 (168);	Poliomyelitis, with paralysis	155 (140);	Typhoid fever	26 (25);
Encephalitis, infectious	59 (85);	Meningococcal infections	50 (43);	Poliomyelitis, acute	253 (289);	Poliomyelitis, without paralysis	65 (88);	Undulant fever	19 (12);

The number of reported cases of poliomyelitis for the week ended October 25 was 253; of these, 155 (about 60 per cent) were paralytic and 65 nonparalytic cases. The number of total cases is less than that for previous weeks but the number of paralytic cases is higher than for the week ended October 18 and is about the same as for the week ended October 11. The 155 paralytic cases also total a larger number than was reported during the comparable week in 1957 (73 paralytic cases) and in 1956 (142 paralytic cases). For the current week 4 States reported more than 10 cases of paralytic poliomyelitis: Texas, Michigan, Missouri, and California reported 27, 20, 16, and 11 cases respectively. The increase in paralytic cases compared to the previous week was most pronounced in Missouri and Texas.

*NEWFOUNDLAND reports Measles (epidemic) at Bell Island, C. B. and in Cartwright District, Labrador (350 cases).

9005-501
5-11-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended November 1, 1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	351	341	481	21,921	28,508	29,427	..	..	..	..	..	..	8	48	17	..	..	..	42	73	125	216	138	196	11	10	23	..	..	..	..	..	..	74	72	84	1
2	Diphtheria	6	-	3	54	123	103	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	47	31	7	892	1,035	885	-	-	-	-	-	-	-	-	-	-	-	-	15	3	2	4	8	3	-	1	1	-	1	-	7	1	-	21	17	2	3
4	(a) Amoebic	-	-	-	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	47	31	7	882	1,030	855	-	-	-	-	-	-	-	-	-	-	-	-	15	3	-	4	8	3	-	1	1	-	1	-	7	1	-	21	17	2	5
6	Encephalitis, infectious	1	-	-	24	28	35	1	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	160	114	121	6,226	143,482	9,939	..	..	..	61	30	56	97	74	60	..	..	..	-	-	-	1	-	2	1	8	2	-	-	-	..	..	..	-	2	-	7
8	Measles	645	846	463	27,839	46,828	46,828	-	350	-	..	..	..	151	35	9	..	..	..	28	49	47	346	272	94	10	7	21	..	..	..	27	41	27	83	92	59	8
9	Meningitis, meningococcal	6	3	5	247	285	259	3	-	-	-	-	-	2	1	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	..	..	..	-	-	-	9
10	Mumps	166	178	353	10,568	20,568	22,729	..	..	..	6	..	..	18	14	21	..	..	..	29	53	41	51	92	153	16	5	11	..	..	..	..	..	..	46	14	47	10
11	Poliomyelitis, epidemic:[4]	11	10	20	270	256	935	-	-	-	-	-	1	-	-	-	-	-	-	8	4	4	-	-	6	1	6	1	-	-	3	2	-	6	-	-	2	11
12	(a) With paralysis	6	8	10	205	162	495	-	-	-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	2	1	4	1	-	-	-	-	-	5	-	-	1	12
13	(b) Without paralysis	5	2	6	65	88	353	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	4	-	2	1	-	-	-	2	-	-	-	-	1	13
14	Rubella	57	53	48	7,044	16,046	16,046	-	-	-	..	..	..	..	..	..	..	..	..	3	1	3	18	25	22	1	2	-	..	..	..	7	12	9	28	13	12	14
15	Scarlet fever, etc.[5] *	258	218	146	8,124	7,403	10,065	7	24	3	8	4	9	33	46	30	-	-	-	13	10	27	38	43	32	57	33	5	66	-	-	6	19	9	30	39	16	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	106	158	187	6,188	6,741	8,334	3	2	9	-	-	1	1	-	2	8	10	10	59	74	74	16	30	27	10	6	12	4	17	7	-	2	17	5	17	30	17
18	(a) Pulmonary	85	123	147	4,844	5,214	6,890	3	2	9	-	-	-	1	-	2	8	10	10	56	74	74	(7)	(7)	(7)	9	6	12	3	17	4	-	2	17	5	12	30	18
19	(b) Non-pulmonary	5	5	8	452	434	463	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	(7)	(7)	(7)	1	-	-	1	-	3	-	-	-	-	5	3	19
20	Typhoid and paratyphoid	4	3	5	270	248	389	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	20
21	Undulant fever	4	-	1	89	114	115	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
22	Venereal diseases:	360	392	379	14,132	13,999	14,293	9	11	12	-	1	-	7	5	9	7	15	3	88	69	94	69	51	60	35	98	30	29	33	35	56	60	71	60	49	62	22
23	(a) Syphilis, primary	3	4	3	92	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	1	-	-	-	-	1	-	1	-	-	-	23
24	(b) " secondary	6	1	1	66	39	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	4	1	-	-	-	-	24
25	(c) " other	45	30	50	1,532	1,779	1,950	1	-	-	-	-	-	1	-	1	3	1	1	17	17	25	10	6	11	-	1	3	4	1	2	3	3	3	6	1	3	25
26	(d) Gonorrhoea	306	357	326	12,436	12,041	12,271	8	11	8	-	1	-	6	5	8	4	14	3	71	52	62	56	42	44	35	96	30	24	32	34	48	56	64	54	48	59	26
27	(e) Other venereal diseases[8]	-	-	-	6	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	161	178	272	5,732	6,375	7,819	-	-	-	20	20	1	8	-	4	-	-	2	35	36	46	76	87	47	1	-	8	-	-	5	9	7	15	12	28	11	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	32	(	38	);	Measles	1,640	(	2,064	);	Meningitis, other	100	(	145	);	Poliomyelitis, with paralysis	111	(	155	);	Typhoid fever	20	(	26	);													
Encephalitis, infectious	54	(	59	);	Meningococcal infections	34	(	50	);	Poliomyelitis, acute	185	(	253	);	Poliomyelitis, without paralysis	40	(	65	);	Undulant fever	20	(	19	);													

For the current week, 185 cases of poliomyelitis were reported; of these, 111 (60 per cent) were paralytic and 40 nonparalytic cases. Excluding figures from 6 States from which reports were not received there were 237 cases reported during the preceding week, of which 146 were paralytic. The comparable figure for the week ended November 2, 1957, was 71 cases of which 39 were paralytic. Four States reported 10 or more cases of paralytic poliomyelitis for the current week. Michigan reported 20 cases, Texas 18, and Kentucky and California 10 each. The 20 paralytic cases in Michigan is the same as the previous week's figure but there was a decrease in total cases from 57 to 40.

*NEWFOUNDLAND reports Scarlet fever (epidemic) at Charlottetown, B.B. and Glovertown, B.B.

YUKON TERRITORY: Number of cases four weeks ended November 1: influenza, epidemic 2; measles, 2; mumps, 2; scarlet fever, 2; hepatitis, infectious, 15; primary, syphilis, 1; gonorrhoea, 17.

9005-501
13-11-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended November 8, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] Report Week	CANADA Previous Week	CANADA Median 1953-57	CANADA Cumulative Total[3] 1958	CANADA Cumulative Total 1957	CANADA Cumulative Total Median 1953-57	NFLD. Report Week	NFLD. Previous Week	NFLD. Median 1953-57	P.E.I. Report Week	P.E.I. Previous Week	P.E.I. Median 1953-57	N.S. Report Week	N.S. Previous Week	N.S. Median 1953-57	N.B. Report Week	N.B. Previous Week	N.B. Median 1953-57	QUE. Report Week (9)	QUE. Previous Week	QUE. Median 1953-57	ONT. Report Week	ONT. Previous Week	ONT. Median 1953-57	MAN. Report Week	MAN. Previous Week	MAN. Median 1953-57	SASK. Report Week	SASK. Previous Week	SASK. Median 1953-57	ALTA. Report Week	ALTA. Previous Week	ALTA. Median 1953-57	B.C. Report Week	B.C. Previous Week	B.C. Median 1953-57	No.
1	Chickenpox	312	351	514	22,233	28,799	30,086	*	..	..	9	..	..	5	8	25	..	..	..	-	42	137	141	216	196	26	11	36	..	..	..	..	..	..	131	74	88	1
2	Diphtheria	2	6	4	56	124	107	1	2	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	1	-	-	-	3	-	-	-	1	-	-	-	2
3	Dysentery:[4]	29	47	14	921	1,038	905	-	-	-	2	-	-	-	-	-	-	-	-	-	15	1	9	4	2	1	-	-	3	-	-	2	7	-	12	21	3	3
4	(a) Amoebic	-	-	-	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	29	47	13	911	1,033	875	-	-	-	2	-	-	-	-	-	-	-	-	-	15	1	9	4	2	1	-	-	3	-	-	2	7	-	12	21	3	5
6	Encephalitis, infectious	-	1	-	24	28	37	-	1	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	128	160	89	6,354	157,719	10,037	..	..	..	106	61	43	11	97	35	2	..	..	-	-	-	-	1	5	-	1	1	-	-	-	..	..	..	9	-	2	7
8	Measles	661	645	593	28,500	47,013	47,013	**	-	2	..	..	..	48	151	23	..	..	..	-	28	108	442	346	101	28	10	14	..	..	..	62	27	51	81	83	68	8
9	Meningitis, meningococcal	8	6	3	256	288	262	4	3	1	1	-	-	-	2	-	1	-	-	-	1	-	2	-	1	-	-	-	-	-	-	..	..	..	-	-	-	9
10	Mumps	179	166	398	10,747	20,665	23,070	***	..	..	6	6	..	-	18	8	..	..	..	-	29	91	103	51	163	20	16	23	..	..	..	..	..	..	50	46	43	10
11	Poliomyelitis, epidemic:[4]	2	11	16	272	261	951	-	-	-	-	-	-	-	-	-	-	-	-	-	8	3	1	-	2	1	1	-	-	-	1	-	2	5	-	-	5	11
12	(a) With paralysis	1	6	14	207	165	507	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	1	-	1	-	1	-	-	-	1	-	-	1	-	-	4	12
13	(b) Without paralysis	1	5	6	65	90	357	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	1	-	-	-	-	-	-	2	-	-	-	-	13
14	Rubella	39	57	43	7,083	16,072	16,072	-	-	-	..	..	..	..	..	..	..	..	..	-	3	9	18	18	11	1	1	-	..	..	..	14	7	9	6	28	11	14
15	Scarlet fever, etc.[5]	243	258	162	8,367	7,480	10,227	9	7	3	6	8	6	-	33	21	9	-	1	-	13	28	72	38	33	72	57	6	3	66	5	23	6	27	49	30	19	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	72	106	176	6,260	6,893	8,491	2	3	4	-	-	1	-	1	1	21	8	10	-	59	47	14	16	24	19	10	19	-	4	7	1	-	22	15	5	23	17
18	(a) Pulmonary	51	85	146	4,895	5,325	7,004	2	3	4	-	-	-	-	1	1	19	8	10	-	56	47	(7)	(7)	(7)	18	9	18	-	3	6	1	-	21	11	5	22	18
19	(b) Non-pulmonary	7	5	6	459	446	481	-	-	-	-	-	1	-	-	-	2	-	-	-	3	1	(7)	(7)	(7)	1	1	-	-	1	1	-	-	-	4	-	2	19
20	Typhoid and paratyphoid	2	4	9	272	252	399	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	20
21	Undulant fever	1	4	1	90	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	..	..	..	1	-	-	21
22	Venereal diseases:	332	360	395	14,464	14,314	14,537	3	9	6	-	-	-	8	7	11	8	7	3	81	88	79	47	69	66	25	35	22	33	29	35	51	56	57	76	60	93	22
23	(a) Syphilis, primary	7	3	4	99	133	133	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	2	-	-	4	1	-	-	-	-	23
24	(b) " secondary	2	6	1	68	41	46	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	4	-	-	-	-	24
25	(c) " other	42	45	40	1,574	1,807	1,984	-	1	1	-	-	-	1	1	-	2	3	-	21	17	19	8	10	9	1	-	1	3	4	2	1	3	1	5	6	6	25
26	(d) Gonorrhoea	281	306	335	12,717	12,321	12,614	3	8	5	-	-	-	7	6	10	6	4	2	58	71	58	39	56	55	24	35	21	28	24	29	45	48	56	71	54	85	26
27	(e) Other venereal diseases[8]	-	-	1	6	12	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	142	161	209	5,874	6,528	8,053	2	-	-	23	20	-	-	8	9	-	-	-	-	35	112	64	76	53	-	-	5	6	1	6	15	9	10	32	12	10	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report not received.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	41	(	32	);	Measles	2,444	(	1,640	);	Meningitis, other	92	(	100	);	Poliomyelitis, with paralysis	96	(	122	);	Typhoid fever	20	(	20	);													
Encephalitis, infectious	29	(	54	);	Meningococcal infections	32	(	34	);	Poliomyelitis, acute	158	(	201	);	Poliomyelitis, without paralysis	34	(	45	);	Undulant fever	15	(	20	);													

The number of reported cases of poliomyelitis for the week ended November 8, 1958, continues the downward trend in the number of cases reported during recent weeks. A total of 158 cases were reported; 96 of these were paralytic and 34 nonparalytic. For the week ended November 9, 1957, there were 71 cases reported, including 39 paralytic and 18 nonparalytic. The current week is the first since the week ended August 9, 1958, that less than 100 paralytic cases were reported. California reporting 19 paralytic cases and Michigan 12 were the only States to report 10 or more paralytic cases for the current week. No poliomyelitis was reported in the New England States. The cumulative total of all poliomyelitis cases reported since the week ended April 5, the seasonal low week this year, now slightly exceeds the cumulative total of all cases for the same period last year.

*NEWFOUNDLAND reports Chickenpox (epidemic) at Gander Bay and Fogo District.
**NEWFOUNDLAND reports Measles (epidemic) at Campbellton, N.D.B.
***NEWFOUNDLAND reports Mumps (epidemic) at Campbellton, N.D.B.

9005-501
19-11-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended November 15, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2], 9						NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			B.C.			No.
		Report Week	Previous Week	Median 1953-57	Cumulative Total[3] 1958	1957	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week (9)	Previous Week (9)	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	
1	Chickenpox	358	331	617	22,610	29,070	30,944	..	..	..	6	9	..	11	24	31	..	..	..	-	-	183	162	141	269	30	26	36	..	..	..	..	..	..	149	131	102	1
2	Diphtheria	-	1	5	55	126	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	24	29	11	945	1,043	920	-	-	-	-	2	-	3	-	-	-	-	-	-	-	2	10	9	-	-	1	-	-	3	-	2	2	-	9	12	3	3
4	(a) Amoebic	-	-	-	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	24	29	11	935	1,038	890	-	-	-	-	2	-	3	-	-	-	-	-	-	-	2	10	9	-	-	1	-	-	3	-	2	2	-	9	12	3	5
6	Encephalitis, infectious	-	-	-	24	29	38	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	96	173	73	6,495	239,648	10,171	*	..	..	47	106	26	39	56	40	..	2	..	-	-	-	1	-	2	1	-	2	-	-	-	..	..	..	8	9	-	7
8	Measles	873	666	564	29,378	47,224	47,224	-	-	2	..	..	..	82	53	35	..	..	..	-	-	87	513	442	140	23	28	33	..	..	..	177	62	39	78	81	63	8
9	Meningitis, meningococcal	1	8	6	257	297	265	1	4	1	-	1	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-	-	1	..	..	..	-	-	1	9
10	Mumps	204	183	370	10,955	20,888	23,645	..	..	..	..	6	..	15	4	32	..	..	..	-	-	78	142	103	131	6	20	6	..	..	..	..	..	..	41	50	59	10
11	Poliomyelitis, epidemic:[4]	3	2	16	277	263	967	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	1	1	-	-	1	1	-	6	-	-	5	11
12	(a) With paralysis	3	1	12	212	167	517	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	1	1	-	1	-	-	4	12
13	(b) Without paralysis	-	1	6	65	90	362	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	13
14	Rubella	77	40	49	7,161	16,116	16,116	-	-	-	..	..	..	3	1	..	..	..	..	-	-	5	33	18	18	2	1	-	..	..	..	16	14	9	23	6	12	14
15	Scarlet fever, etc.[5] **	314	267	184	8,705	7,609	10,445	19	9	3	7	6	8	55	24	17	4	9	-	-	-	40	54	72	37	50	72	9	45	3	3	15	23	14	65	49	17	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	98	72	157	6,358	7,097	8,646	9	2	3	1	-	-	-	-	1	26	21	8	-	-	65	24	14	19	9	19	10	4	-	7	15	1	18	10	15	21	17
18	(a) Pulmonary	68	51	131	4,963	5,483	7,128	9	2	3	1	-	-	-	-	1	26	19	8	-	-	64	(7)	(7)	(7)	8	18	9	4	-	5	13	1	15	7	11	19	18
19	(b) Non-pulmonary	6	7	12	465	454	484	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	(7)	(7)	(7)	1	1	-	-	-	1	2	-	-	3	4	2	19
20	Typhoid and paratyphoid	2	2	7	274	258	406	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	1	1	-	-	-	-	-	-	-	-	-	1	1	1	20
21	Undulant fever	1	1	3	91	116	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	..	..	..	-	1	-	21
22	Venereal diseases:	286	332	318	14,750	14,581	14,818	7	3	9	-	-	-	10	8	9	10	8	1	-	81	84	54	47	51	46	25	23	44	33	24	63	51	48	52	76	62	22
23	(a) Syphilis, primary	3	7	2	102	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	1	4	-	1	-	-	23
24	(b) " secondary	2	2	1	70	42	46	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	24
25	(c) " other	25	42	43	1,599	1,836	2,021	-	-	2	-	-	-	4	1	1	2	2	-	-	21	20	8	8	7	2	1	1	1	3	1	3	1	3	5	5	5	25
26	(d) Gonorrhoea	256	281	259	12,973	12,556	12,928	7	3	7	-	-	-	6	7	6	8	6	1	-	58	61	46	39	41	44	24	22	42	28	22	57	45	45	46	71	57	26
27	(e) Other venereal diseases[8]	-	-	-	6	12	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	131	142	211	6,005	6,688	8,245	-	2	-	15	23	2	2	-	12	1	-	1	-	-	64	77	64	52	-	-	7	-	6	4	18	15	12	18	32	15	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Reports for the Province of Quebec temporarily unavailable since November 1.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	28	(	41	);	Measles	2,936	(	2,444	);	Meningitis, other	123	(	92	);	Poliomyelitis, with paralysis	106	(	95	);	Typhoid fever	22	(	20	);													
Encephalitis, infectious	58	(	29	);	Meningococcal infections	46	(	32	);	Poliomyelitis, acute	162	(	156	);	Poliomyelitis, without paralysis	37	(	33	);	Undulant fever	7	(	15	);													

The number of cases of poliomyelitis reported for the current week is 162 of which 106 were paralytic and 37 nonparalytic. This is an increase over the revised number reported the previous week (156 total cases including 95 paralytic and 33 nonparalytic). The 106 paralytic cases this week is almost 4 times the 27 cases reported the week ended November 16, 1957, but somewhat less than the 117 paralytic cases reported for the comparable week in 1956. Texas and California were the only States which reported more than 7 paralytic cases for the current week; Texas had 19 and California 11. Only 1 paralytic case was reported in the New England States and 1 in the Mountain States.

*NEWFOUNDLAND reports Measles (epidemic) at St. Chad's and Happy Adventure, B.B.

**NEWFOUNDLAND reports Scarlet fever (epidemic) at Glovertown and Traytown, B. B.

9005-501
26-11-58

DEPT. OF HEALTH
DEC 1 - 1958
Control
Epidemiological Disease

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended November 22, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] (9) Report Week	Previous Week	Median 1953-57	Cumulative Total[3] 1958	1957	Median 1953-57	NFLD. Report Week	Previous Week	Median 1953-57	P.E.I. Report Week	Previous Week	Median 1953-57	N.S. Report Week	Previous Week	Median 1953-57	N.B. Report Week	Previous Week	Median 1953-57	QUE. Report Week (9)	Previous Week (9)	Median 1953-57	ONT. Report Week	Previous Week	Median 1953-57	MAN. Report Week	Previous Week	Median 1953-57	SASK. Report Week	Previous Week	Median 1953-57	ALTA. Report Week	Previous Week	Median 1953-57	B.C. Report Week	Previous Week	Median 1953-57	No.
1	Chickenpox	394	358	774	23,004	29,467	31,836	*	..	..	7	6	..	2	11	35	..	..	..	-	-	245	251	162	317	40	30	44	..	..	..	..	..	..	94	149	108	1
2	Diphtheria	1	-	4	56	129	118	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	33	24	19	978	1,051	934	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1	8	10	3	3	-	-	-	-	-	-	2	-	21	9	8	3
4	(a) Amoebic	-	-	-	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	33	24	19	968	1,046	904	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1	8	10	3	3	-	-	-	-	-	-	2	-	21	9	8	5
6	Encephalitis, infectious	1	-	1	25	30	39	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	6
7	Influenza, epidemic	103	95	131	6,597	247,163	10,371	**	..	..	88	47	20	-	39	106	2	..	..	-	-	-	1	-	3	12	1	-	-	-	-	..	..	..	-	8	6	7
8	Measles	849	875	722	30,229	47,637	47,637	***	-	7	..	..	..	22	82	41	..	..	..	-	-	130	698	513	176	34	23	66	..	..	..	39	177	64	56	78	104	8
9	Meningitis, meningococcal	4	1	4	261	303	269	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-	-	-	..	..	..	1	-	1	9
10	Mumps	219	204	580	11,174	21,131	24,204	..	..	..	6	..	..	-	15	14	..	..	..	-	-	98	151	142	202	34	6	13	..	..	..	..	..	..	28	41	82	10
11	Poliomyelitis, epidemic:[4]	1	3	21	278	265	979	-	-	1	-	-	-	-	-	-	-	-	-	-	-	7	-	1	2	1	1	-	-	-	1	-	1	9	-	-	1	11
12	(a) With paralysis	1	3	16	214	167	524	-	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	1	1	-	-	-	1	-	1	2	-	-	1	12
13	(b) Without paralysis	-	-	5	64	92	366	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	13
14	Rubella	69	77	46	7,230	16,176	16,176	-	-	-	..	..	..	..	3	..	..	..	..	-	-	6	39	33	13	4	2	1	..	..	..	13	16	12	13	23	16	14
15	Scarlet fever, etc.[5] ****	289	314	242	8,994	7,713	10,711	12	19	8	4	7	5	3	55	38	1	4	1	-	-	63	64	54	46	89	50	9	16	45	7	9	15	21	91	65	15	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	78	98	183	6,436	7,232	8,906	5	9	3	-	1	1	-	-	2	6	26	4	-	-	73	21	24	25	4	9	19	-	4	9	19	15	23	23	10	27	17
18	(a) Pulmonary	52	68	148	5,015	5,582	7,350	5	9	3	-	1	-	-	-	2	6	26	4	-	-	70	(7)	(7)	(7)	4	8	19	-	4	9	18	13	21	19	7	26	18
19	(b) Non-pulmonary	5	6	7	470	460	500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	(7)	(7)	(7)	-	1	-	-	-	-	1	2	2	4	3	2	19
20	Typhoid and paratyphoid	-	2	8	274	263	419	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	20
21	Undulant fever	1	1	1	92	117	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	301	348	341	15,113	14,868	15,196	5	7	6	-	-	2	5	10	8	6	10	4	60	62	66	39	54	62	38	46	34	23	44	28	46	63	58	79	52	70	22
23	(a) Syphilis, primary	3	3	1	105	136	136	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	1	-	23
24	(b) " secondary	4	2	1	74	42	49	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	2	-	-	-	-	24
25	(c) " other	38	36	45	1,648	1,870	2,066	1	-	1	-	-	-	-	4	1	3	2	-	8	11	17	8	8	12	1	2	1	2	1	2	10	3	2	5	5	-	25
26	(d) Gonorrhoea	256	307	291	13,280	12,808	13,219	4	7	5	-	-	1	4	6	8	3	8	4	51	51	43	30	46	45	37	44	33	20	42	28	34	57	58	73	46	69	26
27	(e) Other venereal diseases[8]	-	-	-	6	12	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	109	131	240	6,114	6,888	8,487	1	-	-	7	15	4	-	2	10	-	1	2	-	-	70	91	77	68	-	-	4	-	-	3	4	18	24	6	18	23	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Reports for the Province of Quebec temporarily unavailable since November 1.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	47	(	28	);	Measles	3,654	(	2,936	);	Meningitis, other	88	(	123	);	Poliomyelitis, with paralysis	85	(	106	);	Typhoid fever	28	(	22	);													
Encephalitis, infectious	43	(	58	);	Meningococcal infections	48	(	46	);	Poliomyelitis, acute	134	(	162	);	Poliomyelitis, without paralysis	24	(	37	);	Undulant fever	9	(	7	);													

Eleven of the 12 cases of typhoid fever reported in California for the current week are from an epidemic in Los Angeles city.

*NEWFOUNDLAND reports Chickenpox (epidemic) at Grand Beach, Burin District.

**NEWFOUNDLAND reports Influenza (epidemic) at Goose Bay, Labrador.

***NEWFOUNDLAND reports Measles (epidemic) at Benoit's Cove, Humber District.

****NEWFOUNDLAND reports Scarlet fever (epidemic) at St. Alban's, F.B.

9005-501
3-12-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended November 29, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

DEC 22 1958 DEPT. OF HEALTH Disease

No.	DISEASE	CANADA[2], 9						NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			B.C.			No.
		Report Week	Previous Week	Median 1953-57	Cumulative Total[3] 1958	1957	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week (9)	Previous Week (9)	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	Report Week	Previous Week	Median 1953-57	
1	Chickenpox	487	394	896	23,491	29,882	32,861	..	..	..	..	7	..	54	2	29	..	..	..	-	-	262	251	251	399	35	40	46	..	..	..	..	..	..	147	94	132	1
2	Diphtheria	4	1	5	60	134	124	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	55	33	11	1,033	1,058	947	-	-	-	2	-	-	-	-	-	5	1	-	-	-	1	8	8	3	24	3	1	-	-	-	-	-	-	16	21	2	3
4	(a) Amoebic	-	-	-	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	55	33	11	1,023	1,053	917	-	-	-	2	-	-	-	-	-	5	1	-	-	-	1	8	8	3	24	3	1	-	-	-	-	-	-	16	21	2	5
6	Encephalitis, infectious	-	1	-	25	30	41	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6
7	Influenza, epidemic	116	103	121	6,713	252,061	10,630	..	..	..	66	88	16	44	-	93	1	2	..	-	-	-	-	1	4	2	12	3	-	-	-	..	...	..	3	-	-	7
8	Measles	867	849	857	31,096	47,876	48,932	-	-	4	..	..	..	75	22	34	..	..	..	-	-	122	615	698	198	8	34	35	..	..	..	55	39	68	114	56	102	8
9	Meningitis, meningococcal	5	4	5	266	308	273	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	..	..	..	1	1	2	9
10	Mumps	265	219	557	11,439	21,373	24,844	..	..	..	..	6	..	62	-	60	..	..	..	-	-	108	151	151	123	8	34	15	..	..	..	..	..	..	44	28	104	10
11	Poliomyelitis, epidemic:[4]	5	1	12	283	266	988	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	-	1	4	1	1	-	-	1	-	-	2	-	-	3	11
12	(a) With paralysis	4	1	9	218	167	528	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	2	12
13	(b) Without paralysis	1	-	4	65	93	370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	1	13
14	Rubella	50	69	55	7,280	16,245	16,245	-	-	-	..	..	..	..	..	..	..	..	..	-	-	10	25	39	21	3	4	1	..	..	..	15	13	16	7	13	13	14
15	Scarlet fever, etc.[5]	325	289	206	9,319	7,882	10,917	21	12	4	13	4	9	42	3	32	-	1	1	-	-	53	58	64	38	57	89	10	1	16	3	33	9	21	100	91	14	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	86	78	194	6,535	7,414	9,065	2	5	12	1	-	-	-	-	-	14	6	17	-	-	58	19	21	23	12	4	18	17	-	13	6	19	23	15	23	25	17
18	(a) Pulmonary	62	52	161	5,088	5,717	7,479	2	5	12	1	-	-	-	-	-	13	6	17	-	-	55	(7)	(7)	(7)	9	4	17	17	-	11	6	18	22	14	19	24	18
19	(b) Non-pulmonary	5	5	9	477	472	506	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	(7)	(7)	(7)	3	-	1	-	-	2	-	1	-	1	4	4	19
20	Typhoid and paratyphoid	2	-	5	276	263	422	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	20
21	Undulant fever	-	1	1	92	117	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	268	301	378	15,381	15,201	15,536	10	5	12	-	-	-	2	5	14	5	6	3	46	60	92	49	39	48	15	38	28	21	23	29	47	46	54	73	79	79	22
23	(a) Syphilis, primary	4	3	5	109	138	138	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	2	1	1	23
24	(b) " secondary	3	4	1	77	43	51	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	1	-	-	1	-	-	-	-	24
25	(c) " other	37	38	45	1,685	1,899	2,114	-	1	1	-	-	-	-	-	1	1	3	2	20	8	18	9	8	12	1	1	1	1	2	2	1	10	1	4	6	7	25
26	(d) Gonorrhoea	223	256	326	13,503	13,109	13,503	10	4	9	-	-	-	2	4	12	4	3	3	26	51	74	35	30	42	14	37	26	20	20	28	45	34	50	67	73	70	26
27	(e) Other venereal diseases[8]	1	-	1	7	12	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	110	109	197	6,224	7,044	8,648	-	1	-	19	7	5	7	-	8	-	-	-	-	-	99	54	91	42	-	-	15	1	-	2	9	4	19	20	6	16	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report for the Province of Quebec temporarily unavailable since November 1.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	32	(	47	);	Measles	3,718	(	3,654	);	Meningitis, other	86	(	88	);	Poliomyelitis, with paralysis	69	(	85	);	Typhoid fever	15	(	28	);													
Encephalitis, infectious	33	(	43	);	Meningococcal infections	45	(	48	);	Poliomyelitis, acute	119	(	134	);	Poliomyelitis, without paralysis	28	(	24	);	Undulant fever	13	(	9	);													

The incidence of poliomyelitis is continuing to decrease steadily. The 119 total cases reported for the current week is the lowest figure since early July, and the 69 paralytic cases is the lowest number since the week ended August 2 when also 69 cases were reported. A brief summary of the cumulative figures for paralytic cases so far this year shows that almost 30 per cent of the total was reported in Michigan and Texas with 473 and 387 cases respectively. When the figures for California, 234, and New York State, including New York City, 173, are added, the sum amounts to 44 per cent of the total cases. For 2 States, New Hampshire and Idaho, no cases have been recorded. Ten other States and the District of Columbia have reported 5 or less paralytic cases.

YUKON TERRITORY: Number of cases four weeks ended November 29: influenza, epidemic, 4; mumps, 2; tuberculosis, pulmonary, 6; hepatitis, infectious, 2; gonorrhoea, 14.

ANTHRAX: One case reported in Saskatchewan.

9005-501

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended December 6, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] (9) Report Week	Previous Week	Median 1953-57	Cumulative Total[3] 1958	1957	Median 1953-57	NFLD. Report Week	Previous Week	Median 1953-57	P.E.I. Report Week	Previous Week	Median 1953-57	N.S. Report Week	Previous Week	Median 1953-57	N.B. Report Week	Previous Week	Median 1953-57	QUE. Report Week (9)	Previous Week (9)	Median 1953-57	ONT. Report Week	Previous Week	Median 1953-57	MAN. Report Week	Previous Week	Median 1953-57	SASK. Report Week	Previous Week	Median 1953-57	ALTA. Report Week	Previous Week	Median 1953-57	B.C. Report Week	Previous Week	Median 1953-57	No.
1	Chickenpox	534	498	881	24,036	30,540	33,742	..	..	..	4	..	..	6	65	56	..	..	..	-	-	255	269	251	315	33	35	52	..	..	..	..	..	..	222	147	154	1
2	Diphtheria	-	4	7	61	137	131	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	14	55	13	1,047	1,075	960	-	-	-	-	2	-	-	-	-	-	5	-	-	-	1	11	8	1	-	24	-	-	-	3	-	-	1	3	16	6	3
4	(a) Amoebic	-	-	-	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	14	55	11	1,037	1,070	928	-	-	-	-	2	-	-	-	-	-	5	-	-	-	1	11	8	1	-	24	-	-	-	3	-	-	1	3	16	6	5
6	Encephalitis, infectious	1	-	-	26	30	41	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	112	138	96	6,847	252,892	10,726	..	..	..	63	66	50	46	66	45	..	1	..	-	-	-	2	-	1	-	2	1	-	-	-	..	..	..	1	3	-	7
8	Measles	965	969	887	32,161	48,284	50,033	-	-	3	..	..	..	55	177	47	..	..	..	-	-	131	689	615	196	14	8	31	..	..	..	62	55	93	145	114	76	8
9	Meningitis, meningococcal	2	6	4	269	312	280	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	..	..	..	-	1	1	9
10	Mumps	202	266	603	11,642	21,716	25,583	..	..	..	3	..	..	-	63	18	..	..	..	-	-	110	137	151	211	25	8	14	..	..	..	..	..	..	37	44	95	10
11	Poliomyelitis, epidemic:[4]	3	5	9	286	267	999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	4	-	1	-	-	-	-	1	2	-	2	11
12	(a) With paralysis	2	4	4	220	168	536	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-	-	2	-	1	12
13	(b) Without paralysis	1	1	4	66	93	372	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	13
14	Rubella	88	52	105	7,408	16,364	16,364	-	-	-	..	..	..	..	..	..	..	..	..	-	-	2	45	25	20	8	5	-	..	..	..	27	15	21	8	7	24	14
15	Scarlet fever, etc.[5]	475	374	200	9,843	8,070	11,090	13	21	4	19	13	12	107	91	9	-	-	1	-	-	46	61	58	54	57	57	10	64	1	9	27	33	16	127	100	22	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	73	86	159	6,608	7,576	9,226	6	2	7	-	1	2	1	-	-	13	14	2	-	-	59	19	19	25	6	12	18	5	17	4	5	6	16	18	15	23	17
18	(a) Pulmonary	49	62	120	5,137	5,834	7,613	6	2	7	-	1	2	1	-	-	12	13	2	-	-	58	(7)	(7)	(7)	6	9	16	4	17	4	4	6	16	16	14	22	18
19	(b) Non-pulmonary	5	5	7	482	480	513	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	(7)	(7)	(7)	-	3	-	1	-	-	1	-	-	2	1	2	19
20	Typhoid and paratyphoid	3	2	6	279	266	427	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	-	-	1	1	-	-	1	-	2	-	-	20
21	Undulant fever	2	-	3	94	118	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	321	269	355	15,703	15,585	15,839	5	10	3	-	-	-	13	3	12	7	5	3	60	46	109	76	49	61	20	15	33	28	21	26	45	47	61	67	73	57	22
23	(a) Syphilis, primary	3	4	1	112	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	1	-	-	2	-	23
24	(b) " secondary	1	3	1	78	44	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	34	37	42	1,719	1,941	2,145	-	-	-	-	-	-	2	-	2	1	1	-	20	20	20	7	9	15	-	1	-	1	1	2	-	1	3	3	4	2	25
26	(d) Gonorrhoea	283	224	307	13,787	13,450	13,800	5	10	3	-	-	-	11	3	5	6	4	3	40	26	89	67	35	47	19	14	30	26	20	25	45	45	56	64	67	54	26
27	(e) Other venereal diseases[8]	-	1	-	7	12	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	101	112	217	6,327	7,222	8,865	-	-	-	2	19	1	-	9	22	-	-	1	-	-	77	77	54	59	-	-	5	1	1	5	14	9	16	7	20	33	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report for Province of Quebec temporarily unavailable since November 1.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses)

Diphtheria	41	(	32	);	Measles	4,107	(	3,718	);	Meningitis, other	91	(	86	);	Poliomyelitis, with paralysis	60	(	69	);	Typhoid fever	16	(	15	);													
Encephalitis, infectious	36	(	33	);	Meningococcal infections	51	(	45	);	Poliomyelitis, acute	92	(	119	);	Poliomyelitis, without paralysis	13	(	28	);	Undulant fever	21	(	13	);													

No significant changes were observed for the current week.

DEPT. OF HEALTH
DEC 19 1958
Venereal Disease Control

9005-501
17-12-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended December 13, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

DEPT. OF HEALTH
DEC 29
Dis

No.	DISEASE	CANADA[2] (9) Report Week	Previous Week	Median 1953-57	Cumulative Total[3] 1958	1957	Median 1953-57	NFLD. Report Week	Previous Week	Median 1953-57	P.E.I. Report Week	Previous Week	Median 1953-57	N.S. Report Week	Previous Week	Median 1953-57	N.B. Report Week	Previous Week	Median 1953-57	QUE. Report Week (9)	Previous Week (9)	Median 1953-57	ONT. Report Week	Previous Week	Median 1953-57	MAN. Report Week	Previous Week	Median 1953-57	SASK. Report Week	Previous Week	Median 1953-57	ALTA. Report Week (10)	Previous Week	Median 1953-57	B.C. Report Week	Previous Week	Median 1953-57	No.
1	Chickenpox	522	545	1,087	24,569	31,027	34,696	..	..	..	7	4	..	39	17	27	..	..	..	-	-	322	260	269	438	12	33	43	..	..	..	..	..	..	204	222	128	1
2	Diphtheria	-	-	3	61	137	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	Dysentery:[4]	22	14	12	1,069	1,084	1,015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12	11	1	-	-	2	-	-	-	-	-	-	10	3	2	3
4	(a) Amoebic	-	-	-	9	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	22	14	12	1,059	1,078	983	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12	11	1	-	-	2	-	-	-	-	-	-	10	3	2	5
6	Encephalitis, infectious	-	-	1	25	31	41	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	103	139	122	6,977	252,607	10,858	..	..	..	79	63	48	8	72	62	1	..	..	-	-	-	-	2	3	8	1	2	-	-	-	..	..	..	7	1	-	7
8	Measles	646	968	1,059	32,810	48,592	51,593	*	-	1	..	..	..	13	58	10	..	..	..	-	-	167	399	629	258	11	14	37	..	..	..	-	62	115	223	145	99	8
9	Meningitis, meningococcal	3	3	6	274	319	291	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	1	..	..	..	-	-	1	9
10	Mumps	243	207	572	11,890	21,901	26,086	..	..	..	..	3	..	14	5	22	..	..	..	-	-	204	169	137	231	12	25	27	..	..	..	..	..	..	48	37	103	10
11	Poliomyelitis, epidemic:[4]	1	3	27	286	269	1,008	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	1	-	1	1	-	-	1	-	2	4	11
12	(a) With paralysis	1	2	9	220	169	542	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1	-	-	1	-	2	2	12
13	(b) Without paralysis	-	1	3	66	94	373	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	13
14	Rubella	56	88	86	7,464	16,464	16,464	-	-	1	..	..	..	11	..	..	..	..	..	-	-	8	26	45	30	5	8	-	..	..	..	-	27	35	14	8	8	14
15	Scarlet fever, etc.[5]	278	484	273	10,130	8,232	11,252	5	13	7	10	19	15	12	116	38	-	-	1	-	-	63	45	61	57	55	57	5	39	64	7	-	27	20	112	127	23	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	43	73	173	6,644	7,695	9,496	1	6	6	-	-	1	-	1	-	11	13	10	-	-	51	16	19	18	6	6	10	-	5	3	-	5	29	9	18	31	17
18	(a) Pulmonary	25	49	139	5,156	5,927	7,845	1	6	6	-	-	-	-	1	-	9	12	10	-	-	49	(7)	(7)	(7)	6	6	9	-	4	6	-	4	28	9	16	28	18
19	(b) Non-pulmonary	2	5	7	483	487	533	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	(7)	(7)	(7)	-	-	-	-	1	1	-	1	1	-	2	1	19
20	Typhoid and paratyphoid	-	3	7	279	272	434	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	1	-	-	-	-	1	-	-	-	-	-	2	1	20
21	Undulant fever	1	2	2	95	118	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	99	321	317	15,802	15,875	16,140	6	5	10	-	-	-	8	13	10	4	7	6	47	60	63	(10)	76	53	14	20	35	20	28	22	-	45	54	(10)	67	73	22
23	(a) Syphilis, primary	-	3	4	112	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	1	23
24	(b) " secondary	1	1	1	79	45	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	15	34	38	1,734	1,979	2,174	-	-	1	-	-	-	1	2	1	1	1	1	11	20	17	-	7	10	2	-	2	-	1	1	-	-	1	-	3	3	25
26	(d) Gonorrhoea	83	283	276	13,870	13,700	14,076	6	5	9	-	-	-	7	11	8	3	6	4	36	40	45	-	67	47	11	19	32	20	26	20	-	45	54	-	64	69	26
27	(e) Other venereal diseases[8]	-	-	-	7	12	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	105	101	258	6,432	7,309	9,123	-	-	-	7	2	8	-	-	7	-	-	-	-	-	58	84	77	42	5	-	3	-	1	10	-	14	14	9	7	24	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Report for Province of Quebec temporarily unavailable since November 1. (10) Report not received.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	21 (41);	Measles	5,384 (4,107);	Meningitis, other	68 (91);	Poliomyelitis, with paralysis	59 (60);	Typhoid fever	18 (16);
Encephalitis, infectious	33 (36);	Meningococcal infections	58 (51);	Poliomyelitis, acute	90 (92);	Poliomyelitis, without paralysis	15 (13);	Undulant fever	13 (21);

Including the 90 cases of poliomyelitis reported for the current week the cumulative total of cases for the first 50 weeks of 1958 (5,862) now exceeds the cumulative figure for the same period last year (5,832). In 1956, 15,226 cases had been reported at the end of 50 weeks. The cumulative number of paralytic cases is now about 40 per cent above the 1957 figure, 3,003 cases this year compared with 2,125 last year. The 1958 cumulative figure has exceeded the 1957 figure since the second week of September. There were 6,616 paralytic cases reported for the comparable period of 50 weeks in 1956.

*NEWFOUNDLAND reports Measles (epidemic) at Brigus, C. B.

9005-501
24-12-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended December 20, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] (9) (10) Report Week	Previous Week	Median 1953-57	Cumulative Total[3] 1958	1957	Median 1953-57	NFLD. Report Week	Previous Week	Median 1953-57	P.E.I. Report Week	Previous Week	Median 1953-57	N.S. Report Week	Previous Week	Median 1953-57	N.B. Report Week	Previous Week	Median 1953-57	QUE. Report Week (9)	Previous Week (9)	Median 1953-57	ONT. Report Week	Previous Week	Median 1953-57	MAN. Report Week	Previous Week	Median 1953-57	SASK. Report Week	Previous Week	Median 1953-57	ALTA. Report Week (10)	Previous Week	Median 1953-57	B.C. Report Week (10)	Previous Week	Median 1953-57	No.
1	Chickenpox	232	522	903	24,801	31,529	35,611	..	..	..	14	7	..	12	39	35	..	..	..	-	-	255	183	260	231	23	12	42	..	..	..	..	..	..	-	204	179	1
2	Diphtheria	-	1	2	62	139	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
3	Dysentery:[4]	16	22	13	1,085	1,103	1,028	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	12	2	14	-	-	-	-	2	-	-	-	-	10	-	3
4	(a) Amoebic	-	-	-	9	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	16	22	13	1,075	1,097	996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	12	2	14	-	-	-	-	2	-	-	-	-	10	-	5
6	Encephalitis, infectious	2	-	-	27	32	41	1	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	83	103	106	7,060	253,979	10,964	..	..	..	44	79	35	38	8	70	..	1	..	-	-	-	-	-	2	1	8	1	-	-	-	..	..	..	-	7	-	7
8	Measles	602	753	987	33,519	48,899	52,685	-	-	3	..	..	..	12	13	47	..	..	..	-	-	228	569	399	124	21	11	17	..	..	..	-	107	82	-	223	61	8
9	Meningitis, meningococcal	4	3	5	278	324	294	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	..	..	..	-	-	-	9
10	Mumps	267	243	607	12,157	22,208	26,616	..	..	..	..	14	..	3	-	22	..	..	..	-	-	152	135	169	208	129	12	23	..	..	..	..	..	..	-	48	74	10
11	Poliomyelitis, epidemic:[4]	-	2	9	287	271	1,011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	2	11
12	(a) With paralysis	-	2	6	221	171	544	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	12
13	(b) Without paralysis	-	-	1	66	94	374	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	13
14	Rubella	42	81	115	7,531	16,563	16,563	-	-	-	..	..	..	3	11	..	..	..	..	-	-	16	38	26	18	1	5	-	..	..	..	-	25	31	-	14	15	14
15	Scarlet fever, etc.[5]	155	333	180	10,340	8,509	11,394	11	5	3	7	10	6	-	12	12	-	-	1	-	-	59	37	45	50	79	55	6	21	39	7	-	55	14	-	112	20	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	59	60	170	6,720	7,858	9,645	-	1	10	2	-	1	-	-	1	8	11	3	-	-	79	16	16	13	16	6	15	17	-	5	-	17	22	-	9	28	17
18	(a) Pulmonary	33	38	158	5,202	6,061	7,968	-	1	10	1	-	1	-	-	1	8	9	3	-	-	78	(7)	(7)	(7)	12	6	15	12	-	4	-	13	22	-	9	27	18
19	(b) Non-pulmonary	10	6	10	497	498	543	-	-	-	1	-	-	-	-	-	-	2	-	-	-	4	(7)	(7)	(7)	4	-	-	5	-	1	-	4	-	-	-	1	19
20	Typhoid and paratyphoid	-	-	5	279	278	451	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
21	Undulant fever	-	1	-	95	118	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	172	206	311	16,081	16,142	16,432	6	6	7	-	-	-	3	8	7	5	4	3	51	47	72	61	55	48	12	14	25	34	20	29	-	52	50	-	(10)	42	22
23	(a) Syphilis, primary	-	-	1	112	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
24	(b) " secondary	1	2	1	81	46	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	24
25	(c) " other	22	37	29	1,778	1,995	2,199	-	-	-	-	-	-	-	1	1	-	1	1	12	11	12	9	16	4	1	2	2	-	-	2	-	6	1	-	-	2	25
26	(d) Gonorrhoea	149	167	273	14,103	13,947	14,359	6	6	7	-	-	-	3	7	5	5	3	3	39	36	57	51	38	43	11	11	23	34	20	27	-	46	47	-	-	41	26
27	(e) Other venereal diseases[8]	-	-	1	7	12	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	47	113	154	6,487	7,388	9,277	-	-	-	7	7	3	-	-	1	-	-	2	-	-	70	540	84	33	-	5	3	-	-	7	-	8	7	-	9	12	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Reports for the Province of Quebec not available since November 1.
(10) Report not received.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria - (21); Measles - (5,384); Meningitis, other - (68); Poliomyelitis, with paralysis - (59); Typhoid fever - (18);
Encephalitis, infectious - (33); Meningococcal infections - (58); Poliomyelitis, acute - (90); Poliomyelitis, without paralysis - (15); Undulant fever - (13);

Report for the current week unavailable.

DEPT. OF HEALTH
JAN 5 - 1959
Venereal Disease Control

9005-501
31-12-58

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended December 27, **1958, in comparison with the previous week[1], and the 5-year (1953-1957) Median**

No.	DISEASE	CANADA[2] (9) (10) Report Week	Previous Week	Median 1953-57	Cumulative Total[3] 1958	1957	Median 1953-57	NFLD. Report Week	Previous Week	Median 1953-57	P.E.I. Report Week	Previous Week	Median 1953-57	N.S. Report Week	Previous Week	Median 1953-57	N.B. Report Week	Previous Week	Median 1953-57	QUE. Report Week (9)	Previous Week (9)	Median 1953-57	ONT. Report Week	Previous Week	Median 1953-57	MAN. Report Week	Previous Week	Median 1953-57	SASK. Report Week	Previous Week	Median 1953-57	ALTA. Report Week (10)	Previous Week	Median 1953-57	B.C. Report Week (10)	Previous Week	Median 1953-57	No.
1	Chickenpox	265	364	856	25,198	31,973	36,469	..	..	..	..	14	..	21	19	4	..	..	..	-	-	197	228	183	420	16	23	25	..	..	..	..	..	..	-	125	91	1
2	Diphtheria	-	1	8	63	142	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
3	Dysentery:[4]	4	23	6	1,115	1,111	1,042	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	2	4	-	-	14	-	-	-	-	-	-	-	-	5	1	3
4	(a) Amoebic	-	-	-	9	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
5	(b) Bacillary	4	23	6	1,105	1,105	1,010	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	2	4	-	-	14	-	-	-	-	-	-	-	-	5	1	5
6	Encephalitis, infectious	-	1	-	27	32	42	-	1	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	Influenza, epidemic	83	112	51	7,172	254,237	11,117	..	..	..	76	44	40	4	57	14	1	..	..	-	-	-	-	-	1	2	1	3	-	-	-	..	..	..	-	10	-	7
8	Measles	611	835	773	34,363	49,226	53,938	*	-	4	..	..	..	35	12	31	..	..	..	-	-	170	567	569	267	9	21	42	..	..	..	-	84	54	-	149	69	8
9	Meningitis, meningococcal	1	6	6	281	331	301	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	-	-	1	-	..	..	..	-	-	1	9
10	Mumps	115	308	525	12,313	22,385	26,908	..	..	..	..	..	..	1	8	14	..	..	..	-	-	116	97	135	227	17	129	33	..	..	..	..	..	..	-	36	54	10
11	Poliomyelitis, epidemic:[4]	-	3	3	290	272	1,020	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	11
12	(a) With paralysis	-	3	2	224	172	551	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	12
13	(b) Without paralysis	-	-	1	66	94	375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
14	Rubella	29	84	101	7,602	16,614	16,614	-	-	-	..	..	..	..	3	..	..	..	..	-	-	8	29	38	35	-	1	-	..	..	..	-	20	13	-	22	8	14
15	Scarlet fever, etc.[5]	127	372	179	10,684	8,683	11,526	5	11	4	17	7	11	-	11	23	1	-	2	-	-	37	44	37	68	58	79	3	2	21	4	-	48	10	-	158	7	15
16	Smallpox	-	-	-	-	-	-	-	-	-	..	..	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	Tuberculosis:[4,6]	17	62	141	6,751	7,966	10,177	3	-	1	1	2	1	-	-	-	1	8	6	-	-	45	3	16	16	8	16	12	1	17	4	-	3	12	-	-	20	17
18	(a) Pulmonary	12	36	116	5,227	6,143	8,073	3	-	1	-	1	1	-	-	-	1	8	6	-	-	43	(7)	(7)	(7)	8	12	11	-	12	3	-	3	11	-	-	19	18
19	(b) Non-pulmonary	2	10	9	500	508	553	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2	(7)	(7)	(7)	-	4	1	1	5	1	-	-	-	-	-	2	19
20	Typhoid and paratyphoid	-	-	2	279	279	455	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	20
21	Undulant fever	1	-	3	96	120	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	..	..	..	-	-	-	21
22	Venereal diseases:	122	288	254	16,411	16,397	16,647	6	6	6	-	-	-	3	3	5	16	5	1	16	51	40	36	61	41	16	12	27	29	34	19	-	41	40	-	75	43	22
23	(a) Syphilis, primary	2	-	2	114	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	23
24	(b) " secondary	-	2	-	82	46	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	24
25	(c) " other	16	31	25	1,804	2,020	2,218	-	-	-	-	-	-	-	-	1	3	-	-	6	12	8	6	9	8	1	1	1	-	-	2	-	2	2	-	7	2	25
26	(d) Gonorrhoea	104	255	221	14,404	14,177	14,506	6	6	6	-	-	-	3	3	5	13	5	-	10	39	33	28	51	33	15	11	26	29	34	17	-	38	36	-	68	42	26
27	(e) Other venereal diseases[8]	-	-	-	7	12	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
28	Whooping cough	33	70	109	6,543	7,459	9,387	1	-	-	-	7	1	-	-	5	-	-	-	-	-	49	32	40	31	-	-	2	-	-	6	-	14	4	-	9	12	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat. (6) Nova Scotia reports cases of tuberculosis monthly (weekly figures are preliminary); for this disease the 1958 cumulative totals for Canada include cases for Nova Scotia up to the end of the previous calendar month. (7) Type not specified. (8) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (9) Reports for the Province of Quebec not available since November 1. (10) Report not received.

THE SITUATION IN THE UNITED STATES (Source: *"MORBIDITY AND MORTALITY-WEEKLY REPORT"*, U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	23	(31);	Measles	4,180	(4,885);	Meningitis, other	38	(65);	Poliomyelitis, with paralysis	37	(43);	Typhoid fever	13	(19);
Encephalitis, infectious	16	(22);	Meningococcal infections	43	(43);	Poliomyelitis, acute	58	(74);	Poliomyelitis, without paralysis	10	(20);	Undulant fever	5	(7);

The cumulative 1958 figure for poliomyelitis totals 5,995 reported cases. Of these, 3,083 (51 per cent) were paralytic and 2,018 (34 per cent) nonparalytic. In 1957 the provisional figures were 5,894 total cases, 2,159 (37 per cent) paralytic and 2,802 (48 per cent) nonparalytic cases. The relatively high percentage of paralytic cases this year is no doubt due to more accurate diagnoses before the report is made and a reluctance to report nonparalytic disease without laboratory confirmation.

*NEWFOUNDLAND reports Measles (epidemic) at Pushthrough, Fortune Bay and Hermitage District.

9005-501
7-1-59

DEPT. OF HEALTH
JAN 9 1959
Venereal Disease Control