R1: Design Draft

EEL4907 CpE Design 1

Hardened RISC-V Exam Computer

March 10, 2026

Cannon Spencer George Rushevich Justin Reyes

1 Introduction

1.1 Purpose / Need

The project aims to create a **plug-and-play secure exam computer** built around a RISC-V board. The motivation comes from the growing problem of AI-assisted cheating, especially in coding exams, and the limitations of current solutions such as Honorlock, which require intrusive monitoring of student laptops.

Instead of securing arbitrary student machines, we distribute **dedicated exam devices** during tests. Each device boots into a locked-down Linux environment and launches Safe Exam Browser (SEB) [1] so students take exams through Canvas. Because the hardware and software stack are controlled, tampering is much harder while avoiding the privacy concerns of remote proctoring tools. The system is needed by institutions and instructors who want exam integrity without surveilling students' personal devices.

1.2 Domain & Prior Work

The project sits at the intersection of secure boot, locked-down computing environments, and academic assessment. Prior work includes commercial proctoring (e.g., Honorlock, Respondus) and locked browsers (Safe Exam Browser). Our approach differs by controlling the entire device rather than layering software on untrusted student hardware.

Current status / prior work: This project was previously advanced by Nicholas DeSanctis. The RISC-V board already boots into a full Linux OS. Other students (Shane and Wilson) are integrating SEB with Canvas; our work will connect the RISC-V system to that pipeline.

1.3 Impact & Risk Assessment

The proposed hardened RISC-V exam computer addresses critical challenges in modern academic assessment, balancing security requirements with ethical and environmental considerations.

Social & Cultural: The primary social impact is the restoration of pedagogical integrity in an era where Large Language Models (LLMs) and generative AI can be deployed covertly to bypass traditional assessment. By hardening the testing environment, the project reinstates the incentive for students to master course material rather than relying on external automation. Culturally, this maintains the prestige of the University of Florida degree, ensuring that graduation signifies genuine competency and providing a level playing field for all students.

Economic: The current status quo for exam integrity relies on Software-as-a-Service (SaaS) models like Honorlock or Respondus. These solutions involve high operational expenditure, often reaching six-figure annual fees due to per-student, per-exam pricing structures. In contrast, this project represents a shift toward capital expenditure while the upfront hardware cost is higher, it eliminates recurring licensing fees. Additionally, maintaining a university-owned fleet creates technical student-employment opportunities, providing hands-on experience in open-source maintenance/development and hardware maintenance.

Ethical: Modern proctoring software often requires intrusive access to student-owned hardware and personal environments, raising significant privacy concerns. This project addresses these ethical dilemmas through a design-for-privacy approach, shifting the security burden from the student's personal device to university-owned hardware. This ensures that no invasive monitoring

software—which can often act as a rootkit—is ever installed on a student's personal property.

Environmental & Global: Utilizing the RISC-V architecture promotes an open-standard Instruction Set Architecture (ISA), reducing global reliance on proprietary silicon. From an environmental standpoint, these boards are high-efficiency, low-power devices (typically <15W), significantly reducing the aggregate carbon footprint compared to a classroom of high-performance consumer laptops. The use of 3D-printed enclosures further allows for localized manufacturing and the use of recyclable materials like PETG or PLA.

Risk Assessment & Limitations: The primary technical risk is the "arms race" of hardware exploits. Since students have physical access to the device, sophisticated actors could attempt to interface with the hardware via GPIO pins or physical keyloggers. Furthermore, as a custom solution, there is a risk of hardware failure during an active exam. To mitigate these risks, the design incorporates a secure boot chain to detect system tampering and a deployment strategy that replaces faulty units immediately without loss of student exam progress.

2 Statement of Work

Primary Deliverable: The development of a RISC-V native, SEB-compatible kiosk environment. Because official SEB support is restricted to Windows, macOS, and iOS, this project will implement a **Linux SEB-Wrapper**. This wrapper will utilize a Wayland-based Kiosk compositor to replicate the Kiosk application lockdown features and a custom browser instance to handle the Browser Exam Key (BEK) and Configuration Security Key (CSK) handshakes required by Canvas.

Performance Specifications:

- **SoC:** SpacemiT K1 (8-core RISC-V) with hardware-accelerated AES/SHA for configuration decryption.
- **Lockdown Efficacy:** System must disable all TTY switching (Ctrl+Alt+Fx), terminate non-whitelisted processes, and prevent escape via standard window management shortcuts.
- **Integrity:** Use RISC-V PMP (Physical Memory Protection) to isolate the SEB configuration keys from user-space memory.

ID	Task Description
SW-01*	Port SEB configuration parsing logic (XML/PList) to C++/Python for Linux.
SW-02	Implement the SEB-to-LMS Handshake (BEK/CSK hashing) to satisfy Canvas security.
UI-01	Configure Cage (Wayland compositor) for single-application kiosk mode.
SEC-01	Implement Secure Boot and read-only eMMC partitioning on the BPI-F3.

Table 1: Project Milestones for SEB-Linux Implementation (: First Priority)*

3 Deliverable Artifacts

3.1 Hardware

Description: A simple physical exam device for easy deployment (e.g., 3D-printed enclosure mounting the RISC-V board to the VESA mount on the back of a monitor, creating a compact "all-in-one" exam computer with only power, keyboard, and mouse).

Accessibility, Usability, & Maintenance: The hardware utilizes a standard VESA mount to ensure compatibility with existing university laboratory infrastructure. For maintenance, the enclosure is designed for tool-less or single-fastener access to allow for rapid replacement of the RISC-V board or storage media in the event of hardware failure. Usability is prioritized through a simplified I/O layout, reducing the potential for student error if connecting peripherals.

3.2 Software

Description: Hardened Linux image, secure boot components, and integration with Safe Exam Browser and Canvas.

Dissemination Plan: All produced software will be open sourced, barring components that must remain confidential to maintain the hardening integrity of the system. By design, the software will be packaged and integrated with the OS of the device and will require no additional building, installation, or configuration by the end-user.

Accessibility, Usability, & Maintenance: The software environment is designed to be self-healing; since the eMMC is mounted as a read-only filesystem, any accidental or malicious changes are wiped upon a power cycle. For accessibility, the kiosk browser will support standard web accessibility features, including screen reader compatibility via the ARIA standard and keyboard-only navigation, ensuring compliance with ADA requirements for testing environments.

3.3 Documentation

Description: Manuals, specifications, and reports (including this design draft and subsequent deliverables).

Dissemination Plan: All produced documentation will be open sourced alongside the project software. Additionally, documentation will be provided for use and procedures at each level of authority. That is, documentation will be provided for those who intend to build the project, professors who aim to use the device, and students requiring instructions on proper operation.

Accessibility, Usability, & Maintenance: All documentation will be provided in searchable, screen-reader-friendly PDF and Markdown formats to ensure accessibility for all users. Maintenance will be managed via a hosted documentation platform (e.g., ReadTheDocs or a GitHub Wiki), allowing for real-time updates as the RISC-V ecosystem or Canvas API evolves. Versioned manuals will ensure that documentation remains synchronized with the specific hardware revisions deployed in the field.

4 Mockups

4.1 Interfaces

The following mockups illustrate each software screen a student will encounter during an exam session on the hardened RISC-V exam computer.



Figure 1: UF e-Learning Login Page within SEB Kiosk



Figure 2: UF Gatorlink Authentication Page within SEB Kiosk



Figure 3: Duo Two-Factor Authentication Page within SEB Kiosk



Figure 4: Canvas Exam Session within SEB Kiosk



Figure 5: System Integrity Check Failure Screen

4.2 Systems



Figure 6: Layered architecture of the system showing hardware, OS, browser, and application layers

4.3 Networking



Figure 7: Network layers showing secure communication from Canvas servers to the exam device through the UF network

4.4 Storyboards

The following storyboard illustrates the complete software flow a student experiences from device power-on to exam completion.



Figure 8: Student Workflow Storyboard: SEB Launch through Canvas Exam Completion

4.5 Draft Schematics



Figure 9: Hardware Draft Schematic: High Level SBC Schematic with Banana Pi

5 Stretch Goals

(1) System for distributing configuration to exam devices (exam settings, network config). (2) Hardware-bound cryptographic keys per device (e.g., private key to decrypt/verify config), so the exam environment only runs on approved hardware. Additional hardening (kernel hardening, capability restriction, stronger secure boot) may be needed as the project progresses.

References

[1] Safe Exam Browser. ETH Zürich. [Online]. Available: `https://github.com/safeexambrowser`. Accessed Mar. 2026.

[2] ETH Zürich, "Safe Exam Browser: Concept and Architecture," SafeExamBrowser.org, 2025. [Online]. Available: `https://safeexambrowser.org/about_overview_en.html`. Accessed Mar. 2026.

[3] SpacemiT, "SpacemiT K1 8 core RISC-V chip Brief," SpacemiT Technical Documentation, 2024. [Online]. Available: `https://docs.banana-pi.org/en/BPI-F3/SpacemiT_K1`.

[4] RISC-V International, "The RISC-V Instruction Set Manual, Volume II: Privileged Architecture," Document Version 20211203, Dec. 2021. [Online]. Available: `https://www.scs.stanford.edu/~zyedidia/docs/riscv/riscv-privileged.pdf`.

[5] J. Deitrick, "Cage: A Wayland kiosk compositor," GitHub Repository, 2025. [Online]. Available: `https://github.com/cage-kiosk/cage`.