ORGS CANON

2026-03-18

Dexter Hadley, MD/PhD

Hadley Lab CANONIC

Abstract

ORGS are federation identity each ORG a GitHub boundary, each USER a projection, each scope inherits the ORG's governance.

Contents

- **ORG_IS_GITHUB_BOUNDARY** each ORG maps to exactly one GitHub organization boundary; there is no virtual ORG without a GitHub anchor.
- **USER_IS_PROJECTED** each USER is projected as an ORG-owned repo (`github.com/{org}/{user}`); the same USER may project into many ORGs.
- **ORG_DECLARES_DOMAINS** every per-ORG CANON.md declares `role:` and `domains:` headers whose values resolve to `canonic-canonic/INDUSTRIES/` paths.
- **RUNTIME_NOT_IDENTITY** ORG runtime repos are deploy targets, not identity sources. ## Constraints

```
MUST:     Authenticate before access
MUST:     Every member maintains VITAE
MUST:     Each ORG maps to one GitHub organization bou
MUST:     Each USER is projected as an ORG-owned repo:
MUST:     ORG runtime repos remain deploy targets, not
MUST:     Every per-ORG CANON.md declares role: and do
MUST:     domains: values resolve to canonic-canonic/I
MUST:     Compiler discovers ORG entries by scanning G
MUST NOT: Expose member identity without consent
MUST NOT: Collapse ORG and USER ownership boundaries
MUST NOT: Hardcode org lists  discovery is filesystem-
```

ORGS | CANON | MAGIC