MINT CANON

2026-03-18

Dexter Hadley, MD/PhD

Hadley Lab CANONIC

Abstract

MINT bridges WORK and ATTENTION to WALLET. Gradients mint COIN. Reads mint COIN. Every mint ledgered.

Contents

1 Constraints 1

1. Constraints

```
MUST:     Mint on every non-zero LEDGER gradient  git c
MUST:     Mint on RUNNER task completion  task evidence
MUST:     MINT:READ on reader attention  1 COIN to auth
MUST:     Amount = gradient (delta) for git work, fixed
MUST:     MINT:WORK on positive gradient, DEBIT:DRIFT o
MUST:     MINT:READ dedup by session hash  same reader
MUST:     Map git identity to USER principal via identi
MUST:     Map RUNNER identity via identity.json  Linked
MUST:     WARN visibly when identity unresolved  no sil
MUST:     Be idempotent  same .idf never mints twice (c
MUST:     Be idempotent  same task-ref never mints twic
MUST:     Be idempotent  same read session never mints
MUST:     Record idf_id, task-ref, or read session as v
MUST:     USER must be registered (identity.json + WALL
MUST:     Ed25519-sign all events after SIGNATURE_CUTOF
MUST NOT: Mint without evidence (no .idf, no task-ref,
MUST NOT: Mint to unknown USER (identity must resolve t
MUST NOT: Mint absolute score  gradient only (for git w
MUST NOT: Double-mint on commit amend, hook re-run, dup
MUST NOT: Charge readers to read  reading is free, atte
MUST NOT: Charge authors to publish  writing is free
```

MINT | CANON | SERVICES