

FINDER CANON

2026-03-18

Dexter Hadley, MD/PhD

Hadley Lab CANONIC

Abstract

FINDER is hierarchical navigation for the governed topology breadcrumbs are the spine, scopes are folders, leaves open detail surfaces.

hadleylab.org Governed Research. Every claim cited.

Contents

- **FINDER_IS_HIERARCHICAL** users navigate into scopes like folders and read intelligence like files; every click either navigates deeper or opens a detail surface.
- **BREADCRUMBS_ARE_SPINE** breadcrumbs render the scope path as clickable segments at the top and are the spine of navigation.
- **GRAPH_IS_SECONDARY** the force-directed graph view is secondary and toggled on demand; the hierarchical list is primary.
- **MAGIC_URI_IS_ROUTE** every navigation updates the `magic://` URI hash so browser back/forward work natively. ## Constraints

MUST: Render breadcrumb bar at top (scope path as ...)

MUST: Distinguish folders (children > 0) from leaves

MUST: Click folder navigates into scope (push breadcrumb)

MUST: Click leaf opens detail panel (INTEL, COIN, ...)

MUST: Support graph view toggle (scoped subgraph, ...)

MUST: Update `magic://` URI hash on every navigation

MUST: Render children as cards (category icon, label)

MUST: Collapse breadcrumb to back-arrow + scope name

MUST: Lazy-load vis-network (only when graph view ...)

MUST: Scope search to current Finder context (with ...)

MUST NOT: Show all 302 nodes at once (scoped to current ...)

MUST NOT: Require pinch-zoom or pan to navigate (breadcrumb ...)

MUST NOT: Break browser history (every navigation is a ...)

MUST NOT: HUD elements must overlay content. Control p...

FINDER / CANON / GALAXY