

MONITORING CANON

2026-03-18

Dexter Hadley, MD/PhD

Hadley Lab CANONIC

Abstract

MONITORING is continuous governance scoring real-time visibility, not snapshots, fleet discovered from HTTP.md.

hadleylab.org Governed Research. Every claim cited.

Contents

- **CONTINUOUS_NOT_SNAPSHOT** scoring is continuous and real-time; snapshot-based dashboards do not satisfy the contract.
- **METRICS_ENDPOINT_STANDARD** the API service exposes a Prometheus-compatible `/metrics` endpoint with request count, latency p50/p95/p99, and error rate per endpoint.
- **ALERT_ON_DROP** governance-score drops (`magic validate < 255`) fire alerts and all metric collection lands in the LEDGER.
- **FLEET_DISCOVERED** fleet sites, lanes, and proxy domains are discovered from HTTP.md and never hardcoded. ## Constraints

MUST: Expose `/metrics` endpoint (Prometheus-compatible)

MUST: Track request count, latency p50/p95/p99, error rate

MUST: Alert on governance score drop (`magic validate < 255`)

MUST: Log all metric collection to LEDGER

MUST: Discover fleet sites, lanes, and proxy domains

MUST: Use lowercase canonical URLs for all surface endpoints

MUST: Score every manifest scope using 8-bit governance score

MUST: Compute maturity tier (TOT4) per scope with governance score

MUST: Include maturity summary and per-scope details

MUST NOT: Block service on metrics collection failure

MUST NOT: Store raw metrics beyond 30-day retention

MUST NOT: Hardcode fleet domains, lanes, or endpoint URLs

MUST NOT: Shell out to magic binary reimplement scoring

MONITORING | CANON | SERVICES