adobe

adobe-eula

affero-3

afl-2.1

afl-3.0

agpl-3

agpl-3.0+

amd

any

any-use

apache

apache-1.1

apache-2

apache-2.0

apache-2.0+

apache-possibility

arphic-font-pl

artistic

artistic-1

artistic-2

artistic-2.0

att

att-style

autoconf

baekmuk-font

bellcore

bh-font

bitstream

boost

bsd

bsd-2

bsd-2-clause

bsd-3

bsd-3-clause

bsd-3-clause-generic

bsd-3-clause-ontologies

bsd-3-clauses

bsd-3-pygd

bsd-4

bsd-4-clause

bsd-4-clause-powerdog

bsd-anyjson

bsd-extremelab

bsdish

bsd-jaxen

bsd-mock

bsd-saxpath

bsd-solem

bsd-style

bzip

catharon

cc0

cca

cca-sa

cca-sa-1.0

cca-sa-3.0

cc-by-2.5

cc-by-3.0

cc-by-nc-sa

cc-by-sa

cc-by-sa-3.0

ccp-bsd

ccpl

ccpl-2.0

ccpl-2.5

ccpl-3.0

cddl

-c-gpl

cisco

cisco-style

cmu

config-h

cpl

cpl-1.0

curl

custom

dcraw

debian-spi

debian-spi-style

dlmalloc

docbook

dom4j

dont-change-the-gpl

dyade

eclipse-1.0

edl-1.0

egenix

epydoc

evilwm-aewm-9wm

expat

expat~0-clause

fedora-cla

freebsd

free-sw

fsf

gap

gap~configure

generic-bsd

```
gfdl
gfdl-1.1
gfdl-1.1+
gfdl-1.2
gfdl-1.2+
gfdl-1.3+
gfdl-niv-1.1+
gfdl-niv-1.2
gfdl-niv-1.2+
ghostscript-gpl
gnu-manpages
gnu-permissive
gpl
gpl-1
gpl-1+
gpl-2
gpl-2+
gpl-2.0+
gpl-2.1
gpl-2.1+
gpl-2-possibility
gpl-2:v3
gpl-3
gpl-3+
gpl-3+.
gpl+3
gpl-3.0+
gpl-classpath-exception
gpl-exception
gpl-meta
gpl-possibility
gpl-v3
hp
hp-dec
hp-dec-style
ibm
ibm-pl-1.0
ietf
imagemagick
indemnity
innernet-2.00
innernet-style
intel
intel-only-fw
ios
ipa-1
isc
jpeg
jpeg-netpbm
```

```
jpnic
```

ldp-2.0

lgpl

lgpl-2

lgpl-2+

lgpl-2.0+

lgpl-2.1

lgpl-2.1+

lgpl-3

lgpl-3+

lgpl-3.0

lgpl-3.0+

lgpl-possibility

libjpeg

lppl

lppl-1.2

lppl-1.2+

lppl-1.3+

lppl-1.3c

microlicense

mingw-runtime

misc-copyright

mit

mit2

mit-style

mit-x11

mpl

mpl-1.0

mpl-1.1

mpl-1.1+

m-plus-project

ms-pl

mysql-floss

mysql-style

netbsd

noderivs

none

not-free!

notredame

notredame-style

npl

npl-1.1

oasis

ofl-1.1

omron

opengroup

opengroup-style

openldap-2.7

open-publication-1.0

```
openssl
osf-style
other
other-1
other-2
other-3
other-bsd
other-expat-modrequest
other-gap
other-gap-configure
other-gap-makefile.in
other-gpl-2-either
other-gpl-2-or
other-pd
other-sa-autoconf
other-sa-ghostscript-afpl-9
other-sa-jack
other-sa-libtool
other-x
pd
pd-debian
perldocs
perl-plus-unicode
permissive
permissive-fsf
permissive-nowarranty
princeton
probably-pd
psf-2
psf-2+
public-domain
public-domain-c-
public-domain-claim
python
python-2
python-2.1.1
python-2.2
python-2.3
python-style
qpl-1.0
quarterdeck
regcomp
resene
riverbank-eula
rsa-security
ruby
s2p
same-license-as
```

sdbm-public-domain

see-doc-other-

sgi

sgi-style

sissl

sleepycat-oracle-

snia

sun

sunpro

sun-tm-

tektronix

text-soundex

text-tabs

trolltech

u-cambridge

u-cambridge-style

u-michigan

unclassifiedlicense

unicode

unknown

usl-europe

vim

voidspace-bsd

w3c

w3c-ip

w3c-style

x11

x11-style

zeus

zlib

zlib-libpng

zlib-lstar

zope

zope-pl-2.0

zpl-2.1