
Interaksi Manusia dan Komputer

Praktikum

Sebastian Belmero Sitorus 191402113



Kontak Kuliah

Absen: 40%

Tugas : 40% Kuis : 20%

Yang Akan Digunakan

- 1. Framework
- 2. Server
- 3. Dependency Manager
- 4. Package Manager
- 5. Version Control
- 6. Code Editor
- '/. -

- -> Laravel
- -> XAMPP
- -> Composer
- -> NPM -> Node.js
- -> Github
- -> VS Code
- -> Git Bash

VS Code Extensions



File Edit Selection View Go Run Terminal Help EXTENSIONS: MARKE... ▽ (*) = ··· php inte PHP Intelephense PHP code intelligence for ... Ben Mewburn 503 PHP Debug Ф 5.2M ★4 Debug support for PHP wit... Felix Becker Install 昭 PHP Extensio... © 2.4M * 4 Everything you need for P... Felix Becker Install phpfmt - PH... @ 600K * 4.5 Integrates phpfmt into VS ... kokororin Install Code completion for PHP c... Install Php A simple, dependency free ... **Neil Brayfield** Install Format HT... @ 795K * 3.5 Provides formatting for th... rifi2k Install

≡ Extension: PHP Intelephense ×

PHP Intelephense v1.7.1

PHP code intelligence for Visual Studio Code

Disable Uninstall V 🚳

This extension is enabled globally.

Feature Contributions Changelog Details

Intelephense

PHP code intelligence for Visual Studio Code.

Intelephense is a high performance PHP language server packed full of essential features for productive PHP development.

- · Fast camel/underscore case code completion (IntelliSense) for document, workspace and built-in symbols and keywords with automatic addition of use declarations.
- Detailed signature (parameter) help for document, workspace and built-in constructors, methods, and functions.
- Rapid workspace wide go to definition support.

Embedded HTML/JS/CSS code intelligence.

- Workspace wide find all references.
- Fast camel/underscore case workspace symbol search.
- Full document symbol search that also powers breadcrumbs and outline UI.
- Multiple diagnostics for open files via an error tolerant parser and powerful static analysis engine.
- Lossless PSR-12 compatible document/range formatting. Formats combined HTML/PHP/JS/CSS files to.

Categories

Programming Languages Linters

Formatters

Resources

More Info


Released on 4/16/2017, 21:34:28 Last updated 5/2/2021.11:49:10 Identifier

bnewburn.vscodeintelephense-client






brapifra





Serve your Project with PHP


Install

PHP Namesp... @ 499K * 5











Membuat Project

Baru





ubuntu@ubuntu: ~/lab-imk Q = - Installing phpunit/phpunit (9.5.9): Extracting archive 65 package suggestions were added by new dependencies, use `composer suggest` to see details. Generating optimized autoload files > Illuminate\Foundation\ComposerScripts::postAutoloadDump > @php artisan package:discover --ansi Discovered Package: facade/ignition Discovered Package: fruitcake/laravel-cors Discovered Package: laravel/sail Discovered Package: laravel/sanctum Discovered Package: laravel/tinker Discovered Package: nesbot/carbon Discovered Package: nunomaduro/collision Package manifest generated successfully. 76 packages you are using are looking for funding. Use the `composer fund` command to find out more! > Ophp artisan vendor:publish --tag=laravel-assets --ansi No publishable resources for tag [laravel-assets]. Publishing complete. > @php artisan key:generate --ansi Application key set successfully. Application ready! Build something amazing.


ubuntu@ubuntu:~/lab-imk\$




Github











Q = F ubuntu@ubuntu: ~/lab-imk/pertemuan 1 create mode 100644 routes/channels.php create mode 100644 routes/console.php create mode 100644 routes/web.php create mode 100644 server.php create mode 100644 storage/app/.gitignore create mode 100644 storage/app/public/.gitignore create mode 100644 storage/framework/.gitignore create mode 100644 storage/framework/cache/.gitignore create mode 100644 storage/framework/cache/data/.gitignore create mode 100644 storage/framework/sessions/.gitignore create mode 100644 storage/framework/testing/.gitignore create mode 100644 storage/framework/views/.gitignore create mode 100644 storage/logs/.gitignore create mode 100644 tests/CreatesApplication.php create mode 100644 tests/Feature/ExampleTest.php create mode 100644 tests/TestCase.php create mode 100644 tests/Unit/ExampleTest.php create mode 100644 webpack.mix.js ubuntu@ubuntu:~/lab-imk/pertemuan 1\$ git branch -M main ubuntu@ubuntu:~/lab-imk/pertemuan_1\$ git remote add origin https://github.com/se bastianbelmero/pertemuan-1.git ubuntu@ubuntu:~/lab-imk/pertemuan_1\$ git push -u origin main Username for 'https://github.com': sebastianbelmero Password for 'https://sebastianbelmero@github.com':


Branch 'main' set up to track remote branch 'main' from 'origin'.


ubuntu@ubuntu:~/lab-imk/pertemuan 1\$







Clone Repository














Commit
































Selesai