Pertemuan 2

Praktikum Interaksi Manusia dan Komputer

Grid System

```html
<h3 class="text-center">1 baris 2 kolom berarti 12/2 = 6</h3>
<div class="row mb-5 justify-content-center text-center">
    <div class="col-12 col-md-6 bg-primary text-white p-5 rounded">kolom 1</div>
    <div class="col-12 col-md-6 bg-danger text-white p-5 rounded">kolom 2</div>
</div>
```

```
<h3 class="text-center">1 baris 3 kolom berarti 12/3 = 4</h3>
<div class="row mb-5 justify-content-center text-center">
    <div class="col-12 col-md-6 col-lg-4 bg-primary text-white p-5 rounded">kolom 1</div>
    <div class="col-12 col-md-6 col-lg-4 bg-danger text-white p-5 rounded">kolom 2</div>
    <div class="col-12 col-md-6 col-lg-4 bg-secondary text-white p-5 rounded">kolom 3</div>
</div>
```

1 baris 3 kolom berarti 12/3 = 4

```html
<h3 class="text-center">1 baris 4 kolom berarti 12/4 = 3</h3>
<div class="row mb-5 justify-content-center text-center">
    <div class="col-12 col-md-6 col-lg-3 bg-primary text-white p-5 rounded">kolom 1</div>
    <div class="col-12 col-md-6 col-lg-3 bg-danger text-white p-5 rounded">kolom 2</div>
    <div class="col-12 col-md-6 col-lg-3 bg-secondary text-white p-5 rounded">kolom 3</div>
    <div class="col-12 col-md-6 col-lg-3 bg-info text-white p-5 rounded">kolom 4</div>
</div>
```

1 baris 4 kolom berarti 12/4 = 3

```html
<h3 class="text-center">1 baris 5 kolom berarti 12/5 = 2 sisa 2 -> 2 kolom kita buang</h3>
<div class="row mb-5 justify-content-center text-center">
    <div class="col-12 col-md-6 col-lg-2 bg-primary text-white p-5 rounded">kolom 1</div>
    <div class="col-12 col-md-6 col-lg-2 bg-danger text-white p-5 rounded">kolom 2</div>
    <div class="col-12 col-md-6 col-lg-2 bg-secondary text-white p-5 rounded">kolom 3</div>
    <div class="col-12 col-md-6 col-lg-2 bg-info text-white p-5 rounded">kolom 4</div>
    <div class="col-12 col-md-6 col-lg-2 bg-warning text-white p-5 rounded">kolom 5</div>
</div>
```

1 baris 5 kolom berarti 12/5 = 2 sisa 2 -> 2 kolom kita buang

```
<h3 class="text-center">1 baris 6 kolom berarti 12/6 = 2</h3>
<div class="row mb-5 justify-content-center text-center">
    <div class="col-12 col-md-6 col-lg-2 bg-primary text-white p-5 rounded">kolom 1</div>
    <div class="col-12 col-md-6 col-lg-2 bg-danger text-white p-5 rounded">kolom 2</div>
    <div class="col-12 col-md-6 col-lg-2 bg-secondary text-white p-5 rounded">kolom 3</div>
    <div class="col-12 col-md-6 col-lg-2 bg-info text-white p-5 rounded">kolom 4</div>
    <div class="col-12 col-md-6 col-lg-2 bg-warning text-white p-5 rounded">kolom 5</div>
    <div class="col-12 col-md-6 col-lg-2 bg-success text-white p-5 rounded">kolom 6</div>
</div>
```

1 baris 6 kolom berarti 12/6 = 2

```
<h3 class="text-center">1 baris 3 kolom tapi yang kedua lebih lebar</h3>
<h6 class="text-center">kolom kedua mengambil 5 kolom sedangkan kolom 1 dan 3 mengambil 3 kolom</h6>
<div class="row mb-5 justify-content-center text-center">
    <div class="col-12 col-md-6 col-lg-3 bg-primary text-white p-5 rounded">kolom 1</div>
    <div class="col-12 col-md-6 col-lg-5 bg-danger text-white p-5 rounded">kolom 2</div>
    <div class="col-12 col-md-6 col-lg-3 bg-secondary text-white p-5 rounded">kolom 3</div>
</div>
```

Admin Template


ubuntu@ubuntu: ~/itlg/laravel
- Locking symfony/polyfill-intl-grapheme (v1.23.1)
- Locking symfony/polyfill-intl-idn (v1.23.0)
- Locking symfony/polyfill-intl-normalizer (v1.23.0)
- Locking symfony/polyfill-mbstring (v1.23.1)
- Locking symfony/polyfill-php72 (v1.23.0)
- Locking symfony/polyfill-php73 (v1.23.0)
- Locking symfony/polyfill-php80 (v1.23.1)
- Locking symfony/polyfill-php81 (v1.23.0)
- Locking symfony/process (v5.3.7)
- Locking symfony/routing (v5.3.7)
- Locking symfony/service-contracts (v2.4.0)
- Locking symfony/string (v5.3.7)
- Locking symfony/translation (v5.3.9)
- Locking symfony/translation-contracts (v2.4.0)
- Locking symfony/var-dumper (v5.3.8)
- Locking theseer/tokenizer (1.2.1)
- Locking tijsverkoyen/css-to-inline-styles (2.2.3)
- Locking vlucas/phpdotenv (v5.3.0)
- Locking voku/portable-ascii (1.5.6)
- Locking webmozart/assert (1.10.0)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 111 installs, 0 updates, 0 removals

SB Admin 2 - Free Bootstr

startbootstrap.com/theme/sb-admin-2

Apps Gmail YouTube Maps direktori-mah... Form Aspirasi... Word to PDF -... eternnoir/pyT... Reading list

Start Bootstrap Themes › Templates › Bundles › Forms New! Resources › Blog Log In



SB Admin 2

A free Bootstrap 4 admin theme built with HTML/CSS and a modern development workflow environment ready to use to build your next dashboard or web application

Premium Bootstrap themes, templates, and UI kits by Creative Tim.

ads via Carbon

Free Download

Upgrade to Pro

License MIT License

github.com/startbootstrap/.../gh-pages.zip


Home
itlg
laravel
admin-template
public
Recent
Starred
Home
Desktop
Documents
Downloads
Music
Pictures
Videos
Trash
Other Locations
admin-template
favicon.ico
index.php
robots.txt
web.config
“admin-template” selected (containing 25 items)


Home
itlg
laravel
admin-template
public
admin-template
Recent
Starred
Home
Desktop
Documents
Downloads
Music
Pictures
Videos
Trash
Other Locations
css
img
js
scss
vendor
404.html
blank.html
buttons.html
cards.html
charts.html
forgot-password.html
gulpfile.js
index.html
LICENSE
login.html
package.json
package-lock.json
PRO_UPGRADE.txt
README.md
register.html
tables.html
utilities-animation.html
utilities-border.html
utilities-color.html
utilities-other.html


admin.blade.php - admin-template - Visual Studio Code
File Edit Selection View Go Run Terminal Help
EXPLORER
ADMIN-TEMPLATE
app
bootstrap
config
database
public
admin-template
css
img
js
scss
vendor
404.html
blank.html
buttons.html
cards.html
charts.html
forgot-password.html
gulpfile.js
index.html
LICENSE
login.html
package-lock.json
package.json
PRO_UPGRADE.txt
README.md
register.html
OUTLINE
admin.blade.php
web.php
resources > views > layouts > admin.blade.php > html > head > link
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<title>SB Admin 2 - Dashboard</title>
<!-- Custom fonts for this template-->
<link href="{{ asset('admin-template/vendor/fontawesome-free/css/all.min.css') }}" rel="stylesheet"
<link
href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600,600i,700,7
rel="stylesheet">
<!-- Custom styles for this template-->
<link href="{{ asset('admin-template/css/sb-admin-2.min.css') }}" rel="stylesheet">
</head>
<body id="page-top">
<!-- Page Wrapper -->

<!-- Sidebar -->
<ul class="navbar-nav bg-gradient-primary sidebar sidebar-dark accordion" id="accordionSidebar"
Ln 15, Col 86 (69 selected) Spaces: 4 UTF-8 LF Blade Prettier


admin.blade.php - admin-template - Visual Studio Code
File Edit Selection View Go Run Terminal Help
EXPLORER
admin.blade.php
web.php
resources > views > layouts > admin.blade.php > html > body#page-top > script
ADMIN-TEMPLATE
app
bootstrap
config
database
public
admin-template
css
img
js
scss
vendor
404.html
blank.html
buttons.html
cards.html
charts.html
forgot-password.html
gulpfile.js
index.html
LICENSE
login.html
package-lock.json
package.json
PRO_UPGRADE.txt
README.md
register.html
OUTLINE
732
733 <button class="btn btn-secondary" type="button" data-dismiss="modal">Cancel</butto
734 <a class="btn btn-primary" href="login.html">Logout</a>
735
736
737
738
739
740 <!-- Bootstrap core JavaScript-->
741 <script src="{{ asset('admin-template/vendor/jquery/jquery.min.js') }}"></script>
742 <script src="{{ asset('admin-template/vendor/bootstrap/js/bootstrap.bundle.min.js') }}"></script>
743
744 <!-- Core plugin JavaScript-->
745 <script src="{{ asset('admin-template/vendor/jquery-easing/jquery.easing.min.js') }}"></script>
746
747 <!-- Custom scripts for all pages-->
748 <script src="{{ asset('admin-template/js/sb-admin-2.min.js') }}"></script>
749
750 <!-- Page level plugins -->
751 <script src="{{ asset('admin-template/vendor/chart.js/Chart.min.js') }}"></script>
752
753 <!-- Page level custom scripts -->
754 <script src="{{ asset('admin-template/js/demo/chart-area-demo.js') }}"></script>
755 <script src="{{ asset('admin-template/js/demo/chart-pie-demo.js') }}"></script>
756
757 </body>
758
759 </html>
0 0
Ln 741, Col 75 (57 selected)
Spaces: 4
UTF-8
LF
Blade
Prettier


web.php - admin-template - Visual Studio Code
File Edit Selection View Go Run Terminal Help
EXPLORER
ADMIN-TEMPLATE
utilities-animation.ht...
utilities-border.html
utilities-color.html
utilities-other.html
.htaccess
favicon.ico
index.php
robots.txt
web.config
resources
css
js
lang
views
admin
index.blade.php
layouts
admin.blade.php
welcome.blade.php
routes
api.php
channels.php
console.php
web.php
storage
tests
vendor
OUTLINE
admin.blade.php
web.php
index.blade.php
routes > web.php > ...
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4
5 /*
6 |--
7 | Web Routes
8 |--
9 |
10 | Here is where you can register web routes for your application. These
11 | routes are loaded by the RouteServiceProvider within a group which
12 | contains the "web" middleware group. Now create something great!
13 |
14 */
15
16 Route::get('/', function () {
17 return view('admin/index');
18 });
19 Route::get('/admin', function () {
20 return view('layouts/admin');
21 });
0 0
Ln 21, Col 4
Spaces: 4
UTF-8
LF
PHP
Prettier


index.blade.php - admin-template - Visual Studio Code
File Edit Selection View Go Run Terminal Help
EXPLORER
ADMIN-TEMPLATE
utilities-border.html
utilities-color.html
utilities-other.html
.htaccess
favicon.ico
index.php
robots.txt
web.config
resources
css
js
lang
views
admin
index.blade.php
layouts
admin.blade.php
welcome.blade.php
routes
api.php
channels.php
console.php
web.php
storage
tests
OUTLINE
admin.blade.php
web.php
index.blade.php
resources > views > admin > index.blade.php
1 @extends('layouts/admin')
2
3 @section('content')
4 halo
5 @endsection
Ln 4, Col 9
Spaces: 4
UTF-8
LF
Blade
Prettier


admin.blade.php - admin-template - Visual Studio Code
File Edit Selection View Go Run Terminal Help
EXPLORER
admin.blade.php
web.php
index.blade.php
ADMIN-TEMPLATE
views > layouts > admin.blade.php > html > body#page-top > div#wrapper > div#content-wrapper.d-flex.flex-column > div#content > div.container-fluid
utilities-border.html
utilities-color.html
utilities-other.html
.htaccess
favicon.ico
index.php
robots.txt
web.config
resources
css
js
lang
views
admin
index.blade.php
layouts
admin.blade.php
welcome.blade.php
routes
api.php
channels.php
console.php
web.php
storage
tests
vendor
OUTLINE
Logout
</a>

</li>
</ul>
</nav>
<!-- End of Topbar -->
<!-- Begin Page Content -->
@yield('content')
<!-- /.container-fluid -->

<!-- End of Main Content -->
<!-- Footer -->
<footer class="sticky-footer bg-white">

Copyright © Your Website 2021

</footer>
<!-- End of Footer -->

<!-- End of Content Wrapper -->

Ln 366, Col 69
Spaces: 4
UTF-8
LF
Blade
Prettier


SB Admin 2 - Dashboard
Meet - oxk-vmtv-tkn
Materi - Google Drive
template admin - Google
localhost:8000
Apps
Gmail
YouTube
Maps
direktori-mah...
Form Aspirasi...
Word to PDF -...
eternnoir/pyT...
Reading list
SB ADMIN 2
Search for...
Douglas McGee
Dashboard
INTERFACE
Components
Utilities
ADDONS
Pages
Charts
Tables
halo
SB Admin Pro is packed with

Tugas
Nama_NIM_Tugas_2.pdf


SB Admin 2 - Dashboard
localhost:8000
Apps
Gmail
YouTube
Maps
direktori-mah...
Form Aspirasi...
Word to PDF -...
eternnoir/pyT...
Reading list
Dashboard
INTERFACE
Components
Utilities
ADDONS
Pages
Charts
Tables
SB Admin Pro is packed with premium features, components, and more!
Upgrade to Pro!
Grid 1
Kolom 1
Kolom 2
Kolom 3
Kolom 4
Grid 2
Kolom 1
Kolom 2
Kolom 3
Kolom 4
Grid 3
Kolom 1
Kolom 2
Kolom 3
Kolom 4
Grid 4
Kolom 1
Kolom 2
Kolom 3
Kolom 4
Grid 5
Kolom 1
Kolom 2
Kolom 3
Kolom 4
Grid 7
Kolom 1
Kolom 2
Kolom 3
Kolom 4

Selesai