SPARMANIK FARM · DAILY JOB CARD

Day 0 — HST 0 jobs

S1 · Grow — establish · Sparmanik 4.0

HST **0**

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
plain water — feed starts tomorrow	**— · 5,8–6,3**	**—**	**3 × 5 min · 8 am · 12 pm · 4 pm**

1 Transplant + Trichoderma

Plant seedlings gently into the buffered bags. **Plain water only today**, no feed. Water the bags first, then **one cup (250 ml)** of Trichoderma at the stem base: 10 g per 10 L bucket, stand 15–30 min, use the same day. **Never** through the drippers or tank.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 1 — HST 1 jobs

S1 · Grow — establish · Sparmanik 4.0

HST 1

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**3 × 5 min · 8 am · 12 pm · 4 pm**

1 Feed starts today

Stock A + Stock B S1 → 1,000 L tank · EC 2.1 · pH 5.8–6.3. No SOP.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 2 — HST 2 jobs

S1 · Grow — establish · Sparmanik 4.0

HST 2

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	2.1 · 5,8–6,3	no SOP	3 × 5 min · 8 am · 12 pm · 4 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 3 — HST 3 jobs

S1 · Grow — establish · Sparmanik 4.0

HST 3

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**3 × 5 min · 8 am · 12 pm · 4 pm**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 4 — HST 4 jobs

S1 · Grow — establish · Sparmanik 4.0

HST 4

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	2.1 · 5,8–6,3	no SOP	3 × 5 min · 8 am · 12 pm · 4 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 5 — HST 5 jobs

S1 · Grow — establish · Sparmanik 4.0

HST 5

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	2.1 · 5,8–6,3	no SOP	3 × 5 min · 8 am · 12 pm · 4 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 6 — HST 6 jobs

S1 · Grow — establish · Sparmanik 4.0

HST 6

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	2.1 · 5,8–6,3	no SOP	3 × 5 min · 8 am · 12 pm · 4 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 7 — HST 7 jobs

S1 · Grow — establish · Sparmanik 4.0

HST
7

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**3 × 5 min · 8 am · 12 pm · 4 pm**

1 Start removing side shoots

Every 2–3 days until node 8. Pinch the **shoot** in the leaf armpit on nodes 1–8, **keep the leaf**. Never the main tip. Leave nodes 9–12 — fruit comes from there.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 8 — HST 8 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 8

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 Silicon drench (Kalsika)

MANUAL switch. 400 L clean water → run 3 min → one 100 g sachet into ~300 L, stir until clear → run 8 min → top up to 100 L only → run 3 min until empty → make the normal feed tank. Today only the **2 pm and 5 pm** pulses.

2 Change the timer

From tomorrow (day 9): **4 × 6 min · 8 · 11 am · 2 · 5 pm**. Set it once and leave it until day 25.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 9 — HST 9 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 9

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 10 — HST 10 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST
10

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 11 — HST 11 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 11

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 12 — HST 12 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 12

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 13 — HST 13 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 13

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 14 — HST 14 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 14

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 15 — HST 15 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 15

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 Silicon drench (Kalsika)

MANUAL switch. 400 L clean water → run 3 min → one 100 g sachet into ~300 L, stir until clear → run 8 min → top up to 100 L only → run 3 min until empty → make the normal feed tank. Today only the **2 pm and 5 pm** pulses.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 16 — HST 16 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 16

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 17 — HST 17 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 17

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 Trichoderma cup drench

10 g per 10 L bucket of plain water, stand 15–30 min. Water the bags first, then one cup (250 ml) at the stem base. Morning or late afternoon. Stir every 10 bags. 2 days away from silicon.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 18 — HST 18 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST
18

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 19 — HST 19 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 19

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 20 — HST 20 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 20

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 Node 8 — stop removing shoots

From node 9 up, leave the shoots. Female flowers and fruit grow from here.

2 Tri-Pholate spray after 4 pm

2 g per 16 L spray pack (0.125 g/L). Leaves only. After 4 pm.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 21 — HST 21 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 21

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 22 — HST 22 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 22

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 Silicon drench (Kalsika)

MANUAL switch. 400 L clean water → run 3 min → one 100 g sachet into ~300 L, stir until clear → run 8 min → top up to 100 L only → run 3 min until empty → make the normal feed tank. Today only the **2 pm and 5 pm** pulses.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 23 — HST 23 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 23

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 24 — HST 24 jobs

S1 · Grow — vegetative · Sparmanik 4.0

HST 24

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 Tonight: make the FLOWER stock

Boyd’s kit (with Boroni). See book pages 23 / 53. Never boric acid.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 25 — HST 25 jobs

S2 · Flower & set · Sparmanik 4.0

HST 25

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 CHANGE TO FLOWER

Tank: FLOWER stock + **SOP 310 g** → EC **2.4**. Timer **5 × 7 min**. Start hand pollination every morning. Hang fruit-fly traps.

2 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 26 — HST 26 jobs

S2 · Flower & set · Sparmanik 4.0

HST 26

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 27 — HST 27 jobs

S2 · Flower & set · Sparmanik 4.0

HST 27

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 28 — HST 28 jobs

S2 · Flower & set · Sparmanik 4.0

HST **28**

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 Tri-Pholate spray after 4 pm

2 g per 16 L spray pack (0.125 g/L). Leaves only. After 4 pm.

2 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 29 — HST 29 jobs

S2 · Flower & set · Sparmanik 4.0

HST 29

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 Silicon drench (Kalsika)

MANUAL switch. 400 L clean water → run 3 min → one 100 g sachet into ~300 L, stir until clear → run 8 min → top up to 100 L only → run 3 min until empty → make the normal feed tank. Today only the **2 pm and 5 pm** pulses.

2 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 30 — HST 30 jobs

S2 · Flower & set · Sparmanik 4.0

HST 30

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 31 — HST 31 jobs

S2 · Flower & set · Sparmanik 4.0

HST 31

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 32 — HST 32 jobs

S2 · Flower & set · Sparmanik 4.0

HST 32

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 33 — HST 33 jobs

S2 · Flower & set · Sparmanik 4.0

HST 33

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 34 — HST 34 jobs

S2 · Flower & set · Sparmanik 4.0

HST **34**

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 35 — HST 35 jobs

S2 · Flower & set · Sparmanik 4.0

HST 35

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Tri-Pholate spray after 4 pm — LAST ONE

2 g per 16 L spray pack (0.125 g/L). Leaves only. After 4 pm. Stop after HST 35 — spray marks the net.

2 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

3 Calcinit leaf spray

80 g per 16 L spray pack. Early morning or after 4 pm, never in strong sun. Leaves only.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 36 — HST 36 jobs

S2 · Flower & set · Sparmanik 4.0

HST 36

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 Silicon drench (Kalsika) — LAST ONE

MANUAL switch. 400 L clean water → run 3 min → one 100 g sachet into ~300 L, stir until clear → run 8 min → top up to 100 L only → run 3 min until empty → make the normal feed tank. Today only the **2 pm and 5 pm** pulses. **No silicon after today** — it splits fruit.

2 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 37 — HST 37 jobs

S2 · Flower & set · Sparmanik 4.0

HST 37

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 38 — HST 38 jobs

S2 · Flower & set · Sparmanik 4.0

HST 38

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Trichoderma cup drench

10 g per 10 L bucket of plain water, stand 15–30 min. Water the bags first, then one cup (250 ml) at the stem base. Morning or late afternoon. Stir every 10 bags. 2 days away from silicon.

2 Keep one fruit + top

Keep **ONE** best fruit per plant. Top just above **leaf 25** (count green leaves, don't guess). No fruit → **don't top**. From today: **no plain water, glass watering or silicon**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 39 — HST 39 jobs

S2 · Flower & set · Sparmanik 4.0

HST 39

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 Finish fruit selection & topping

Finish every row. Send Boyd: topped ___ · not yet ___ · no fruit ___.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 40 — HST 40 jobs

S2 · Flower & set · Sparmanik 4.0

HST **40**

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 Finish fruit selection & topping

Finish every row. Send Boyd: topped ___ · not yet ___ · no fruit ___.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 41 — HST 41 jobs

S2 · Flower & set · Sparmanik 4.0

HST 41

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 Tonight: make the SIZING stock

No Boroni (4.0). See book pages 27 / 54.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 42 — HST 42 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 42

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

1 Calcinit leaf spray

80 g per 16 L spray pack. Early morning or after 4 pm, never in strong sun. Leaves only. **Last one** — no leaf sprays HST 45–59.

2 CHANGE TO SIZING

Tank: SIZING stock + **SOP 535 g** → EC **2.55**. Timer **6 × 8 min**. Support fruit in slings. Mondays: weigh 10 fruit per variety.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 43 — HST 43 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 43

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 44 — HST 44 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 44

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 45 — HST 45 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 45

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

1 Netting starts

No leaf sprays until HST 59. Remove old lower leaves with no green left, for airflow.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 46 — HST 46 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 46

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 47 — HST 47 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 47

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 48 — HST 48 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 48

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 49 — HST 49 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 49

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	2.55 · 5,8–6,3	535 g	6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 50 — HST 50 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 50

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	2.55 · 5,8–6,3	535 g	6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 51 — HST 51 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 51

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 52 — HST 52 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 52

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 53 — HST 53 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 53

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 54 — HST 54 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 54

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 55 — HST 55 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 55

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 56 — HST 56 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 56

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 57 — HST 57 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 57

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 58 — HST 58 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 58

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 59 — HST 59 jobs

S3 · Fruit sizing · Sparmanik 4.0

HST 59

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

1 Trichoderma cup drench

10 g per 10 L bucket of plain water, stand 15–30 min. Water the bags first, then one cup (250 ml) at the stem base. Morning or late afternoon. Stir every 10 bags. 2 days away from silicon.

2 Tonight: make the RIPEN stock

Its own Ripen drums: Calcinit 8.95 kg (A) · MKP 1.85 kg + MAG-S 6.25 kg + Vitaflex + Fe (B). See book pages 30 / 55.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 60 — HST 60 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 60

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 CHANGE TO RIPEN

Tank: RIPEN stock + **SOP 645 g** → EC **2.7**. Timer **4 × 6 min**. Run-off 10–15%. **To the last fruit** — no switch to plain water.

2 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 61 — HST 61 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 61

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 62 — HST 62 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 62

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 63 — HST 63 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 63

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 64 — HST 64 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 64

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 65 — HST 65 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 65

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 66 — HST 66 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST
66

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 67 — HST 67 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 67

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 68 — HST 68 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST
68

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 69 — HST 69 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST
69

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 70 — HST 70 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 70

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 71 — HST 71 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 71

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 72 — HST 72 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 72

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

3 Get ready to harvest

Get scissors, crates, scale and a shaded area ready. Start picking ripe fruit each morning.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 73 — HST 73 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 73

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

3 Get ready to harvest

Get scissors, crates, scale and a shaded area ready. Start picking ripe fruit each morning.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 74 — HST 74 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 74

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

3 Get ready to harvest

Get scissors, crates, scale and a shaded area ready. Start picking ripe fruit each morning.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 75 — HST 75 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 75

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 76 — HST 76 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 76

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 77 — HST 77 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 77

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 78 — HST 78 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST
78

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 79 — HST 79 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 79

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 80 — HST 80 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 80

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 81 — HST 81 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 81

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 82 — HST 82 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 82

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 83 — HST 83 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 83

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 84 — HST 84 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST **84**

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Day 85 — HST 85 jobs

S4 · Ripen & harvest · Sparmanik 4.0

HST 85

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials