SPARMANIK FARM · CROP INSTRUCTION BOOKLET

Oct to Jan Harvest

Melon · 2026–27 crop · follow it day by day

SOWN IN POLYBAGS **Sunday 25 Oct 2026**	HST 0 **Wednesday 4 Nov 2026**	HARVEST FROM **Monday 18 Jan 2027**
TO FLOWER **Sunday 29 Nov 2026**	TO SIZING **Wednesday 16 Dec 2026**	TO RIPEN **Sunday 3 Jan 2027**

Varieties & rows: _____

Person in charge: _____ · Call Boyd: _____

Matches the Sparmanik 4.0 book. If this and the big book differ, follow this one and ask Boyd.

THIS CROP'S SCHEDULE

Key dates

HST 0 = Wednesday 4 Nov 2026. Every date in this booklet counts from that day.

Date	HST	What happens
Sun 25 Oct 2026	—	Seed sown straight into the polybags
Mon 26 Oct 2026 – Tue 3 Nov 2026	—	Seedlings: weak feed EC 1.0 → 1.5, see page 6
Wed 4 Nov 2026	0	HST 0 · Trichoderma
Thu 5 Nov 2026	1	Full feed EC 2.1
Wed 11 Nov 2026	7	Side shoots start
Thu 12 Nov 2026	8	Silicon
Thu 19 Nov 2026	15	Silicon
Sat 21 Nov 2026	17	Trichoderma
Tue 24 Nov 2026	20	Tri-Pholate 4 pm
Thu 26 Nov 2026	22	Silicon
Sat 28 Nov 2026	24	NIGHT: FLOWER stock
Sun 29 Nov 2026	25	TO FLOWER
Wed 2 Dec 2026	28	Tri-Pholate 4 pm
Thu 3 Dec 2026	29	Silicon
Wed 9 Dec 2026	35	Tri-Pholate 4 pm · Calcinit spray
Thu 10 Dec 2026	36	Silicon (last)
Sat 12 Dec 2026	38	Trichoderma · 1 fruit/plant · no plain water
Tue 15 Dec 2026	41	NIGHT: SIZING stock
Wed 16 Dec 2026	42	Calcinit spray · TO SIZING
Sat 19 Dec 2026	45	Netting · no sprays
Sat 2 Jan 2027	59	Trichoderma · NIGHT: RIPEN stock
Sun 3 Jan 2027	60	TO RIPEN
Mon 11 Jan 2027	68	Brix checks start
Mon 18 Jan 2027	75	HARVEST starts

4.0 RULES

The 10 rules the 2026 crop proved

Read them with the team before you start. Not sure? Stop and call Boyd.

1. **Boroni in the FLOWER stock only.** Boric acid is banned from the farm.
2. **Silicon only HST 0–36** (5 times). Never after — it splits fruit.
3. **From HST 38 no plain water,** glass watering or extra water.
4. **RIPEN feed to the last fruit.** No switch to plain water.
5. **Humidity ≥ temperature × 2.** Below → mist leaves 5–10 min, last at 3:30 pm.
6. **Fe-EDDHA only.** Never Fe-EDTA, never citric acid.
7. **Drums A and B are never mixed** strong. They meet only in the 1,000 L tank.
8. **No leaf sprays HST 45–59** (the net is forming).
9. **Brix from fruit that split that day.** Never cut a good fruit.
10. **Rolling harvest:** pick ripe fruit each morning, the rest stays on the feed.

How to use this booklet

- Every morning open the **card with today's date** (from page 8). Do the numbered jobs, then the daily routine.
- Fill in the boxes at the bottom of the card and photo it to Boyd.
- Stock-mixing nights: use the drum recipe page (page 7).
- If HST 0 moves, Boyd reprints this booklet with the new dates.

CALENDAR

October – November 2026

HST: **S1 Grow** · **S2 Flower** · **S3 Sizing** · **S4 Ripen** · **red = stock night / stage change**

October 2026

Mon	Tue	Wed	Thu	Fri	Sat	Sun
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25 Sown
26 seedl.	27 seedl.	28 seedl.	29 seedl.	30 seedl.	31 seedl.	

November 2026

Mon	Tue	Wed	Thu	Fri	Sat	Sun
						1 seedl.
2 seedl.	3 seedl.	4 HST 0 HST 0 · Trichoderma	5 HST 1 Full feed EC 2.1	6 HST 2	7 HST 3	8 HST 4
9 HST 5	10 HST 6	11 HST 7 Side shoots start	12 HST 8 Silicon	13 HST 9	14 HST 10	15 HST 11
16 HST 12	17 HST 13	18 HST 14	19 HST 15 Silicon	20 HST 16	21 HST 17 Trichoderma	22 HST 18
23 HST 19	24 HST 20 Tri-Pholate 4 pm	25 HST 21	26 HST 22 Silicon	27 HST 23	28 HST 24 NIGHT: FLOWER stock	29 HST 25 TO FLOWER
30 HST 26 pollinate						

CALENDAR

December 2026 – January 2027

HST: **S1 Grow** · **S2 Flower** · **S3 Sizing** · **S4 Ripen** · **red = stock night / stage change**

December 2026

Mon	Tue	Wed	Thu	Fri	Sat	Sun
	1 HST 27 pollinate	2 HST 28 Tri-Pholate 4 pm	3 HST 29 Silicon	4 HST 30 pollinate	5 HST 31 pollinate	6 HST 32 pollinate
7 HST 33 pollinate	8 HST 34 pollinate	9 HST 35 Tri-Pholate 4 pm Calcinit spray	10 HST 36 Silicon (last)	11 HST 37 pollinate	12 HST 38 Trichoderma 1 fruit/plant · no plain water	13 HST 39
14 HST 40	15 HST 41 NIGHT: SIZING stock	16 HST 42 Calcinit spray TO SIZING	17 HST 43	18 HST 44	19 HST 45 Netting · no sprays	20 HST 46
21 HST 47	22 HST 48	23 HST 49	24 HST 50	25 HST 51	26 HST 52	27 HST 53
28 HST 54	29 HST 55	30 HST 56	31 HST 57			

January 2027

Mon	Tue	Wed	Thu	Fri	Sat	Sun
				1 HST 58	2 HST 59 Trichoderma NIGHT: RIPEN stock	3 HST 60 TO RIPEN
4 HST 61	5 HST 62	6 HST 63	7 HST 64	8 HST 65	9 HST 66	10 HST 67
11 HST 68 Brix checks start	12 HST 69	13 HST 70	14 HST 71	15 HST 72	16 HST 73	17 HST 74
18 HST 75 HARVEST starts	19 HST 76 harvest	20 HST 77 harvest	21 HST 78 harvest	22 HST 79 harvest	23 HST 80 harvest	24 HST 81 harvest
25 HST 82 harvest	26 HST 83 harvest	27 HST 84 harvest	28 HST 85 harvest	29	30	31

SEEDLING STAGE · BEFORE HST 0

Seedlings in the polybags

Sown Sunday 25 Oct 2026 · HST 0 Wednesday 4 Nov 2026

Date	Plants	Feed & water
Sun 25 Oct 2026	Seed sown into the polybags.	Cocopeat evenly damp, not soggy.
Mon 26 Oct 2026 – Wed 28 Oct 2026	Germinating. Keep damp and warm.	Plain water or EC 0.5. Water 2 × 3 min (8 · 12).
Thu 29 Oct 2026 – Sat 31 Oct 2026	Seed leaves up → **full light**, fans on.	**EC 1.0**: 2 L Stock A + 2 L Stock B per 1,000 L.
Sun 1 Nov 2026 – 3 Nov	First 1–2 true leaves. Keep the 1 strongest seedling per hole (cut, don't pull).	**EC 1.5**: 3.5 L A + 3.5 L B per 1,000 L. Water 3 × 3 min (8 · 11 · 2).
Wed 4 Nov 2026	**HST 0** — 2–3 true leaves. Trichoderma. Daily cards start.	See the HST 0 card.

The GROW stock must be ready now
Seedling feed uses the same Grow (S1) stock, just weaker. Not made yet? Make it tonight (page 7). pH 5.8–6.3. Litres are estimates — **always check with the EC meter**.

Watch for

- **Rotting at the base (damping-off)** — too wet, cold, still air → less water, fans on.
- **Tall thin seedlings** — too little light → open the shade.
- **Holes with no seedling** — note row + bag number, send to Boyd.
- No watering after 3 pm. Feel the top 2 cm of cocopeat: dry → add one pulse.

HST 0 when most seedlings have 2–3 true leaves. If that is a different day from Wednesday 4 Nov 2026, tell Boyd — the dates in this booklet get reprinted.

STOCK-MIXING NIGHTS

Drum recipe per stage

50 L drum = 10 tanks · 25 L = 5 tanks (5 days). Feed strength never changes.

S1 · GROW — now (seedlings) to HST 24

Product	50 L	25 L
A · Calcinit	8.70 kg	4.35 kg
A · Krista K Plus	3.45 kg	1.73 kg
B · Krista MKP	2.20 kg	1.10 kg
B · MAG-S	5.70 kg	2.85 kg
B · Vitaflex	200 g	100 g
B · Fe-EDDHA	50 g	25 g

Per 1,000 L tank: 5 L A + 5 L B · EC 2.1

S2 · FLOWER — night of Sat 28 Nov 2026

Product	50 L	25 L
A · Calcinit	9.45 kg	4.72 kg
A · Karate Plus Boroni	800 g	400 g
A · Krista K Plus	1.15 kg	575 g
B · Krista MKP	2.30 kg	1.15 kg
B · MAG-S	6.05 kg	3.02 kg
B · Vitaflex	200 g	100 g
B · Fe-EDDHA	50 g	25 g

Per 1,000 L tank: 5 L A + 5 L B + SOP 310 g · EC 2.4

S3 · SIZING — night of Tue 15 Dec 2026

Product	50 L	25 L
A · Calcinit	9.45 kg	4.72 kg
B · Krista MKP	2.10 kg	1.05 kg
B · MAG-S	6.25 kg	3.12 kg
B · Vitaflex	200 g	100 g
B · Fe-EDDHA	50 g	25 g

Per 1,000 L tank: 5 L A + 5 L B + SOP 535 g · EC 2.55

S4 · RIPEN — night of Sat 2 Jan 2027

Product	50 L	25 L
A · Calcinit	8.95 kg	4.47 kg
B · Krista MKP	1.85 kg	925 g
B · MAG-S	6.25 kg	3.12 kg
B · Vitaflex	200 g	100 g
B · Fe-EDDHA	50 g	25 g

Per 1,000 L tank: 5 L A + 5 L B + SOP 645 g · EC 2.7

How to fill a drum — half fill with warm water → weigh one product, pour, stir until **CLEAR** → only then the next → top up to the 50 L (or 25 L) mark → write A/B + date + stage.

Never — put an A product in drum B · boric acid · Fe-EDTA · citric acid · SOP or silicon into a drum. SOP goes straight into the 1,000 L tank.

SPARMANIK FARM · DAILY JOB CARD

Wednesday 4 Nov 2026

Day 0 · S1 · Grow — establish · Sparmanik 4.0

HST 0

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock · seedlings	**1.5 · 5,8–6,3**	**—**	**3 × 5 min · 8 am · 12 pm · 4 pm**

1 HST 0 — the count starts + Trichoderma

Seed went straight into the polybags, so there is no transplant. Today most seedlings have **2–3 true leaves**. Keep **one strongest seedling** per hole (cut the others at the base, don't pull). Then **one cup (250 ml)** of Trichoderma at the stem base: 10 g per 10 L bucket, stand 15–30 min, use the same day. **Never** through the drippers or tank.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 5 Nov 2026

Day 1 · S1 · Grow — establish · Sparmanik 4.0

HST 1

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**3 × 5 min · 8 am · 12 pm · 4 pm**

1 Feed starts today

Stock A + Stock B S1 → 1,000 L tank · EC 2.1 · pH 5.8–6.3. No SOP.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Friday 6 Nov 2026

Day 2 · S1 · Grow — establish · Sparmanik 4.0

HST 2

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	2.1 · 5,8–6,3	no SOP	3 × 5 min · 8 am · 12 pm · 4 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Saturday 7 Nov 2026

Day 3 · S1 · Grow — establish · Sparmanik 4.0

HST 3

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	2.1 · 5,8–6,3	no SOP	3 × 5 min · 8 am · 12 pm · 4 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Sunday 8 Nov 2026

Day 4 · S1 · Grow — establish · Sparmanik 4.0

HST 4

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	2.1 · 5,8–6,3	no SOP	3 × 5 min · 8 am · 12 pm · 4 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Monday 9 Nov 2026

Day 5 · S1 · Grow — establish · Sparmanik 4.0

HST 5

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	2.1 · 5,8–6,3	no SOP	3 × 5 min · 8 am · 12 pm · 4 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Tuesday 10 Nov 2026

Day 6 · S1 · Grow — establish · Sparmanik 4.0

HST 6

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	2.1 · 5,8–6,3	no SOP	3 × 5 min · 8 am · 12 pm · 4 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Wednesday 11 Nov 2026

Day 7 · S1 · Grow — establish · Sparmanik 4.0

HST 7

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.5 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**3 × 5 min · 8 am · 12 pm · 4 pm**

1 Start removing side shoots

Every 2–3 days until node 8. Pinch the **shoot** in the leaf armpit on nodes 1–8, **keep the leaf**. Never the main tip. Leave nodes 9–12 — fruit comes from there.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 75–100 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Seedlings wilting at noon · rotting at the base (damping-off) · yellow leaves

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 12 Nov 2026

Day 8 · S1 · Grow — vegetative · Sparmanik 4.0

HST 8

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 Silicon drench (Kalsika)

MANUAL switch. 400 L clean water → run 3 min → one 100 g sachet into ~300 L, stir until clear → run 8 min → top up to 100 L only → run 3 min until empty → make the normal feed tank. Today only the **2 pm and 5 pm** pulses.

2 Change the timer

From tomorrow (day 9): **4 × 6 min · 8 · 11 am · 2 · 5 pm**. Set it once and leave it until day 25.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)
Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Friday 13 Nov 2026

Day 9 · S1 · Grow — vegetative · Sparmanik 4.0

HST 9

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Saturday 14 Nov 2026

Day 10 · S1 · Grow — vegetative · Sparmanik 4.0

HST 10

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Sunday 15 Nov 2026

Day 11 · S1 · Grow — vegetative · Sparmanik 4.0

HST 11

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Monday 16 Nov 2026

Day 12 · S1 · Grow — vegetative · Sparmanik 4.0

HST 12

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Tuesday 17 Nov 2026

Day 13 · S1 · Grow — vegetative · Sparmanik 4.0

HST 13

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Wednesday 18 Nov 2026

Day 14 · S1 · Grow — vegetative · Sparmanik 4.0

HST 14

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 19 Nov 2026

Day 15 · S1 · Grow — vegetative · Sparmanik 4.0

HST 15

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 Silicon drench (Kalsika)

MANUAL switch. 400 L clean water → run 3 min → one 100 g sachet into ~300 L, stir until clear → run 8 min → top up to 100 L only → run 3 min until empty → make the normal feed tank. Today only the **2 pm and 5 pm** pulses.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Friday 20 Nov 2026

Day 16 · S1 · Grow — vegetative · Sparmanik 4.0

HST 16

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Saturday 21 Nov 2026

Day 17 · S1 · Grow — vegetative · Sparmanik 4.0

HST 17

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 Trichoderma cup drench

10 g per 10 L bucket of plain water, stand 15–30 min. Water the bags first, then one cup (250 ml) at the stem base. Morning or late afternoon. Stir every 10 bags. 2 days away from silicon.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Sunday 22 Nov 2026

Day 18 · S1 · Grow — vegetative · Sparmanik 4.0

HST 18

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Monday 23 Nov 2026

Day 19 · S1 · Grow — vegetative · Sparmanik 4.0

HST 19

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Tuesday 24 Nov 2026

Day 20 · S1 · Grow — vegetative · Sparmanik 4.0

HST 20

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 Node 8 — stop removing shoots

From node 9 up, leave the shoots. Female flowers and fruit grow from here.

2 Tri-Pholate spray after 4 pm

2 g per 16 L spray pack (0.125 g/L). Leaves only. After 4 pm.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Wednesday 25 Nov 2026

Day 21 · S1 · Grow — vegetative · Sparmanik 4.0

HST 21

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 26 Nov 2026

Day 22 · S1 · Grow — vegetative · Sparmanik 4.0

HST 22

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 Silicon drench (Kalsika)

MANUAL switch. 400 L clean water → run 3 min → one 100 g sachet into ~300 L, stir until clear → run 8 min → top up to 100 L only → run 3 min until empty → make the normal feed tank. Today only the **2 pm and 5 pm** pulses.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Friday 27 Nov 2026

Day 23 · S1 · Grow — vegetative · Sparmanik 4.0

HST 23

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	2.1 · 5,8–6,3	no SOP	4 × 6 min · 8 · 11 am · 2 · 5 pm

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Saturday 28 Nov 2026

Day 24 · S1 · Grow — vegetative · Sparmanik 4.0

HST 24

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S1 stock	**2.1 · 5,8–6,3**	**no SOP**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 Tonight: make the FLOWER stock

Boyd’s kit (with Boroni). See book pages 23 / 53. Never boric acid.

Every day

- 06:30 tank check: EC 2.1 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 120–160 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Aphids · thrips · whitefly · spider mites · caterpillars · first mildew spots · pale new leaves (run-off pH)

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Sunday 29 Nov 2026

Day 25 · S2 · Flower & set · Sparmanik 4.0

HST 25

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 CHANGE TO FLOWER

Tank: FLOWER stock + **SOP 310 g** → EC **2.4**. Timer **5 × 7 min**. Start hand pollination every morning. Hang fruit-fly traps.

2 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Monday 30 Nov 2026

Day 26 · S2 · Flower & set · Sparmanik 4.0

HST 26

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Tuesday 1 Dec 2026

Day 27 · S2 · Flower & set · Sparmanik 4.0

HST 27

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Wednesday 2 Dec 2026

Day 28 · S2 · Flower & set · Sparmanik 4.0

HST
28

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Tri-Pholate spray after 4 pm

2 g per 16 L spray pack (0.125 g/L). Leaves only. After 4 pm.

2 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 3 Dec 2026

Day 29 · S2 · Flower & set · Sparmanik 4.0

HST 29

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 Silicon drench (Kalsika)

MANUAL switch. 400 L clean water → run 3 min → one 100 g sachet into ~300 L, stir until clear → run 8 min → top up to 100 L only → run 3 min until empty → make the normal feed tank. Today only the **2 pm and 5 pm** pulses.

2 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Friday 4 Dec 2026

Day 30 · S2 · Flower & set · Sparmanik 4.0

HST 30

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Saturday 5 Dec 2026

Day 31 · S2 · Flower & set · Sparmanik 4.0

HST 31

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Sunday 6 Dec 2026

Day 32 · S2 · Flower & set · Sparmanik 4.0

HST 32

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Monday 7 Dec 2026

Day 33 · S2 · Flower & set · Sparmanik 4.0

HST 33

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Tuesday 8 Dec 2026

Day 34 · S2 · Flower & set · Sparmanik 4.0

HST 34

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Wednesday 9 Dec 2026

Day 35 · S2 · Flower & set · Sparmanik 4.0

HST 35

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Tri-Pholate spray after 4 pm — LAST ONE

2 g per 16 L spray pack (0.125 g/L). Leaves only. After 4 pm. Stop after HST 35 — spray marks the net.

2 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

3 Calcinit leaf spray

80 g per 16 L spray pack. Early morning or after 4 pm, never in strong sun. Leaves only.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 10 Dec 2026

Day 36 · S2 · Flower & set · Sparmanik 4.0

HST 36

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Silicon drench (Kalsika) — LAST ONE

MANUAL switch. 400 L clean water → run 3 min → one 100 g sachet into ~300 L, stir until clear → run 8 min → top up to 100 L only → run 3 min until empty → make the normal feed tank. Today only the **2 pm and 5 pm** pulses. **No silicon after today** — it splits fruit.

2 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Friday 11 Dec 2026

Day 37 · S2 · Flower & set · Sparmanik 4.0

HST 37

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Hand pollination 06:00–10:00

Open female flowers on nodes 9–12 → pollen from a male flower on the **same plant**. None? Nearest plant of the same variety and generation. Write date + cross on the tag — **this date times the harvest**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Saturday 12 Dec 2026

Day 38 · S2 · Flower & set · Sparmanik 4.0

HST **38**

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 Trichoderma cup drench

10 g per 10 L bucket of plain water, stand 15–30 min. Water the bags first, then one cup (250 ml) at the stem base. Morning or late afternoon. Stir every 10 bags. 2 days away from silicon.

2 Keep one fruit + top

Keep **ONE** best fruit per plant. Top just above **leaf 25** (count green leaves, don't guess). No fruit → **don't top**. From today: **no plain water, glass watering or silicon**.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Sunday 13 Dec 2026

Day 39 · S2 · Flower & set · Sparmanik 4.0

HST 39

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 Finish fruit selection & topping

Finish every row. Send Boyd: topped ___ · not yet ___ · no fruit ___.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Monday 14 Dec 2026

Day 40 · S2 · Flower & set · Sparmanik 4.0

HST 40

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	2.4 · 5,8–6,3	310 g	5 × 7 min · 8 · 10 · 12 · 2 · 4

1 Finish fruit selection & topping

Finish every row. Send Boyd: topped ___ · not yet ___ · no fruit ___.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Tuesday 15 Dec 2026

Day 41 · S2 · Flower & set · Sparmanik 4.0

HST 41

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.2 L
S2 stock	**2.4 · 5,8–6,3**	**310 g**	**5 × 7 min · 8 · 10 · 12 · 2 · 4**

1 Tonight: make the SIZING stock

No Boroni (4.0). See book pages 27 / 54.

Every day

- 06:30 tank check: EC 2.4 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 175–235 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Thrips on flowers · dead flowers / deformed fruit (boron) · brown gummy ooze at the stem base (Gummy Stem Blight) · fruit fly

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Wednesday 16 Dec 2026

Day 42 · S3 · Fruit sizing · Sparmanik 4.0

HST 42

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

1 Calcinit leaf spray

80 g per 16 L spray pack. Early morning or after 4 pm, never in strong sun. Leaves only. **Last one** — no leaf sprays HST 45–59.

2 CHANGE TO SIZING

Tank: SIZING stock + **SOP 535 g** → EC **2.55**. Timer **6 × 8 min**. Support fruit in slings. Mondays: weigh 10 fruit per variety.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 17 Dec 2026

Day 43 · S3 · Fruit sizing · Sparmanik 4.0

HST 43

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	2.55 · 5,8–6,3	535 g	6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Friday 18 Dec 2026

Day 44 · S3 · Fruit sizing · Sparmanik 4.0

HST 44

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	2.55 · 5,8–6,3	535 g	6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Saturday 19 Dec 2026

Day 45 · S3 · Fruit sizing · Sparmanik 4.0

HST 45

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

1 Netting starts

No leaf sprays until HST 59. Remove old lower leaves with no green left, for airflow.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Sunday 20 Dec 2026

Day 46 · S3 · Fruit sizing · Sparmanik 4.0

HST 46

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Monday 21 Dec 2026

Day 47 · S3 · Fruit sizing · Sparmanik 4.0

HST 47

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Tuesday 22 Dec 2026

Day 48 · S3 · Fruit sizing · Sparmanik 4.0

HST 48

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	2.55 · 5,8–6,3	535 g	6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Wednesday 23 Dec 2026

Day 49 · S3 · Fruit sizing · Sparmanik 4.0

HST 49

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 24 Dec 2026

Day 50 · S3 · Fruit sizing · Sparmanik 4.0

HST
50

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Friday 25 Dec 2026

Day 51 · S3 · Fruit sizing · Sparmanik 4.0

HST 51

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	2.55 · 5,8–6,3	535 g	6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Saturday 26 Dec 2026

Day 52 · S3 · Fruit sizing · Sparmanik 4.0

HST 52

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Sunday 27 Dec 2026

Day 53 · S3 · Fruit sizing · Sparmanik 4.0

HST 53

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Monday 28 Dec 2026

Day 54 · S3 · Fruit sizing · Sparmanik 4.0

HST 54

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Tuesday 29 Dec 2026

Day 55 · S3 · Fruit sizing · Sparmanik 4.0

HST 55

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Wednesday 30 Dec 2026

Day 56 · S3 · Fruit sizing · Sparmanik 4.0

HST 56

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 31 Dec 2026

Day 57 · S3 · Fruit sizing · Sparmanik 4.0

HST 57

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Friday 1 Jan 2027

Day 58 · S3 · Fruit sizing · Sparmanik 4.0

HST 58

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	2.55 · 5,8–6,3	535 g	6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5

✓ No special job today

Do the daily routine below carefully.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Saturday 2 Jan 2027

Day 59 · S3 · Fruit sizing · Sparmanik 4.0

HST 59

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 1.6 L
S3 stock	**2.55 · 5,8–6,3**	**535 g**	**6 × 8 min · 7 · 9 · 11 · 1 · 3 · 5**

1 Trichoderma cup drench

10 g per 10 L bucket of plain water, stand 15–30 min. Water the bags first, then one cup (250 ml) at the stem base. Morning or late afternoon. Stir every 10 bags. 2 days away from silicon.

2 Tonight: make the RIPEN stock

Its own Ripen drums: Calcinit 8.95 kg (A) · MKP 1.85 kg + MAG-S 6.25 kg + Vitaflex + Fe (B). See book pages 30 / 55.

Every day

- 06:30 tank check: EC 2.55 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 240–320 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

BER (sunken brown patch on the fruit base) · fresh wet splits · a dry bag · fruit fly · mildew

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Sunday 3 Jan 2027

Day 60 · S4 · Ripen & harvest · Sparmanik 4.0

HST 60

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 CHANGE TO RIPEN

Tank: RIPEN stock + **SOP 645 g** → EC **2.7**. Timer **4 × 6 min**. Run-off 10–15%. **To the last fruit** — no switch to plain water.

2 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Monday 4 Jan 2027

Day 61 · S4 · Ripen & harvest · Sparmanik 4.0

HST 61

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Tuesday 5 Jan 2027

Day 62 · S4 · Ripen & harvest · Sparmanik 4.0

HST 62

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Wednesday 6 Jan 2027

Day 63 · S4 · Ripen & harvest · Sparmanik 4.0

HST 63

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 7 Jan 2027

Day 64 · S4 · Ripen & harvest · Sparmanik 4.0

HST 64

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Friday 8 Jan 2027

Day 65 · S4 · Ripen & harvest · Sparmanik 4.0

HST 65

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Saturday 9 Jan 2027

Day 66 · S4 · Ripen & harvest · Sparmanik 4.0

HST 66

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Sunday 10 Jan 2027

Day 67 · S4 · Ripen & harvest · Sparmanik 4.0

HST 67

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Monday 11 Jan 2027

Day 68 · S4 · Ripen & harvest · Sparmanik 4.0

HST 68

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Tuesday 12 Jan 2027

Day 69 · S4 · Ripen & harvest · Sparmanik 4.0

HST 69

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Wednesday 13 Jan 2027

Day 70 · S4 · Ripen & harvest · Sparmanik 4.0

HST 70

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 14 Jan 2027

Day 71 · S4 · Ripen & harvest · Sparmanik 4.0

HST 71

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Friday 15 Jan 2027

Day 72 · S4 · Ripen & harvest · Sparmanik 4.0

HST 72

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

3 Get ready to harvest

Get scissors, crates, scale and a shaded area ready. Start picking ripe fruit each morning.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Saturday 16 Jan 2027

Day 73 · S4 · Ripen & harvest · Sparmanik 4.0

HST 73

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

3 Get ready to harvest

Get scissors, crates, scale and a shaded area ready. Start picking ripe fruit each morning.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Sunday 17 Jan 2027

Day 74 · S4 · Ripen & harvest · Sparmanik 4.0

HST 74

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Brix check

Use fruit that **split today**, flesh still clean. Juice from mid-flesh. **Never cut a good fruit.** Send the numbers to Boyd.

3 Get ready to harvest

Get scissors, crates, scale and a shaded area ready. Start picking ripe fruit each morning.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Monday 18 Jan 2027

Day 75 · S4 · Ripen & harvest · Sparmanik 4.0

HST 75

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Tuesday 19 Jan 2027

Day 76 · S4 · Ripen & harvest · Sparmanik 4.0

HST 76

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Wednesday 20 Jan 2027

Day 77 · S4 · Ripen & harvest · Sparmanik 4.0

HST 77

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 21 Jan 2027

Day 78 · S4 · Ripen & harvest · Sparmanik 4.0

HST 78

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Friday 22 Jan 2027

Day 79 · S4 · Ripen & harvest · Sparmanik 4.0

HST 79

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Saturday 23 Jan 2027

Day 80 · S4 · Ripen & harvest · Sparmanik 4.0

HST 80

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Sunday 24 Jan 2027

Day 81 · S4 · Ripen & harvest · Sparmanik 4.0

HST 81

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Monday 25 Jan 2027

Day 82 · S4 · Ripen & harvest · Sparmanik 4.0

HST 82

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Tuesday 26 Jan 2027

Day 83 · S4 · Ripen & harvest · Sparmanik 4.0

HST 83

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Wednesday 27 Jan 2027

Day 84 · S4 · Ripen & harvest · Sparmanik 4.0

HST 84

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — MKP

MKP 48 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

SPARMANIK FARM · DAILY JOB CARD

Thursday 28 Jan 2027

Day 85 · S4 · Ripen & harvest · Sparmanik 4.0

HST 85

1,000 L TANK	EC · pH	SOP / TANK	TIMER · 0.8 L
S4 stock	**2.7 · 5,8–6,3**	**645 g**	**4 × 6 min · 8 · 11 am · 2 · 5 pm**

1 4 pm leaf spray — Calcinit

Calcinit 80 g per 16 L pack. Leaves only. **MKP and Calcinit are never mixed.**

2 Morning harvest 06:00–09:30

Ripe = full net · ground spot yellow · aroma · slips with a gentle twist · Brix 15+. Cut with scissors, T-stalk, into the shade. **Don't cut anything else.** Grade A–D, weigh, log by plant ID.

Every day

- 06:30 tank check: EC 2.7 · pH 5.8–6.3 · photo to Boyd before the pump goes on
- Walk every row in the morning: split / rotten fruit → sack → out of the greenhouse, count
- Krisbow meter 8 · 10 · 12 · 2 — humidity ≥ temperature × 2; below → mist leaves 5–10 min (last 3:30 pm)
- Run-off 2–3× a week (not on a silicon day): target 80–120 ml per bag
- Monday: measure the 5 marked plants (height, leaves, fruit)
- **No plain water, glass watering or silicon.** Extra water = split fruit.

Watch for at this stage

Split fruit · fruit fly (CRITICAL) · fruit rot · rodents & birds · Brix under 12 on ripe-looking fruit

Not sure? Stop and call Boyd.

Tank EC / pH	Run-off ml / EC	Fruit picked / binned	Name & initials

HARVEST LOG

Daily harvest log

One line a day. Photo this page to Boyd every week.

Date	Rows	Fruit A	B	C	D / binned	Total kg	Brix