



1 Silicon drench (Kalsika)

first thing in the morning

Use the **MANUAL** switch. Do **NOT** change the timer setting. Fresh plain water only — no Stock A, no Stock B, no SOP.

1. **Fill the tank with fresh water to 400 L.** Run **3 minutes** — pushes the old feed out of the lines.
→ about 300 L should be left. If not, stop and tell the supervisor.
2. **Put 1 sachet (100 g) of Kalsika straight into the 300 L in the tank.** Do not dissolve it in a bucket first. Do not add more water. Stir **in the tank** until the water is **CLEAR** — still cloudy, keep stirring, do not switch on.
3. **Run 8 minutes** — waters every polybag.
→ about 30 L left.
4. **Top up with fresh water to 100 L only** — not more. Run **3 minutes** until the tank is empty — pushes the Kalsika out of the lines.
5. **Make the normal feed:** fill the tank to **1000 L**, add **5 L Stock A + 5 L Stock B**, stir, set **EC 2.1**, check **pH 5.8–6.3**.

Drum A and Drum B — never, for any reason. In the concentrate drums Kalsika sets into white sludge. **The tank — one at a time:** empty of feed before Kalsika goes in, empty of Kalsika before the feed goes back. Keep 2 days away from Trichoderma.

2 Set the irrigation timer

Day 8 is different from Day 9

OLD setting (Day 0–7) — stop using this: every 4 hours · 5 minutes · 3 times a day

DAY	PULSES	CLOCK TIMES
Day 8 — silicon day silicon watered the bags this morning	2 only 6 minutes each	2 pm · 5 pm
Day 9 onward then leave it until Day 25	4 every 3 h, 6 minutes 0.8 L per polybag	8 am · 11 am · 2 pm · 5 pm

- From Day 9 set it **ONCE** and leave it alone until Day 25.
- Do **not** change it because it rained — the cocopeat drains itself.
- Never water at night. All pulses in daylight.
- **Every silicon day from now on:** same pattern — silicon in the morning, 2 pulses in the afternoon.

3 Check the run-off

2–3 times a week, from Day 9

Target: 15–20% of the water drains out of the bottom of the polybag. Put a cup or tray under 3–4 bags in different rows, run one pulse, then measure.

UNDER 15% — TOO DRY	15–20% — CORRECT	OVER 20% — TOO WET
Add 1 minute to every pulse (6 → 7 min).	Change nothing.	Remove 1 pulse from the day.

Only change the timer if it is wrong for **several days in a row** — never because of one reading. Do not measure on a silicon day. Write the date, drain %, EC, pH and your name in the log.

4 · Then carry on the same until Day 25

STOCK	FEED EC	PH	CHANGE ON
S1 · Grow (Vegetative)	2.1	5.8 – 6.3	Day 25 (HST 25)

Same 5 L Stock A + 5 L Stock B per 1000 L, every tank. **No SOP yet** — that starts at Flower. Nothing changes between now and Day 25 — just repeat this each week:

- Silicon drench **once a week** (2 pulses that day)
- Run-off 15–20%, **2–3 times a week** — not on a silicon day
- Trichoderma cup drench every **2–3 weeks** — 2 days away from silicon
- Train the vine, remove laterals below node 8; look under leaves for pests **2× a week**
- Write EC, pH, drain % and your name in the log every check

Do not change the feed or the timer on your own. Only if run-off is wrong several days in a row. Otherwise tell the supervisor.

Around Day 25 the first female flowers appear → move to Stage 4. **Mix the new S2 stock the night before.**

Timer changed by / time

Run-off checked by

Silicon drench done by