

GETTING STARTED WITH DOCKER

2022-August-11

Luke Pendo

<https://gitlab.com/cantankerous-impurity/Documentation/-/blob/core/GettingStarted.pdf>

Using Docker to run cantankerous-impurity

Dependencies required

The easy ones...

- git
- make

The harder one...

- docker [2] or docker-ce [3,4]

Ubuntu 22.04 LTS commands

```
${PROJECT_DIR}= <replace with host specific value... >
mkdir ${PROJECT_DIR}
```

```
COMPUTATION_SUBPROJECT=Computations
COMPUTE_DIR=${PROJECT_DIR}/${COMPUTATION_SUBPROJECT}
COMPUTE_SPEC=${PROJECT_NAME}/${COMPUTATION_SUBPROJECT}
COMPUTE_GIT=https://gitlab.com/${COMPUTE_SPEC}.git
git clone ${COMPUTE_GIT} ${COMPUTE_DIR}
```

```
cd ${COMPUTE_DIR}
make docker.make.main.debug
make docker.run.main.debug
```

[2] Information on installing the closed source Docker Desktop for Windows, Apple Mac, and Linux can be found [here](#).

[3] Information about installing the open source version of docker (docker community edition) on Ubuntu can be found [here](#).

[4] Installing docker-ce on WSL requires some extra work. A good method to do so is covered in [this blog post](#) by Jonathan Bowman