

scPRINT-2 — Predicted cell type ontology

UMAP 2

UMAP 1

- pulmonary alveolar type 2 cell (n=7,657)
- glomerular capillary endothelial cell (n=5,933)
- ileal goblet cell (n=2,617)
- chondrocyte (n=1,532)
- type EC enteroendocrine cell (n=1,280)
- Sertoli cell (n=1,151)
- pulmonary alveolar type 1 cell (n=896)
- basal cell of epidermis (n=690)
- MHC-II-positive classical monocyte (n=490)
- kidney proximal straight tubule epithelial cell (n=442)
- club cell (n=420)
- type G enteroendocrine cell (n=338)
- splanchnic mesodermal cell (n=332)
- vascular leptomeningeal cell (Mmus) (n=275)
- choroid plexus epithelial cell (n=234)
- kidney interstitial alternatively activated macrophage (n=231)
- syncytiotrophoblast cell (n=218)
- meningeal macrophage (n=208)
- multiciliated epithelial cell of the bronchus (n=180)
- basal cell of epithelium of bronchus (n=177)
- mature microglial cell (n=177)
- endocardial cell (n=165)

- acinar cell of salivary gland (n=153)
- mast cell (n=146)
- colon goblet cell (n=118)
- periportal region hepatocyte (n=97)
- pancreatic acinar cell (n=93)
- Kupffer cell (n=92)
- dermis microvascular lymphatic vessel endothelial cell (n=80)
- kidney interstitial fibroblast (n=74)
- metallothionein-positive alveolar macrophage (n=73)
- hepatoblast (n=61)
- luminal hormone-sensing cell of mammary gland (n=54)
- fibroblast of cardiac tissue (n=49)
- lung goblet cell (n=43)
- naive regulatory T cell (n=37)
- GIP cell (n=36)
- brown preadipocyte (n=33)
- endothelial cell of pericentral hepatic sinusoid (n=30)
- kidney collecting duct principal cell (n=29)
- adipocyte of epicardial fat of left ventricle (n=25)
- enterocyte of epithelium proper of ileum (n=25)
- pulmonary neuroendocrine cell (n=23)

85 categories

- CD8-alpha alpha positive, gamma-delta intraepithelial T cell (n=20)
- tracheal goblet cell (n=18)
- activated CD4-negative, CD8-negative type I NK T cell (n=15)
- type I cell of adrenal cortex (n=15)
- lactocyte (n=13)
- alveolar type 1 fibroblast cell (n=12)
- pancreatic ductal cell (n=9)
- corneal epithelial cell (n=7)
- mesothelial cell of visceral pleura (n=7)
- IgG-negative class switched memory B cell (n=5)
- tendon cell (n=5)
- L6 intratelencephalic projecting glutamatergic neuron of the primary motor cortex (n=4)
- cord blood hematopoietic stem cell (n=4)
- pancreatic A cell (n=4)
- theca cell (n=4)
- alveolar adventitial fibroblast (n=3)
- immature natural killer cell (n=3)
- smooth muscle cell of the pulmonary artery (n=3)
- type B pancreatic cell (n=3)
- adventitial cell (n=2)
- granulocyte monocyte progenitor cell (n=2)

- hair follicular keratinocyte (n=2)
- lung microvascular endothelial cell (n=2)
- lung perichondrial fibroblast (n=2)
- olfactory epithelial cell (n=2)
- pancreatic stellate cell (n=2)
- podocyte (n=2)
- vasa recta ascending limb cell (n=2)
- astrocyte of the cerebral cortex (n=1)
- brain pericyte (n=1)
- cardiac mesenchymal cell (n=1)
- endothelial cell of coronary artery (n=1)
- enucleate erythrocyte (n=1)
- large pre-B-II cell (n=1)
- lung pericyte (n=1)
- malignant cell (n=1)
- myelinating Schwann cell (n=1)
- paneth cell of colon (n=1)
- parietal epithelial cell (n=1)
- serous secreting cell of bronchus submucosal gland (n=1)
- smooth muscle fiber of ileum (n=1)
- tuft cell of large intestine (n=1)