Enterprise Architecture and Strategic Roadmap for RBC Capital Markets Digital Asset Platform


Executive Summary and Strategic Imperative

The institutional adoption of digital assets has categorically transitioned from isolated proofs-of-concept into the deployment of comprehensive, highly interoperable financial infrastructure. RBC Capital Markets has already established a pioneering footprint in this evolving landscape through active participation in landmark initiatives. Notably, this includes collaboration on the European Investment Bank's digital bond issuance on the HSBC Orion platform [1] and, most prominently, the Bank of Canada's Project Samara.[2] Project Samara successfully tested a tokenized Canadian dollar bond settled in wholesale central bank digital currency (CBDC), demonstrating the transformative potential of distributed ledger technology (DLT) in sovereign debt markets.[2] While Project Samara proved that DLT can yield significant operational efficiencies, streamline workflows, and dramatically improve data integrity, it also highlighted profound practical limitations. The experiment revealed that these efficiency gains are frequently offset by increased system complexity, high liquidity costs, the pressing need for novel governance structures, and the immense operational burden of coordination and oversight.[3]

To move beyond episodic experimentation and establish a scalable, unified digital asset platform, RBC Capital Markets requires a sophisticated architecture that effectively bridges the gap between private, permissioned corporate networks and global, public liquidity pools. The user's request to utilize DFNS as the core ledger for all chain activities presents a nuanced architectural paradigm. DFNS is not a decentralized ledger in itself; rather, it serves as an advanced cryptographic operating system and API-driven control plane that orchestrates interactions across any underlying blockchain.[5] Therefore, the proposed architecture establishes a dual-layer foundation: the **Polygon Chain Development Kit (CDK)** serves as the foundational private Ethereum ledger for internal state management, while DFNS acts as the overarching command center unifying wallets, cryptographic keys, user policies, and transaction broadcasting across both this internal Polygon CDK chain and external public networks.[5]

This expansive report proposes an exhaustive architectural blueprint and strategic roadmap for a next-generation digital asset platform. Beyond the core ledger, it outlines a robust plan for capital movement, leveraging Circle Mint and the Cross-Chain Transfer Protocol (CCTP) for programmable cash management and liquidity routing.[7] It addresses the complexities of institutional trading connectivity, collateral mobility, and off-exchange settlement through deep integration with the Anchorage Digital Atlas network and its associated prime brokerage workflows.[9] Finally, the architecture seamlessly embeds multi-layered, pre-transaction

compliance tooling utilizing Chainalysis, TRM Labs, and Hexagate to ensure uncompromising adherence to global Anti-Money Laundering (AML) and Know Your Customer (KYC) mandates.[11] This infrastructure is meticulously designed to consolidate capital movement, liquidity management, and trading connectivity under a single programmatic control plane, thereby mitigating counterparty risk, abstracting cryptographic complexity, and positioning RBC Capital Markets as the premier institutional gateway to the digital asset economy.



1. Project Samara and the Evolution of Institutional Settlement

To properly architect a new digital asset platform, it is imperative to analyze the empirical data and structural lessons derived from recent institutional deployments, specifically Project Samara. Undertaken by the Bank of Canada in collaboration with RBC Capital Markets, TD Securities, and Export Development Canada (EDC), Project Samara evaluated how tokenization could overhaul traditional bond issuance and settlement.[3] The initiative involved the issuance of a real, CAD 100 million short-term bond (maturity of less than three months) by EDC, funded by the Bank of Canada, and sold to a closed consortium of institutional investors.[3]

In a traditional paradigm, bond sales require an investment dealer to manage the sale, a central depository (like the Canadian Depository for Securities) to record ownership and handle clearing, and a high-value payment system (like Payments Canada's Lynx) to settle the cash leg on a T+1 basis.[15] Project Samara collapsed this multi-tiered, asynchronous architecture into a

single, cohesive platform.[15] Built on Hyperledger Fabric, the Samara platform integrated separate, immutable ledgers for both the bond and the cash, enabling end-to-end transactions throughout the asset's life cycle, including issuance, bidding, coupon payments, redemption, and secondary trading.[3]

A critical breakthrough of Project Samara was the utilization of wholesale central bank deposits (W-CAD) for cash settlement.[2] By requiring users to pre-fund their wallets with W-CAD, the platform enabled atomic Delivery-versus-Payment (DvP) settlement through the execution of smart contracts and Hashed Time-Locked Contracts (HTLC).[16] This eliminated the need for post-trade workflows or dedicated settlement operations, achieving instantaneous same-day (T+0) settlement and significantly reducing counterparty risk.[16] However, the bespoke nature of the Hyperledger Fabric implementation in Samara highlighted the risk of infrastructure lock-in.[15] As global financial institutions increasingly standardize around the Ethereum Virtual Machine (EVM), building closed domestic systems on disparate tech stacks threatens to isolate Canadian dollar settlement layers.[15] Therefore, the proposed RBC Capital Markets platform must retain the atomic settlement and privacy features of Samara while adopting an EVM-compatible foundation to ensure global interoperability.

2. Core Ledger Architecture: Polygon CDK

The foundation of the proposed platform relies on a dual-layered architectural approach: a permissioned blockchain ledger for definitive state management and a robust cryptographic operating system for secure interaction with that ledger. For the internal ledger, Polygon Chain Development Kit (CDK) represents the optimal and most future-proof choice for an enterprise EVM deployment within RBC Capital Markets.

2.1 Sovereign Architecture and EVM Equivalence

Polygon CDK is an open-source modular framework designed explicitly for enterprises and institutions to launch their own application-specific, Zero-Knowledge (ZK) secured blockchains. Unlike older enterprise systems that create siloed environments, Polygon CDK enables RBC Capital Markets to build a sovereign blockchain that handles up to 20,000 transactions per second natively while maintaining strict EVM equivalence.

Because it is fully EVM equivalent, any smart contract developed, audited, and deployed on the internal Polygon CDK network is inherently compatible with the broader public Ethereum ecosystem. This eradicates vendor lock-in and allows developers to utilize standard application programming interfaces (APIs), standard Solidity tooling, and existing decentralized finance (DeFi) architectures. RBC can deploy this as a "validium," operating its own sequencer and relying on a private Data Availability Committee (DAC), ensuring high throughput dedicated strictly to institutional use cases without interference from public network activity.

2.2 Modular Privacy as a Spectrum

In institutional capital markets, data privacy is not merely a preference; it is a strict regulatory requirement. Order book confidentiality, dynamic margin positions, counterparty identities, and algorithmic trading intents must be strictly protected. Older frameworks treat privacy as a binary "on/off" toggle, which is insufficient for global fiduciaries. Polygon CDK, however,

approaches privacy as a highly configurable spectrum, empowering the institution to stack specific privacy modules based on compliance mandates.

RBC Capital Markets can leverage **Private Data Availability** layers (via providers like Conduit or Gateway), ensuring that raw transactional data is kept off public ledgers entirely and stored securely on the bank's own infrastructure. Furthermore, the network can employ **Private RPCs**, strictly controlling who can read the chain state or submit transactions, enforcing access control lists and role-based permissioning (SSO/KYC) directly at the node level. To achieve sub-transaction level privacy while settling to Ethereum, the architecture can integrate tools like **OP Succinct**, which adds data confidentiality to CDK rollups, allowing RBC to keep complex institutional trade data completely opaque to the outside world while still proving its integrity via ZK proofs.


2.3 Institutional Permissioning and Gas Customization

Beyond data visibility, an institutional ledger requires strict governance over participation and transaction mechanics. Polygon CDK enables RBC to deploy a "public but permissioned" model. The network administrators can define exactly which whitelisted entities are permitted to interact with the chain.

Crucially, CDK supports the integration of **custom native gas tokens**. Rather than requiring institutional clients to hold highly volatile public cryptocurrencies (like ETH or MATIC) to pay for transaction fees, RBC can configure the network to utilize a customized internal token, a stablecoin like USDC, or utilize native account abstraction to sponsor and completely eliminate gas fees for the end-user, thereby providing a seamless, traditional finance-like experience.

This setup guarantees that RBC Capital Markets retains total sovereignty over its financial rails while remaining technologically anchored to the broader Ethereum landscape.

RBC Capital Markets Digital Asset Ledger and Key Management Architecture



The core ledger architecture utilizes Hyperledger Besu for consensus and state management, paired with Tessera for off-chain private transaction encryption. The DFNS Hybrid MPC model ensures RBC Capital Markets retains a mandatory signing share within its own infrastructure.

3. The Cryptographic Operating System: DFNS Integration

Managing private keys across thousands of institutional wallets, interacting with custom smart contracts, and facilitating high-frequency algorithmic trading applications presents a formidable security and operational challenge. The user's query specifically requests the use of DFNS as the core ledger for all chain activities. To clarify this architectural paradigm: DFNS is not a ledger itself; rather, it acts as a robust, API-driven infrastructure that serves as a central control plane for digital asset strategies.[5] It is best conceptualized as the secure operating system (OS) for Web3, unifying interactions across all blockchains, managing core resources like wallets and policies, and abstracting the immense complexity of diverse cryptography and gas management.[5]

3.1 Multi-Party Computation (MPC) and Key Management

DFNS radically redesigns how digital assets are secured by eliminating the single greatest vulnerability in blockchain architecture: the existence of a complete, single private key or a

BIP-39/44 seed phrase.[5] Instead of generating a single secret, the DFNS platform utilizes a highly advanced Threshold Signature Scheme (TSS) based on Multi-Party Computation (MPC).[17] When an RBC developer creates a wallet via the DFNS API, the system generates multiple encrypted secret key shares (or shards).[17] To authorize and sign a transaction, a minimum mathematically predefined threshold (e.g., t-out-of-n) of these shares is required to actively participate in a cryptographic signing ceremony.[17] The critical security guarantee of this system is that the complete private key is never reconstructed or assembled in a single location or memory space during the signing process.[18] This distributed architecture provides robust security against both internal threats (rogue employees) and external cyberattacks, as an adversary would need to simultaneously breach multiple secure, independent systems across different geographic regions to forge a signature.[18]

Security at the cryptographic protocol level is paramount. DFNS utilizes the highly secure KU23 protocol by default.[21] This is a critical architectural advantage. Recently, severe theoretical vulnerabilities were discovered in the widely used CGGMP21 threshold signing scheme, specifically related to the use of presignatures when protocol assumptions do not hold.[21] Discovered independently by cryptographers at DFNS and security researchers at Fireblocks, these vulnerabilities were swiftly patched, prompting DFNS to migrate its default codebase to the more resilient KU23 protocol to protect clients against potential future zero-day exploits in the CGGMP protocol.[21] Furthermore, within the fully managed cloud environment, DFNS is actively encapsulating its signers within AWS Nitro Enclaves, physically isolating the execution environment to ensure key shares remain completely inaccessible, thereby categorically preventing collusion even among the engineers who operate the network.[22]

3.2 Hybrid Deployment, Self-Hosting, and Custom Networks

Given the strict fiduciary duties, rigorous data residency requirements, and comprehensive risk management frameworks governing a Tier-1 financial institution like RBC Capital Markets, relying exclusively on a cloud-based Software-as-a-Service (SaaS) custody model may be deemed unacceptable by internal risk committees. DFNS accommodates these institutional constraints through flexible deployment architectures, specifically the Hybrid MPC and On-Premise models.[6]

The Hybrid MPC model is strategically recommended for the RBC Capital Markets platform. In a hybrid configuration, the threshold scheme (t-out-of-n) dictates signing availability and fault tolerance.[19] DFNS manages a portion of the key shares within its highly resilient, geographically distributed T3+/T4 data centers, while RBC Capital Markets securely hosts one or more key shares on its own internal infrastructure via a deployed DFNS Signing Server.[22] This specific cryptographic alignment ensures that RBC is a mathematically required participant in every single signing ceremony. By holding a mandatory key share, the bank possesses a direct cryptographic veto over any transaction, granting it absolute control over transaction finality and shared security responsibility without shouldering the entire burden of key management.[23]

For the most extreme security enclaves, DFNS also supports fully On-Premise deployments,

where the bank runs the signing software and manages all key shares entirely within its own private cloud.[23] Additionally, DFNS offers seamless integration with traditional Hardware Security Modules (HSMs) via a stateless approach.[24] In this architecture, private keys are wrapped (encrypted) by the HSM's master key and stored in a database; they are only unwrapped inside the tamper-resistant hardware during the exact moment of signing, ensuring maximum key isolation while still leveraging the full suite of DFNS APIs.[24] All of these deployment models integrate with Layer 4 Disaster Recovery protocols, guaranteeing that each signer is backed up to ensure continuous business operations even in catastrophic scenarios.[25] Crucially, DFNS separates the concept of a "Wallet" (the blockchain address utilized for receiving assets and indexing history) from the "Key" (the MPC infrastructure that signs transactions).[26] A single master Key can effortlessly power multi-chain wallets across 100+ public networks, including Ethereum, Solana, and Bitcoin, sharing the exact same EVM address across compatible chains.[20] To fulfill the requirement of utilizing DFNS for the internal chain, the platform will leverage the "Bring Your Own Chain" (BYOC) functionality.[27] DFNS supports custom Remote Procedure Calls (RPCs), enabling full Tier-1 integration with private permissioned networks like the custom Polygon CDK implementation.[28] This powerful abstraction means that RBC developers utilize the exact same REST API endpoints to mint a customized bond token on the private CDK network as they would to transfer USDC on the public Ethereum mainnet, dramatically reducing development overhead and standardizing the operational stack.[28]

3.3 Transaction Execution, Payloads, and the Policy Engine

DFNS empowers developers with highly flexible transaction execution methodologies, essential for interacting with complex financial smart contracts. The platform offers a multi-tiered API approach:

API Endpoint	Execution Methodology	Institutional Use Case
Transfer Asset	Standardized endpoint for moving native tokens or recognized fungible assets (ERC-20, SPL).	High-volume treasury sweeps, standard institutional payouts, and simple asset reallocation.[30]
Sign & Broadcast	Accepts raw, unsigned transaction payloads where the developer dictates specific parameters (gas limits, contract call data, nonce). DFNS securely signs and broadcasts the transaction to the network	Interacting with arbitrary smart contracts, minting new tokenized assets, or deploying novel financial instruments onto the ledger.[31]

	mempool.	
Generate Signature	The most advanced option. DFNS receives the payload, signs it using the MPC network, and returns the raw signature directly to the client without broadcasting.	Utilizing private mempools, managing custom broadcast strategies to avoid front-running, or facilitating complex cross-chain message passing.[30]

Institutional governance and strict operational compliance are systematically enforced at the infrastructure layer via the comprehensive DFNS Policy Engine.[6] Every single signing request submitted through the API is rigorously evaluated against predefined corporate rules before the MPC ceremony is permitted to execute.[33]

The Policy Engine supports a vast array of rules, including TransactionAmountLimit (which evaluates the total transaction value against a specified fiat currency limit) and TransactionRecipientWhitelist (which strictly evaluates the destination address against a pre-approved list).[33] When a rule is triggered, the engine executes a predetermined action: it can either definitively Block the transaction or trigger a RequestApproval workflow.[33] The approval workflow is highly configurable, allowing network administrators to define specific approval groups with required quorums, meaning a high-value transfer might require explicit sign-off from three distinct compliance officers before the MPC network generates the signature.[11]

A critical architectural feature of the DFNS Policy Engine is its deterministic "fail-closed" design methodology. The engine evaluates rules by extracting values from structured fields within JSON payloads.[33] If an RBC trading algorithm submits a raw, serialized transaction payload (such as complex smart contract bytecode) where the engine cannot explicitly parse and verify the destination address or the precise asset value being transferred, the system prioritizes safety over execution.[33] It defaults to a triggered state, treating the unreadable payload as a policy violation and executing the configured action (blocking or routing for manual approval).[33] This structural rigidity ensures that no opaque or deliberately obfuscated smart contract interaction can ever bypass RBC's internal risk controls. Furthermore, policies can be meticulously scoped using entity filters; administrators can apply tags (e.g., policy:strict) to specific wallets or filter by specific wallet IDs to ensure that high-velocity algorithmic trading wallets operate under different parameters than massive, slow-moving treasury reserve wallets.[33]

4. Capital Movement: Programmable Cash and Liquidity Management

A highly secure, meticulously governed ledger architecture is ultimately only as valuable as the capital that flows through it. Institutional digital asset operations require instantaneous liquidity

movement, dynamic margin allocation across global venues, and seamless, high-volume fiat-to-crypto gateways.

4.1 Fiat On-Ramps and Circle Mint Integration

To effectively bridge traditional fiat treasury operations with the dynamic digital asset ecosystem, the platform will rely on deep programmatic integration with Circle, the principal issuer of the heavily regulated USDC and EURC stablecoins. While retail users access stablecoins via secondary market exchanges, institutional platforms require direct, programmatic issuance. The primary mechanism for this fiat-to-stablecoin onboarding is the Circle Mint API.[7]

Access to Circle Mint is strictly gated; it operates on an institutional mint-and-burn model available only to vetted Authorized Participants (APs) who have successfully navigated rigorous background checks, enhanced Know Your Business (KYB) vetting, and ongoing global sanctions screening.[7] Through direct API integration, RBC Capital Markets can entirely bypass the slippage, fees, and liquidity constraints of secondary markets.

The minting workflow is highly deterministic: When RBC's treasury desk deposits native fiat currency (e.g., US dollars) into a Circle-controlled custody account via traditional banking rails (wire transfer, SEPA, or banking networks), the Circle Mint API facilitates the direct, 1:1 issuance of native USDC.[34] The Authorized Participant specifies the exact destination chain (e.g., Ethereum mainnet, Arbitrum, or Solana) within the API request, and upon confirmation of the fiat reserves, Circle's smart contracts emit a mint event, instantly issuing the stablecoins to RBC's designated DFNS wallets.[34] Conversely, when capital needs to be repatriated, the API facilitates the burning of the stablecoins and the instantaneous wire transfer of the underlying fiat back to the institution's commercial bank accounts.[8] This programmatic model allows for high-volume, automated treasury sweeps, effortlessly converting idle overnight cash into on-chain, programmable dollars ready for immediate deployment into decentralized finance (DeFi) protocols or institutional settlement networks.[36] For specific non-EVM blockchains like Solana, Circle utilizes a pre-minting architecture; specialized pre-mint addresses hold USDC that is not considered part of the circulating supply until Circle explicitly authorizes a transfer to an AP's account, ensuring rapid fulfillment of mint requests on high-throughput networks.[37]

4.2 Cross-Chain Capital Mobility and CCTP

Liquidity fragmentation across multiple Layer-1 blockchains and Layer-2 scaling solutions is a persistent and costly challenge for institutional traders. To maneuver capital seamlessly between the internal Polygon CDK environment (acting as a private EVM domain) and public networks like Ethereum Mainnet, Arbitrum, Base, or Polygon PoS, the platform will leverage Circle's Cross-Chain Transfer Protocol (CCTP).[8]

Historically, moving assets between blockchains required utilizing wrapped-token bridges. These bridges rely on massive, centralized honeypot liquidity pools that lock native assets on one chain and issue synthetic wrapped representations on another. These pools have been the primary vectors for catastrophic cyberattacks; the industry has suffered billions in losses, including the devastating $600 million exploit of the Axie Infinity Ronin Bridge.[39]

CCTP eliminates this counterparty risk and liquidity dependency by providing a native, permissionless, 1:1 capital efficiency model.[8] Because Circle is the absolute issuer of the asset, CCTP does not require liquidity pools. The cross-chain transfer process follows a strict, programmable sequence that can be orchestrated entirely via the DFNS APIs:

1. **Approve and Burn:** The RBC source chain wallet interacts with the CCTP smart contracts by calling the approve() function, granting the TokenMessenger contract permission to handle the specified amount of USDC. Subsequently, the wallet calls depositForBurn(), which permanently destroys the USDC on the source chain.[40]
2. **Attestation Retrieval:** Circle's off-chain API service (IRIS) continuously monitors the supported blockchains. Upon verifying the burn event on the source chain, IRIS generates a highly secure cryptographic attestation validating the destruction of the assets.[38]
3. **Native Minting:** The RBC application retrieves this attestation via API and submits it to the destination chain's smart contract via the receiveMessage function. The contract cryptographically verifies the attestation and programmatically mints an exactly equivalent amount of newly created, native USDC directly into the recipient wallet.[38]

This elegant burn-and-mint mechanism, supported across dozens of major testnets and mainnets (including Arbitrum, Avalanche, Base, Optimism, and Solana), allows RBC to dynamically rebalance institutional liquidity across fragmented networks in mere minutes, avoiding the extreme security risks of traditional wrapping bridges while natively interacting with Circle's infrastructure.[8]

5. Collateral Mobility, Margin, and Off-Exchange Settlement

Capital efficiency in modern trading requires sophisticated, highly automated margin management. Historically, participating in digital asset markets necessitated pre-funding centralized exchange accounts.[9] This forced institutions to transfer their assets out of secure custody and deposit them into massive, commingled, omnibus wallets controlled entirely by offshore, vertically integrated exchange entities.[9] This model—where a single opaque venue acts simultaneously as the matching engine, the custodian, and the settlement agent—introduces severe counterparty risks, delivery risks, and catastrophic bankruptcy exposure, serving as a massive structural barrier to entry for traditional fiduciaries.[10]

To align digital asset market structure with the rigorous operational safeguards and credit models of traditional finance, the proposed architecture deeply integrates Anchorage Digital's Atlas Settlement Network.[10]

5.1 The Anchorage Atlas Network and Institutional Custody

Anchorage Digital operates as an unequivocal qualified custodian, holding the unique distinction of operating the first federally chartered crypto bank in the United States (Anchorage Digital Bank N.A.), alongside licensed operations under the Monetary Authority of Singapore and a New York DFS BitLicense.[10] This unrivaled regulatory protection forms the

bedrock of the Atlas network, a modular infrastructure layer designed to help institutions mitigate counterparty and operational risk when trading, borrowing, and lending.[10]
The Atlas network essentially recreates the structure of traditional markets like foreign exchange (FX), where custody, execution, and credit are systematically separated across specialized participants.[10] It is a peer-to-peer settlement layer, conceptually similar to the Fireblocks Network. However, while the Fireblocks Network connects over 2,400 counterparties and settles over $70 billion monthly utilizing MPC-CMP technology and Universal Gasless transactions [8], Anchorage differentiates itself through its federally chartered banking status, providing an unparalleled regulatory shield for custodial assets.[42]

5.2 Tri-Party Repo and Collateral Management

Through the Atlas network, RBC Capital Markets can execute highly advanced Coordinated Multiparty Settlement (CMS).[10] This architecture unlocks sophisticated tri-party solutions where collateral—which can include both digital assets and traditional USD accounts—is held securely in segregated vaults at Anchorage Digital Bank, legally and physically distinct from the trading venue.[9]
In a typical institutional workflow, when RBC wishes to trade on margin or secure a credit line, it pledges assets within the Atlas network. The secured party (e.g., a prime broker, a lending counterparty, or an exchange like B2C2) is granted a transparent, real-time view of the specific collateral against which the pledgor is granting a security interest.[46] Anchorage Digital acts as the independent, regulated agent, managing collateral valuations, issuing automated margin calls, and executing liquidations strictly within a regulated custody framework.[47] This allows institutions to maintain highly productive capital deployment while confidently satisfying complex trading margin requirements.[48]

5.3 Off-Exchange Settlement Execution

The culmination of this architecture is true off-exchange settlement. Anchorage Digital's integration with major liquidity venues, such as Binance (the world's largest crypto exchange by trading volume), represents a paradigm shift.[9] Eligible institutional and professional clients can access Binance's incredibly deep global liquidity pools without ever moving their underlying assets onto the exchange infrastructure.[9]
The assets remain safely ring-fenced within Anchorage's segregated custody.[10] When an algorithmic trading desk at RBC executes a trade on the Binance matching engine, the Atlas network steps in to facilitate rapid, programmatic net settlement directly between the trusted participants.[47] This on-demand settlement occurs on-chain and programmatically moves end-customer assets, drastically reducing operational complexity and eliminating the need for traditional, delay-prone Delivery-versus-Payment (DvP) escrow mechanisms.[46] Furthermore, Anchorage's external transfer APIs allow RBC to automate day-to-day treasury operations, such as high-volume recurring vendor payments, protocol payroll, or VC distributions to whitelisted addresses, stripping away the manual overhead of ad-hoc payment approvals.[49]

Institutional Capital Efficiency: Off-Exchange Settlement Workflow

1

RBC CAPITAL MARKETS

Pledges cash and crypto collateral into a **Segregated Vault** managed by the custodian, rather than transferring assets directly to an exchange venue.

RISK MITIGATION IMPACT
Eliminates the requirement to pre-fund exchange accounts and avoids institutional exposure to commingled omnibus wallets.

2

ANCHORAGE CUSTODY

Safely locks the pledged assets within the Atlas network and grants the exchange a transparent, real-time view of the secured interest.

RISK MITIGATION IMPACT
Maintains independent, bank-grade custodial controls while structurally separating asset custody from credit.

3

3RD-PARTY EXCHANGE

Operates strictly as a non-custodial matching engine, allowing the client to access global liquidity and execute trades seamlessly.

RISK MITIGATION IMPACT
Separates trade execution from custody, aligning crypto market structure with robust traditional finance standards.

4

ANCHORAGE CUSTODY

Coordinates and executes rapid, programmatic **Net Settlement** across multiple trusted participants directly on-chain.

RISK MITIGATION IMPACT
Dramatically improves capital efficiency and reduces counterparty and operational risk without moving assets offshore.

By leveraging Anchorage Digital's Atlas network, institutional collateral remains secure in segregated, regulated custody. Trading is executed on non-custodial matching engines, and settlement occurs via rapid, net programmatic transfers, eliminating the need to pre-fund exchange accounts.

Data sources: PR Newswire, Anchorage Digital (Platform), Anchorage Insights, B2C2, Anchorage & Binance

6. Decentralized Trading Connectivity and Algorithmic Execution

Beyond the massive liquidity pools of centralized exchanges facilitated by off-exchange settlement, a comprehensive digital asset platform must provide seamless, secure connectivity to Decentralized Finance (DeFi) protocols. DeFi represents a fundamentally different market structure governed by automated smart contracts rather than traditional order books.

To achieve this, the architecture leverages "Porto" by Anchorage Digital.[43] Porto serves as the default institutional access point for Web3, providing a unified web dashboard designed for institutional self-custody and protocol interaction.[50] A critical feature of Porto is its native integration with the Uniswap Labs Trading API.[50] Uniswap operates as a dominant decentralized liquidity protocol, having processed over $3 trillion in all-time peer-to-peer digital asset swapping volume.[42]

This integration is highly significant for institutional traders. It allows Porto users to execute complex token swaps and seamlessly access immense Uniswap Protocol liquidity directly within the familiar, highly secure Anchorage interface, completely eliminating the dangerous reliance on external, loosely governed decentralized applications (dApps).[50] Throughout the entire DeFi transaction signing process, the users' private keys remain entirely offline, secured within air-gapped, tamper-proof Hardware Security Modules (HSMs).[50] This guarantees that interacting with the wild west of decentralized liquidity does not compromise the institutional security posture.

For more advanced, automated algorithmic trading or direct interaction with bespoke smart contracts (such as proprietary automated market makers, institutional lending pools, or tokenized real-world asset platforms), the DFNS API suite serves as the highly performant routing layer.[31] By generating raw transactions and passing them through the DFNS Sign & Broadcast endpoint, RBC quant desks can programmatically execute complex, multi-step DeFi strategies across any supported EVM chain.[31] Because the DFNS infrastructure scales with sub-second latency, secures over $100 billion across 20 million wallets, and boasts an unparalleled 99.997% uptime since 2022, it is uniquely engineered to handle high-frequency, mission-critical algorithmic trading operations globally.[6]

To provide a comprehensive digital asset trading environment, the architecture must support seamless execution across three distinct liquidity pools: over-the-counter (OTC) desks, Centralized Exchanges (CEXs), and Decentralized Finance (DeFi) protocols.

6.1 High-Touch OTC and Algorithmic Prime Brokerage

Institutional capital movement often requires routing nine-figure tickets that cannot be absorbed by central limit order books without severe price impact. The architecture integrates connectivity to major liquidity providers and OTC desks such as B2C2, Cumberland, and Wintermute. By leveraging the Anchorage Atlas network, liquidity providers like B2C2 can operate as two-way settlement participants.[52] This allows RBC Capital Markets to execute

block trades via Request for Quote (RFQ) APIs and settle them programmatically without moving assets from regulated custody. For automated trading, integrating Coinbase Prime APIs provides smart order routing across aggregated OTC and market maker liquidity, alongside advanced algorithmic execution strategies like TWAP and VWAP.

6.2 Centralized Exchange (CEX) Connectivity

While off-exchange settlement (as detailed in Section 5.3) secures the underlying collateral, the execution layer must still connect to the highly liquid matching engines of major centralized exchanges like Binance. The platform utilizes FIX and REST APIs to route orders directly to these non-custodial matching engines. Trading algorithms execute against the exchange's deep order books, while the Atlas coordination layer handles the post-trade net settlement messaging to programmatically move the exact required assets on-chain, eliminating pre-funding requirements and mitigating bankruptcy exposure.

6.3 Decentralized Finance (DeFi) Protocol Integration

DeFi represents a fundamentally different market structure governed by automated smart contracts. For seamless institutional access, the architecture leverages "Porto" by Anchorage Digital, which features native integration with the Uniswap Labs Trading API. This allows traders to execute complex token swaps and access Uniswap's massive decentralized liquidity pools directly within a secure, institutional dashboard while private keys remain in air-gapped HSMs. Furthermore, Anchorage's Atlas network is expanding its coordinated multiparty settlement to support institutional trading on non-custodial DeFi venues such as Hyperliquid, Lighter, and Aave. For bespoke programmatic interactions, the DFNS Sign & Broadcast API serves as the execution engine. By submitting raw transactions or utilizing the FunctionCall payload, RBC quants can programmatically supply liquidity to Aave, interact with tokenized real-world asset (RWA) platforms, or execute multi-step DeFi strategies. DFNS strictly enforces pre-transaction compliance policies (like ABI-aware rules) before mathematically generating the MPC signature and broadcasting the DeFi transaction to the mempool.

7. Embedded Compliance: AML, KYC, and Proactive Threat Detection

The decentralized, pseudo-anonymous nature of blockchain networks presents unprecedented challenges for regulatory compliance and threat mitigation. In traditional finance, transactions can be reversed, and counterparty banks can intervene post-execution. In the digital asset realm, traditional post-trade transaction monitoring is grossly insufficient. If an institutional wallet inadvertently interacts with a sanctioned address, a designated darknet market, or a compromised smart contract, the transaction is cryptographically immutable, the funds are instantly transferred, and the reputational and regulatory damage is instantaneous. Therefore, the proposed RBC Capital Markets architecture mandates the implementation of a strict, multi-layered **pre-transaction enforcement layer**.

7.1 Real-Time Enforcement via Chainalysis KYT

The foundational layer of this compliance architecture is provided by DFNS, which features deep, native integration with Chainalysis KYT (Know Your Transaction).[11] Chainalysis KYT provides real-time, intelligence-driven risk scoring across more than 400 blockchains and 50 million tokens, actively monitoring entities for illicit activity.[11]

Within the RBC platform, this intelligence is embedded directly into the transaction workflow via the DFNS Policy Engine. Compliance administrators configure the system by establishing specific policies targeting the Wallets:Sign activity kind and selecting the ChainalysisTransactionPrescreening rule.[11] The rule is meticulously configured to trigger based on specific Chainalysis alert severity levels (Low, Medium, High, or Severe) or to restrict interactions based on highly specific exposure categories (e.g., Sanctions, Mixers, Ransomware, Darknet Markets).[11]

The operational mechanic is fully automated: Before any outbound transaction or smart contract signature is broadcast to the public mempool, the DFNS API programmatically queries the Chainalysis database to evaluate the destination address and the payload intent.[11] If the real-time risk score exceeds the defined corporate threshold, the DFNS policy engine automatically and deterministically executes the configured action.[11] It can either outright Block the transaction at the cryptographic level (preventing the MPC network from ever generating the signature) or pause the execution state to RequestApproval, routing the full evaluation details to a designated compliance officer’s dashboard for manual review.[11] This seamless API integration guarantees that no asset can physically leave RBC’s custody without successfully passing a rigorous, real-time AML check. The system simultaneously monitors incoming transactions, silently generating alerts for compliance review based on the sender's risk profile without halting the flow of funds on the network, thereby satisfying ongoing transaction monitoring obligations.[11]

Automated Pre-Transaction Enforcement Matrix

RISK PROFILE (CHAINALYSIS)	POLICY RULE (DFNS)	DESTINATION / CONDITION	AUTOMATED ACTION
Alert Level: Severe	Transaction attempt prescreening	Sanctioned Entity or High Exposure	BLOCK
Alert Level: High	Transaction attempt prescreening	Restricted Address Categories	BLOCK
Alert Level: Medium	Transaction attempt prescreening	Flagged Exposure (Pending Review)	REQUEST APPROVAL
N/A (Standard Risk)	TransactionAmountLimit	Structured JSON Payload (Over Limit)	REQUEST APPROVAL
Alert Level: Low	TransactionRecipientWhitelist	Whitelisted JSON Address Match	AUTO-APPROVE
Unknown (Unreadable)	Any Value-Based Rule	Raw Serialized Payload (Engine Cannot Extract Values)	BLOCK (FAIL-CLOSED)

The DFNS Policy Engine natively integrates with Chainalysis KYT to evaluate every outbound transaction payload before signing. Transactions to high-risk or sanctioned entities are cryptographically blocked from execution.

Data sources: DFNS AML-KYT Docs, DFNS Signing Policies, Chainalysis KYT

7.2 Advanced Threat Detection and Cross-Chain Analytics

While Chainalysis KYT provides excellent baseline screening, highly sophisticated threat actors frequently attempt to circumvent these controls by rapidly moving funds across disparate networks (e.g., bridging from Ethereum to TRON, Solana, or Bitcoin) specifically to obscure the trail of illicit capital.[52] To augment the compliance posture against sophisticated laundering typologies, the architecture incorporates APIs from TRM Labs.[12]

TRM Labs provides unparalleled cross-chain tracing and analytics.[52] Through TRM's partnership with Hypernative, institutions can deploy "Guardian," an advanced pre-transaction enforcement layer.[53] When a complex transaction is initiated, Hypernative's Transaction Guard

calls the TRM API to evaluate not just the immediate destination address, but the extensive historical behavior of the counterparty, deep address history, and broader, multi-hop entity relationships.[53] Guardian dynamically applies the institution's defined risk thresholds to automatically approve, flag, or block the transaction based on this deep contextual intelligence.[53] This intelligence feeds directly into TRM's Compliance360 platform, a unified interface that allows compliance analysts to seamlessly transition from alert triage to investigating complex exposure paths, providing SAR-ready (Suspicious Activity Report) case management complete with immutable audit logs detailing exactly why specific risk thresholds were or were not met.[12]

7.3 Insider Threat Mitigation via Hexagate

Finally, securing the cryptographic keys is only half the battle. As Web3 attackers become increasingly creative, the number of hacks targeting the internal infrastructure of financial institutions is rising dramatically.[13] An inherent limitation of robust key management solutions like MPC (including DFNS) is that they only secure the private keys; they cannot inherently judge whether a validly formatted transaction request is actually malicious.[13] If a rogue employee with valid credentials initiates a massive transfer, or if an internal trading server is compromised by malware, the MPC network will correctly verify the credentials and willingly sign the transaction, facilitating the theft.[13]

To neutralize this critical vulnerability, the platform architecture will integrate Hexagate's Wallet Compromise Detection Kit.[13] Hexagate provides a proactive, behavior-based Web3 security defense tool that integrates deeply into the wallet operational flow.[13] Instead of relying solely on static rules, Hexagate employs highly customizable Machine Learning (ML) models that continuously monitor wallets to learn their baseline behavioral patterns over time.[13] These models dynamically adjust to identify anomalous behavior—such as an unusual volume spike, interaction with a previously unseen smart contract, or a login from a strange IP address. By combining this anomaly detection with pre-signing transaction simulations, Hexagate can identify the early signs of a wallet-level takeover from both external attackers and internal bad actors, automatically enforcing protective measures to block the transaction before the assets are drained, ensuring that valid keys are never weaponized against the institution.[13]

8. Architectural Synthesis and Future Outlook

The proposed architecture effectively unifies fragmented, cutting-edge technologies into a cohesive, highly resilient institutional-grade operating model tailored specifically for RBC Capital Markets.

The strategy relies on carefully selected, highly specialized components working in concert: By grounding the internal ledger on **Polygon CDK** and its modular privacy layers, the bank achieves the strict data sovereignty, customizable gas features, and node permissioning required for capital markets operations without sacrificing critical EVM compatibility and future interoperability. By orchestrating wallets and managing keys through **DFNS utilizing a Hybrid MPC deployment**, RBC retains absolute, mathematically guaranteed cryptographic control over finality while leveraging cloud-scale APIs and rigid, fail-closed policy engines.[23] By routing

fiat liquidity operations through the **Circle Mint API and CCTP**, the platform ensures that institutional capital can move frictionlessly and programmatically between traditional commercial banking rails, internal Polygon CDK ledgers, and global public chains, completely avoiding the catastrophic risks of wrapped-token bridges.[7] By utilizing the **Anchorage Atlas Network**, RBC radically transforms its institutional trading operations, substituting high-risk, offshore exchange counterparty exposure for highly secure, segregated, off-exchange programmatic settlement.[10] Finally, the deep embedded compliance integrations utilizing **Chainalysis, TRM Labs, and Hexagate** guarantee that complex regulatory strictures and behavioral anomalies are evaluated and enforced mathematically before a single byte of data is finalized on the ledger.[11]

Strategic Recommendations for Implementation

To transition this architectural proposal into a production environment, RBC Capital Markets should pursue a phased implementation strategy:

1. **Phase 1: Pilot the Polygon CDK-DFNS Environment.** The initial technical deployment should establish a closed-loop instance of a Polygon CDK validium, paired with private RPCs and specialized data availability layers (such as Conduit) to ensure transaction data remains off public ledgers. Concurrently, deploy the DFNS Hybrid signing server within the RBC on-premise infrastructure.[23] The primary objective of this phase is to execute test transaction payloads, rigorously validating the custom RPC integration (BYOC) and stress-testing the JSON-based policy engine to confirm the fail-closed mechanics operate as expected under adverse conditions.[33]
2. **Phase 2: Establish the Anchorage Atlas Tri-Party Framework.** Following successful ledger testing, RBC must establish the legal and technical frameworks required for segregated custody. This involves onboarding RBC trading entities to Anchorage Digital Bank N.A..[10] Once onboarded, the trading desks should execute localized test off-exchange settlements utilizing the existing Binance integration.[48] This will serve to validate the net-settlement latency, test the automated margin call mechanisms, and quantify the capital efficiencies gained through the tri-party repo structures.[47]
3. **Phase 3: Integration of Circle Liquidity Rails.** With the ledger and settlement networks operational, integrate the Circle Mint API to establish the fiat-to-crypto gateway.[7] Conduct high-volume load testing of the mint-and-burn cycles to evaluate throughput constraints. Subsequently, implement the CCTP protocols to test cross-chain liquidity rebalancing between the private Polygon CDK environment and a public testnet (e.g., Ethereum Sepolia).[38]
4. **Phase 4: Explore Next-Generation Privacy Bridging.** As the platform scales toward full production, a critical metadata vulnerability emerges. While CCTP secures the assets, the public linkage of assets moving between the highly private CDK chain and external public networks can expose institutional activity patterns.[54] RBC should proactively evaluate and integrate emerging zero-knowledge (ZK) protocols natively supported by Polygon's AggLayer, or solutions like **Union Private Bridging**, enabling confidential cross-chain ERC-20 transfers that fundamentally obscure the source chain, destination address, and

transaction history from the public while maintaining strict auditability.

By executing this rigorous, multi-phased architectural strategy, RBC Capital Markets will transcend simple adaptation to the digital asset economy. Instead, the institution will deploy the foundational, enterprise-grade infrastructure required to securely define, scale, and dominate the next generation of programmatic global finance.

Works cited

1. Digital bonds take center stage; transactions tell the story, accessed July 10, 2026, https://blog.digitalasset.com/blog/digital-bonds-take-center-stage-transactions-tell-the-story
2. Canadian Government's export credit agency issues country's first tokenised bond, accessed July 10, 2026, https://www.globalgovernmentforum.com/canadian-governments-export-credit-agency-issues-countrys-first-tokenised-bond/
3. Bank of Canada, Export Development Canada, RBC and TD successfully complete bond issuance experiment using distributed ledger technology, accessed July 10, 2026, https://www.bankofcanada.ca/2026/03/bank-canada-export-development-canada-rbc-td-successfully-complete-bond-issuance-experiment-distributed-ledger-technology/
4. Big banks' blockchain test a mixed bag - Investment Executive, accessed July 10, 2026, https://www.investmentexecutive.com/news/research-and-markets/big-banks-blockchain-test-a-mixed-bag/
5. DFNS Platform Overview - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/platform-overview
6. Ethereum - DFNS, accessed July 10, 2026, https://dfns.co/article/ethereum/
7. Circle Mint | Mint USDC, Unlock Business Efficiency, accessed July 10, 2026, https://www.circle.com/circle-mint
8. Stablecoin APIs are the new payments infrastructure layer - Apideck, accessed July 10, 2026, https://www.apideck.com/blog/stablecoin-apis-new-payments-infrastructure-layer
9. Binance Expands Triparty Banking Network with Anchorage Digital's Atlas Integration, accessed July 10, 2026, https://www.morningstar.com/news/pr-newswire/20260630cn95305/binance-expands-triparty-banking-network-with-anchorage-digitals-atlas-integration
10. Rebuilding the Rails for Institutional Crypto Trading - Anchorage Digital, accessed July 10, 2026, https://www.anchorage.com/insights/rebuilding-the-rails-for-institutional-crypto-trading
11. Chainalysis - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/integrations/aml-kyt/chainalysis

12. How Financial Institutions Can Build a Strong Crypto Transaction Monitoring Program, accessed July 10, 2026, https://www.trmlabs.com/resources/blog/how-financial-institutions-can-build-a-strong-crypto-transaction-monitoring-program
13. Hexagate's Wallet Compromise Detection Kit - Chainalysis, accessed July 10, 2026, https://www.chainalysis.com/blog/hexagate-wallet-compromise-detection-kit/
14. Canadian banks complete first tokenised bond issuance trial on DLT - FinTech Futures, accessed July 10, 2026, https://www.fintechfutures.com/tokenisation/canadian-banks-complete-tokenised-bond-issuance-trial-on-dlt
15. How to Escape US Dollar Domination in Canada's Digital Finance Future, accessed July 10, 2026, https://cdhowe.org/publication/how-to-escape-us-dollar-domination-in-canadas-digital-finance-future/
16. Project Samara Research Paper - Bank of Canada, accessed July 10, 2026, https://www.bankofcanada.ca/wp-content/uploads/2026/03/sap2026-8.pdf
17. Introduction to MPC - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/core-concepts/how-mpc-wallets-work
18. DFNS Security Model, accessed July 10, 2026, https://docs.dfns.co/core-concepts/dfns-security-model
19. MPC signing infrastructure - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/advanced/deployment-models/mpc
20. Wallet-as-a-Service - DFNS, accessed July 10, 2026, https://dfns.co/wallet-as-a-service
21. CGGMP21 Vulnerabilities Patched and Explained - DFNS, accessed July 10, 2026, https://dfns.co/article/cggmp21-vulnerabilities-patched-and-explained/
22. FAQ - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/faq
23. DFNS deployment models - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/advanced/deployment-models
24. HSM signing infrastructure - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/advanced/deployment-models/hsm
25. Disaster recovery - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/advanced/deployment-models/disaster-recovery
26. Wallets & Keys - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/core-concepts/wallets-and-keys
27. Besu BYOC Support - DFNS, accessed July 10, 2026, https://dfns.co/article/besu-byoc-support/
28. HashSphere Tier 1 Support - DFNS, accessed July 10, 2026, https://dfns.co/article/hashsphere-tier-1-support/
29. Accept cryptocurrencies - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/solutions/accept-cryptocurrencies
30. Sign - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/api-reference/sign
31. Transactions - DFNS documentation, accessed July 10, 2026,

https://docs.dfns.co/features/transactions
32. Sign and Broadcast Transaction - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/api-reference/wallets/sign-and-broadcast-transaction
33. Policies for signature requests - DFNS documentation, accessed July 10, 2026, https://docs.dfns.co/guides/signing-policies
34. How cirBTC Minting Works: Authorized Participants and Process 2026 | Support - Eco, accessed July 10, 2026, https://eco.com/support/en/articles/15220196-how-cirbtc-minting-works-authorized-participants-and-process-2026
35. Circle on Solana: Project Review, Programs, Token, Metrics, accessed July 10, 2026, https://solanacompass.com/projects/Circle
36. Circle Strategy and Business Model - Umbrex, accessed July 10, 2026, https://umbrex.com/resources/company-profiles/circle/
37. New Pre-Mint Address for USDC on Solana - Circle, accessed July 10, 2026, https://www.circle.com/blog/new-pre-mint-address-for-usdc-on-solana
38. GitHub - circlefin/circle-cctp-crosschain-transfer: This sample application demonstrates Cross-Chain Transfer Protocol (CCTP) step-by-step capabilities on testnet networks., accessed July 10, 2026, https://github.com/circlefin/circle-cctp-crosschain-transfer
39. SoK: A Review of Cross-Chain Bridge Hacks in 2023 - arXiv, accessed July 10, 2026, https://arxiv.org/html/2501.03423v1
40. Sample App for CCTP: Experience the Interoperability of USDC - Circle, accessed July 10, 2026, https://www.circle.com/blog/sample-app-for-cctp-experience-the-interoperability-of-usdc
41. Transfer USDC from Ethereum to Arc - Circle Docs, accessed July 10, 2026, https://developers.circle.com/cctp/quickstarts/transfer-usdc-ethereum-to-arc
42. Anchorage Digital integrates Uniswap API for institutions - Asset Servicing Times, accessed July 10, 2026, https://www.assetservicingtimes.com/assetservicesnews/digitalassetsarticle.php?article_id=16878
43. Anchorage Digital: Crypto Bank for Institutions, accessed July 10, 2026, https://www.anchorage.com/
44. The Digital Asset Treasury Playbook: What the Top 10% Are Doing Differently - Fireblocks, accessed July 10, 2026, https://www.fireblocks.com/report/digital-asset-treasury-playbook
45. What Is the Fireblocks Network? Institutional Stablecoin Settlement | Support, accessed July 10, 2026, https://eco.com/support/en/articles/12160099-what-is-the-fireblocks-network-institutional-stablecoin-settlement
46. Atlas: Where institutions mitigate counterparty risk - Anchorage Digital, accessed July 10, 2026, https://www.anchorage.com/platform/settlement
47. Anchorage Digital and B2C2 Expand Institutional Crypto Settlement Through Atlas, accessed July 10, 2026, https://www.b2c2.com/newspost/anchorage-digital-and-b2c2-expand-institution

al-crypto-settlement-through-atlas
48. Anchorage Digital and Binance Bring Off-Exchange Settlement to Institutional Crypto Trading, Powered by Atlas, accessed July 10, 2026, https://www.anchorage.com/insights/anchorage-digital-and-binance-bring-off-exchange-settlement-to-institutional-crypto-trading-powered-by-atlas
49. Anchorage Digital Introduces Automation to Crypto Protocol Payments with New External Transfer API, accessed July 10, 2026, https://www.anchorage.com/insights/anchorage-digital-introduces-automation-to-crypto-protocol-payments-with-new-external-transfer-api
50. Anchorage Digital Accelerates Institutional DeFi with Native Uniswap Labs Trading API Integration For Wallet Users, accessed July 10, 2026, https://www.anchorage.com/insights/anchorage-digital-accelerates-institutional-defi-with-native-uniswap-labs-trading-api-integration-for-wallet-users
51. Anchorage Digital: Home, accessed July 10, 2026, https://docs.anchorage.com/knowledge-base
52. Best Tools for Monitoring Cryptocurrency Transactions for Fraud and Suspicious Activity, accessed July 10, 2026, https://www.trmlabs.com/resources/blog/best-tools-for-monitoring-cryptocurrency-transactions-for-fraud-and-suspicious-activity
53. TRM Labs and Hypernative Partner to Deliver Pre-transaction Enforcement and On-chain Security for Web3, accessed July 10, 2026, https://www.trmlabs.com/resources/blog/trm-labs-and-hypernative-partner-to-deliver-pre-transaction-enforcement-and-on-chain-security-for-web3
54. Introducing Private Bridging - Union.Build, accessed July 10, 2026, https://union.build/blog/introducing-private-bridging