


Verificación de Conectividad Básica

Desde PC_Internal (Command Prompt):

- ping 192.168.1.1 (Ping a su Gateway)



The screenshot shows the Cisco Packet Tracer interface for PC_Internal. The 'Desktop' tab is selected, and the 'Command Prompt' window is open. The command prompt displays the following text:

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.1.1

Pinging 192.168.1.1 with 32 bytes of data:


Reply from 192.168.1.1: bytes=32 time<1ms TTL=255
Reply from 192.168.1.1: bytes=32 time<1ms TTL=255
Reply from 192.168.1.1: bytes=32 time<1ms TTL=255
Reply from 192.168.1.1: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.1.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>|
```

Desde Server-PT Web_DMZ (Command Prompt):

- ping 192.168.2.1 (Ping a su Gateway)



The screenshot shows the Cisco Packet Tracer interface for Web_DMZ. The 'Desktop' tab is selected, and the 'Command Prompt' window is open. The command prompt displays the following text:

```
Cisco Packet Tracer SERVER Command Line 1.0
C:\>ping 192.168.2.1

Pinging 192.168.2.1 with 32 bytes of data:


Reply from 192.168.2.1: bytes=32 time<1ms TTL=255
Reply from 192.168.2.1: bytes=32 time<1ms TTL=255
Reply from 192.168.2.1: bytes=32 time<1ms TTL=255
Reply from 192.168.2.1: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.2.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>|
```

Desde PC_External (Command Prompt):

- ping 192.168.3.1 (Ping a su Gateway)



The screenshot shows a Cisco Packet Tracer PC window titled 'PC_External'. The 'Desktop' tab is selected, displaying a 'Command Prompt' window. The command prompt shows the execution of the 'ping 192.168.3.1' command. The output indicates that four packets were sent and received successfully with 0% loss, and the round trip times were all less than 1ms.

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.3.1

Pinging 192.168.3.1 with 32 bytes of data:

Reply from 192.168.3.1: bytes=32 time<1ms TTL=255
Reply from 192.168.3.1: bytes=32 time<1ms TTL=255
Reply from 192.168.3.1: bytes=32 time<1ms TTL=255
Reply from 192.168.3.1: bytes=32 time=1ms TTL=255


Ping statistics for 192.168.3.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>
```

Verificación Final de Seguridad y Funcionalidad


Desde PC_External (Web Browser):

- Accede al servidor web DMZ (192.168.3.1)




Desde PC_External (Command Prompt):

- ping 192.168.3.1 (Ping a la interfaz WAN/IP pública del servidor).




Desde PC_Internal (Web Browser):

- Accede al servidor web DMZ (192.168.2.10).



Desde Server-PT Web_DMZ (Command Prompt):

- ping 192.168.1.10 (Ping a PC_Internal).



```
Web_DMZ

Physical  Config  Services  Desktop  Programming  Attributes

Command Prompt

Cisco Packet Tracer SERVER Command Line 1.0
C:\>ping 192.168.1.10


Pinging 192.168.1.10 with 32 bytes of data:

Reply from 192.168.2.1: Destination host unreachable.
Reply from 192.168.2.1: Destination host unreachable.
Reply from 192.168.2.1: Destination host unreachable.
Reply from 192.168.2.1: Destination host unreachable.

Ping statistics for 192.168.1.10:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Verificación final



Cisco Packet Tracer - C:\Users\canun\Downloads\DMZ_PROJECT listo.pka - Guest - 2026-08-21 22:17:42

File Edit Options View Tools Extensions Window Help

Activity Results

Congratulations Guest! You completed the activity.

Overall Feedback Assessment Items Connectivity Tests

Congratulations on completing this activity!