Theoretical predictions of the El Niño Southern Oscillations with the Zebiak-Cane model

1. INTRODUCTION

The El Niño Southern Oscillations (ENSOs) are generally known as a composite weather phenomena originating in the Pacific Ocean producing lasting teleconnections on the global climate system. The El Niño component of ENSO can be approximately considered to be an oceanic warming event which disrupts the normal Pacific circulation at irregular intervals of 2–7 years, whilst the Southern Oscillations are an inter-annual flip of the tropical sea level pressure between the western and eastern Pacific leading to the weakening and strengthening of the easterly trade winds across the ocean. To produce a conclusive theory for ENSOs one must be able to describe and understand the complete underlying mechanisms. One such hypothesis has yet to arise, however various attempts have been made to comprehend individual components and effects.

Bjerknes (1969) first theorised that a positive ocean-atmosphere feedback system would result in an El Niño event. An initial positive sea surface temperature (SST) anomaly in the eastern Pacific would reduce the east-west SST gradient which leads to the strengthening of the Walker circulation and thus the production of weaker trade winds across the equatorial Pacific. In a complete ENSO theory this positive system would be counterbalanced by a negative loop which returns the Pacific to its "normal" (pre-ENSO) state. Whilst Bjerknes' hypothesis fails to provide a negative feedback mechanism, Zebiak and Cane (1987) presented a model which demonstrated and outlined the coupling between the atmosphere and the ocean to produce an ENSO event. The atmospheric component used was a linear Gill-type model (Gill 1980) which describes the atmosphere's response to SST anomalies, and the ocean represented by a low-gravity system which is forced by the wind stress from the atmospheric constituent. With their model they were able to produce certain features observed during ENSO events such as equatorial westerly wind anomalies in the central Pacific and large SST anomalies in the eastern Pacific. Despite this success, they recognised their limited ability in simulating the real complete system as detailed comparisons with observational data would reveal discrepancies in their atmospheric and oceanic simulations. They suggest that more sophisticated models would have to be produced to correctly simulate the real ENSO cycle.

2. IMPROVING THE ZEBIAK-CANE MODEL

For several modern ENSO oscillator theories, the Zebiak-Cane (ZC) model is used as a basic foundation: the delayed oscillator (Battisti and Hirst 1988, Suarez and Schopf 1988), the recharge oscillator (Jin 1997), the western Pacific oscillator (Wang et al. 1999, Weisberg and Wang 1997), and the advective-reflective oscillator (Picaut et al. 1997). These variants of Zebiak and Cane's work provide adjustments to the atmospheric and oceanic components of the ZC model which allows for improvements in the accuracy and precision in the prediction of ENSO events.

It has

References

An, S.-I. (2008), 'Interannual Variations of the Tropical Ocean Instability Wave and ENSO', Journal of Climate **21**(15), 3680–3686.

Battisti, D. S. and Hirst, A. C. (1988), 'Interannual Variability in a Tropical Atmosphere–Ocean Model: Influence of the Basic State, Ocean Geometry and Nonlinearity', Journal of the Atmospheric Sciences **46**(12), 1687–1712.

Bjerknes, J. (1969), 'Atmospheric teleconnections from the equatorial Pacific', Monthly Weather Review **97**(3), 163–172.

Gebbie, G., Eisenman, I., Wittenberg, A. and Tziperman, E. (2007), 'Modulation of Westerly Wind Bursts by Sea Surface Temperature: A Semistochastic Feedback for ENSO', Journal of the Atmospheric Sciences **64**(9), 3281–3295.

Gill, A. E. (1980), 'Some simple solutions for heat-induced tropical circulation', Quarterly Journal of the Royal Meteorological Society **106**(449), 447–462.

Jin, F.-F. (1997), 'An Equatorial Ocean Recharge Paradigm for ENSO. Part I: Conceptual Model', Journal of the Atmospheric Sciences **54**(7), 811–829.

Neelin, J. D. (1991), 'The slow sea surface temperature mode and the fast-wave limit: Analytic theory for tropical interannual oscillations and experiments in a hybrid coupled model', Journal of the Atmospheric Sciences **48**(4), 584–606.

Neelin, J. D., Battisti, D. S., Hirst, A. C., Jin, F., Wakata, Y., Yamagata, T. and Zebiak, S. E. (1998), 'Enso theory', Journal of Geophysical Research: Oceans **103**(C7), 14261–14290.

Picaut, J., Masia, F. and du Penhoat, Y. (1997), 'An advective-reflective conceptual model for the oscillatory nature of the enso', Science **277**(5326), 663–666.

Ruddiman, W. F. (2008), Earth's Climate: Past and Future, 2nd edn, W. H. Freeman and Company.

Suarez, M. J. and Schopf, P. S. (1988), 'A Delayed Action Oscillator for ENSO', Journal of the Atmospheric Sciences **45**(21), 3283–3287.

Wang, C. (2001), 'A unified oscillator model for the el niño–southern oscillation', Journal of Climate **14**(1), 98–115.

Wang, C., Deser, C., Yu, J.-Y., DiNezio, P. and Clement, A. (2017), El Niño and southern oscillation (ENSO): a review, in 'Coral Reefs of the Eastern Tropical Pacific', Springer, pp. 85–106.

Wang, C., Weisberg, R. H. and Yang, H. (1999), 'Effects of the wind speed–evaporation–sst feedback on the el niño–southern oscillation', Journal of the atmospheric sciences **56**(10), 1391–1403.

Weisberg, R. H. and Wang, C. (1997), 'A western pacific oscillator paradigm for the el niño-southern oscillation', Geophysical Research Letters **24**(7), 779–782.

Zebiak, S. E. and Cane, M. A. (1987), 'A Model El Niño–Southern Oscillation', Monthly Weather Review **115**(10), 2262–2278.