

Test Case

Test Case ID	TS_AUTH_001_TC01
Module	Authentication
Test Scenario	Verify username validation.
Priority	High
Preconditions	- Valid username available: "admin". - Valid password available: "password". - Internet connection available. - Displayed on login page.
Test Steps	Open the Shady Meadows admin login page. Enter valid username into login section. Enter valid password into login section. Click on login button.
Expected Result	Shady Meadows admin login page is displayed. Username is entered. Password is entered. Able to login.
Actual Result	Valid username "admin" is entered. Valid password "password" is entered. Shady Meadows admin homepage is logged in and login announce isn't displayed. Username validation has been completed successfully.
Status	Pass
Execution Date	2025/ 07/ 01

Test Case ID	TS_AUTH_004_TC02
Module	Authentication
Test Scenario	Verify logout functionality.
Priority	High
Preconditions	- Valid username available: “admin”. - Valid password available: “password”. - Internet connection available. - Displayed on admin page.
Test Steps	Open the admin page. Click on logout button.
Expected Result	Admin page is displayed. Logout button is clicked. Able to logout.
Actual Result	Shady Meadows admin page screen is displayed. Shady Meadows admin page is logged out. Homepage screen is displayed.
Status	Pass
Execution Date	2025/07/01

Test Case ID	TS_BM_002_TC03
Module	Booking Managemnet
Test Scenario	Verify create new booking.
Priority	High
Preconditions	- Valid account available. - Booking information available. - Login successfully - Internet connection available - Displayed on booking page
Test Steps	Open the room page. Select a room. Enter booking information. Create a reservation.
Expected Result	Room page is displayed. Room information and booking method are displayed. Enter booking information: - The check-in date has been selected. - Customer information is entered. Click the "Reserve now" button.
Actual Result	"Our Rooms" screen is displayed. "Double Room" information: [max 2 guest/ £150 per night/ features(TV, radio)/ Check-in(3pm – 8pm)/ Check-out(11am)/ Rules(no smoking, no parties or events, pets allowed)] have been entered. "Double Room" booking method: [Booking dates(27/08/2026)/ Customer first name(Jim)/ Customer last name(Brown)/ Email(admin123@gmail.com)/ Phone(03731528868)] have been entered. Reservation has been completed successfully.
Status	Pass
Execution Date	2025/07/01

Test Case ID	TS_API_002_TC04
Module	API request and response validation
Test Scenario	Verify API request the expected header.
Priority	Critical
Preconditions	- Postman is installed and available. - Restful Booker API is accessible. - The API endpoint to be tested is available.
Test Steps	Open PostMan tool. Select API endpoints. Enter valid request data. Send the request. Verify the HTTP status code.
Expected Result	Postman tool front-end is displayed and the API request has been selected. The request method has been selected. The URL has been entered. The key and value sections have been entered in the Header part. The body selector and code have been completed. “Send” button has been clicked. The testing is passed.
Actual Result	API Testing front-end is displayed and the API request "Create Token" has been selected. The request method “POST” has been selected. The URL: https://restful-booker.herokuapp.com/auth has been entered. The key “Content-Type” and the value “application/json” sections have been

	entered in the Header part. The body selector “raw/JSON” and the code <pre>{ "username": "admin", "password": "password123" }</pre> have been entered. The request has been sent successfully. Test status code “200” and test response “OK” are displayed.
Status	Pass
Execution Date	2025/07/01

Test Case ID	TS_HTTP_003_TC05
Module	HTTP status code and error handling
Test Scenario	Verify invalid request.
Priority	High
Preconditions	- Postman is installed and available. - Restful Booker API is accessible. - The API endpoint to be tested is available.
Test Steps	Open PostMan tool. Select API endpoints. Enter invalid request datas. Send the request. Verify the HTTP status code and error response.
Expected Result	PostMan screen is displayed. API endpoint is selected. Invalid request data is entered.

	“Send” button has been clicked. The HTTP status code and error response are displayed .
Actual Result	Postman tool has been opened. API endpoint (GET /booking/:id) has been selected. Invalid request data (id = abc) has been selected. URL https://restful-booker.herokuapp.com/booking/abc has been entered. Method GET has been selected. The key "Accept" and the value "application/json" sections have been entered in the Header part. The selector “none” has been set up in the Body part. The request has been sent successfully. The HTTP status code “404” and error response “Not Found” are displayed.
Status	Pass
Execution Date	2025/07/02