

Some examples of tricky stuff in Latex

Colin Paterson

June 21, 2023

1 Introduction

In this document I give examples of some tricky stuff that can be done in Latex that I often find myself searching for. Note that this document is meant to be read with access to the source code.

2 Maths equations

This first equation requires that you have includes amsmath. Note the use of `\mathcal` for the “curly” F (\mathcal{F}) and the use of `\mathit` for words in maths equations.

$$\mathcal{F}^c((R_{test}^u, R_{ref}^u), (>)) = \begin{cases} u & \text{if } R_{test}^u > R_{ref}^u \\ \emptyset & \text{otherwise} \end{cases} \quad (1)$$

Here is an example of an equation that spreads multiple lines, note this particular example requires the `amssymb` package:

$$\begin{aligned} scope(\mathcal{L}) = \{ & (T_{test}, T_{ref}) \in \mathbb{P}\mathcal{L} \times \mathbb{P}\mathcal{L} \mid \exists u \in Client \bullet \\ & (T_{test} = \{(id, \langle e_1, e_2, \dots, e_N \rangle) \in \mathcal{L} \mid \exists 1 \leq j \leq N \bullet e_j.user = u\} \wedge \\ & T_{ref} = \mathcal{L} \setminus T_{test}) \} \end{aligned} \quad (2)$$

Next we consider multi-part equations, with each equation given the same number but a different suffix. I also show how we can make use of a new command to have vectors shown as bold. Here we include the `\newcommand` command in the header. This also shows how to include code verbatim in a document, i.e. without formatting.

```
\newcommand{\vect}[1]{\boldsymbol{#1}}
```

$$\mathbf{Y} = \mathcal{M}(\mathbf{X}) \quad (3a)$$

$$0 \leq \epsilon \leq p \quad (3b)$$

$$\bigwedge_{i \leq |X|} (\mathbf{x}_i = (1 - \epsilon)x_i + \epsilon C^f) \quad (3c)$$

$$\bigvee_{\substack{i \leq |Y| \\ y_i \neq y_{real}}} y_i \geq y_{real} \quad (3d)$$

3 Some useful commands

Sometimes it is useful to create your own commands.

A common use is to want to change the colour of text to indicate it is a revision, e.g. when responding to journal feedback. Here you can create a command as

```
\newcommand{\revised}[1]{\textcolor{blue}{#1}}
```

and then simply `change the colour by` supporting it with the new command. In this way you can later change one line and update all the colour, or search for all revisions.

Similarly you may want to use a name for the 'tool' or method you are presenting in your work, but you are unsure if you might change it later. If you create a new command like

```
\newcommand{\acronym}{OMNI}
```

Then you can include the tool name OMNI in your text knowing that you may change it at any time.

4 Boxed environments

Occasionally you might like to include a set of examples or similar in your text. I show how we can do this in the included file `exampledef.tex`. I then include this definition in the head of the LaTeX document.

Example 1.

This is the first example. But note that I am not hard coding a number meaning that if I move this to elsewhere in the document the numbering will update.

Example 2.

When I add this second example the number is incremented automatically.




Figure 1: Confidence intervals for HTTP request process

5 Figures and subfigures

Figure 1 is a nice grid of equally sized graphs which makes use of the subcaption package.

Sometimes we want to output graphs from python that have the correct fonts etc. for latex. I have uploaded three graphs generated in python called `test.png`, `test.pdf` and `test.pgf`. They are shown in Figures 2a, 2b, 2c. Note that in the third figure I have deliberately increased the font size to demonstrate that this is the Latex font. I have also included maths in the title using standard Latex. Note that you have to start playing with margins and padding to get these perfect.

I have included the python code used to generate these graphs at the end of the document in Listing 2.

6 Tables

In Table 1 I show how to span columns, span rows, how to add highlighting to cells and use alternative fonts for tables as sometime we want a smaller font in




Figure 2: Images exported from Python

tables to save space. Note the booktabs package is needed for toprule, mi odrule and bottomrule

Table 2 shows how we can put two tables side by side using subtables and requires the multirow package.

Sometimes tables become enormous and in those cases you might want to you landscape and the longtable packages included as :

```
\usepackage{lscape}
\usepackage{longtable}
```

I would suggest putting such tables in their own file and then including them. I did this with the hugetable.tex file. I then include it as

```
\input{hugetable.tex}
```

Table 1: Results obtained for the policies targeting the *Support* role. Highlighted cells indicate those users that we wish to trigger the policy.

User type	User ID	P2	P3	P4	P5	
famous	201701	0	0	0	0.95	0.95
	201702	0.75	0	0.8	0.99	0.99
	201703	0.85	0	0	0.99	0.99
	201704	0.75	0	0.8	0.99	0.99
	201705	0.75	0	0	0.99	0.99
most	201706	0	0	0.85	0.99	0.99
active	201707	0	0	0.85	0	0
	201708	0.8	0	0	0.99	0.99

Table 2: German Speed Sign Classification: Data and Models

(a) Data Sets				(b) Models		
Class	Description	# Train	# Test	Model	Description	Accuracy
0	30 km/h	1980	720	1A	Small ReLu only model	0.816
1	50 km/h	2010	750	1B		0.847
2	60 km/h	1260	450	2A	Large ReLu only model	0.868
3	70 km/h	1770	660	2B		0.866
4	80 km/h	1650	630	3A	CNN Model	0.988
5	100 km/h	1290	450	3B		0.984
6	120 km/h	1260	450			

Table 3: Formalised self-adaptation policies for the Ticket Support business process using the FACT analysis engine.

Policy	Value	Description
P1		
<i>filter</i>	$\{(T_{test}, T_{ref}) \in \mathbb{P}\mathcal{L} \times \mathbb{P}\mathcal{L} \mid \exists u \in Client \bullet (T_{test} = \{(id, \langle e_1, e_2, \dots, e_N \rangle) \in \mathcal{L} \mid \exists 1 \leq j \leq N \bullet e_j.user = u\} \wedge T_{ref} = \mathcal{L} \setminus T_{test})\}$	Partition the complete trace set to compare a single client user with other users;
\mathcal{P}^a	$(\mathcal{R}_{=?}^{reopened} [F\ End], \alpha)$	Evaluate the “reopened” reward with a confidence level; $(1 - \alpha)$
<i>CP</i>	$(>)$	Compare the results to see if client reopens tickets more often than normal;
<i>CR</i>	$\forall u \in U^T \bullet perm'(u) = perm(u) \setminus \{Open\}$	If so then remove the ability to open new tickets.
P2.1		
<i>filter</i>	$\{(T_{test}, T_{ref}) \in \mathbb{P}\mathcal{L} \times \mathbb{P}\mathcal{L} \mid \exists u \in Support \bullet (T_{test} = \{(id, \langle e_1, e_2, \dots, e_N \rangle) \in \mathcal{L} \mid \exists 1 \leq j \leq N \bullet e_j.user = u\} \wedge T_{ref} = \mathcal{L} \setminus T_{test})\}$	Partition the complete trace set to compare a single support attendant with other attendants;
\mathcal{P}^a	$(\mathcal{R}_{=?}^{suspended} [F\ End], \alpha)$	Evaluate the “suspended” reward at a confidence level of $(1 - \alpha)$;
<i>CP</i>	$(>)$	Compare the results to see if a support user is more likely to suspend tickets;
<i>CR</i>	$\forall u \in U^T \bullet perm'(u) = (perm(u) \setminus \{Suspend\}) \cup \{SuspendWithApproval\}$	If so then suspension should require approval.
P2.2		
<i>filter</i>	$\{(T_{test}, T_{ref}) \in \mathbb{P}\mathcal{L} \times \mathbb{P}\mathcal{L} \mid \exists u^c \in Client \wedge \exists u^s \in U^T \bullet (T_{test} = \{(id, \langle e_1, e_2, \dots, e_N \rangle) \in \mathcal{L} \mid \exists 1 \leq j \leq N \bullet e_j.user = u^c \wedge \exists 1 \leq k \leq N \bullet e_k.user = u^s\} \wedge T_{ref} = \mathcal{L} \setminus T_{test})\}$	Partition the log to examine those clients identified in P2.1 . For each client the test set is those traces which involve the identified support attendant and the reference set is all other users;
\mathcal{P}^a	$(\mathcal{R}_{=?}^{suspended} [F\ End], \alpha)$	Evaluate the “suspended” reward at a confidence level of $(1 - \alpha)$;
<i>CP</i>	$(<)$	Compare the results to see if the client is less likely to be suspended if serviced by other support attendants;
<i>CR</i>	$\forall u^c \in U^T \bullet perm'(u^c) = \emptyset$	If so then remove all access permissions from the user.
P3		
<i>filter</i>	$\{(T_{test}, T_{ref}) \in \mathbb{P}\mathcal{L} \times \mathbb{P}\mathcal{L} \mid \exists u \in Support \bullet (T_{test} = \{(id, \langle e_1, e_2, \dots, e_N \rangle) \in \mathcal{L} \mid \exists 1 \leq j \leq N \bullet e_j.user = u\} \wedge T_{ref} = \mathcal{L} \setminus T_{test})\}$	Partition the trace data to compare a single support attendants to all other attendants;
\mathcal{P}^a	$(\mathcal{P}_{=?} [-Suspended \cup Cancelled], \alpha)$	Evaluate the probability of cancelling a ticket without first suspending it;
<i>CP</i>	$(>)$	Compare the results to see if the support attendant does this more often than normal;
<i>CR</i>	$\forall u \in U^T \bullet perm'(u) = (perm(u) \setminus \{Cancel\}) \cup \{CancelWithApproval\}$	If so then they require approval to cancel tickets.

Continued on next page

Table 3 – Continued from previous page

Policy	Value	Description
P4		
<i>filter</i>	$\{(T_{test}, T_{ref}) \in \mathbb{P}\mathcal{L} \times \mathbb{P}\mathcal{L} \mid \exists u \in \text{Support} \bullet (T_{test} = \{(id, \langle e_1, e_2, \dots, e_N \rangle) \in \mathcal{L} \mid \exists 1 \leq j \leq N \bullet e_j.user = u\} \wedge T_{ref} = \mathcal{L} \setminus T_{test})\}$	Partition the trace data to compare a single support attendants to all other attendants;
\mathcal{P}^a	$(\mathcal{P}_{=?}[-\text{Opened} \cup \text{Abandoned}], \alpha)$	Evaluate the probability of abandoning tickets that have been opened on behalf of other users at a confidence level of $(1 - \alpha)$;
<i>CP</i>	$(>)$	Compare the results to see if the support user does this more often than normal;
<i>CR</i>	$\forall u \in U^T \bullet perm'(u) = perm(u) \setminus \{\text{OpenOnBehalf}\}$	If so then remove their ability to open tickets on behalf of other users.
P5.1		
<i>filter</i>	$\{(T_{test}, T_{ref}) \in \mathbb{P}\mathcal{L} \times \mathbb{P}\mathcal{L} \mid \exists u \in \text{Support} \bullet (T_{test} = \{(id, \langle e_1, e_2, \dots, e_N \rangle) \in \mathcal{L} \mid \exists 1 \leq j \leq N \bullet e_j.user = u\} \wedge T_{ref} = \mathcal{L} \setminus T_{test})\}$	Partition the trace data to compare a single support attendants to all other attendants;
\mathcal{P}^a	$(\mathcal{R}_{=?}^{lazy}[\text{F End}], \alpha_1)$	Evaluate the reward associated with “Lazy” support attendants at a confidence level of $(1 - \alpha_1)$;
<i>CP</i>	$(>)$	Compare the reward for this support attendant with all other attendants;
<i>CR</i>	$\forall u \in U^T \bullet perm'(u) = (perm(u) \setminus \{\text{Check, Solve, Suspend}\}) \cup \{\text{MonitoredCheck, MonitoredSolve, MonitoredSuspend}\}$	If they are found to be “Lazy” then monitor their activity.
P5.2		
<i>filter</i>	$\{(T_{test}, T_{ref}) \in \mathbb{P}\mathcal{L} \times \mathbb{P}\mathcal{L} \mid \exists u \in U^T \bullet (T_{test} = \{(id, \langle e_1, e_2, \dots, e_N \rangle) \in \mathcal{L} \mid \exists 1 \leq j \leq N \bullet e_j.user = u\} \wedge T_{ref} = \mathcal{L} \setminus T_{test})\}$	Partition the log to examine the traces of support attendants found in P5.1 ;
\mathcal{P}^a	$(\mathcal{R}_{=?}^{lazy}[\text{F End}], \alpha_2)$	Evaluate the reward associated with “Lazy” support attendants at a confidence level of $(1 - \alpha_2)$ where $(1 - \alpha_2) > (1 - \alpha_1)$;
<i>CP</i>	$(>)$	Compare the reward for this support attendant with all others;
<i>CR</i>	$\forall u \in U^T \bullet perm'(u) = (perm(u) \setminus \{\text{Check, Solve, Suspend}\}) \cup \{\text{CheckWithApproval, SolveWithApproval, SuspendWithApproval}\}$	If they are found to be “Lazy” then their activity requires approval.
P6.1		
<i>filter</i>	$\{(T_{test}, T_{ref}) \in \mathbb{P}\mathcal{L} \times \mathbb{P}\mathcal{L} \mid \exists u \in \text{Client} \bullet (T_{test} = \{(id, \langle e_1, e_2, \dots, e_N \rangle) \in \mathcal{L} \mid \exists 1 \leq j \leq N \bullet e_j.user = u\} \wedge T_{ref} = \mathcal{L} \setminus T_{test})\}$	Partition the trace data to compare a single client user to all other clients;
\mathcal{P}^a	$(\mathcal{R}_{=?}^{\text{expensive}}[\text{F End}], \alpha)$	Evaluate the reward associated with “Expensive” tickets at a confidence level of $(1 - \alpha)$;
<i>CP</i>	$(>)$	Compare the results to see if the client is more “expensive” than normal;

Continued on next page

Table 3 – Continued from previous page

Policy	Value	Description
CR	$\forall u \in U^T \bullet perm'(u) = (perm(u) \setminus \{\text{Open, Reopen, AddInformation}\}) \cup \{\text{MonitoredOpen, MonitoredReopen, MonitoredAddInformation}\}$	If so then monitor the client.
P6.2 <i>filter</i>	$\{(T_{test}, T_{ref}) \in \mathbb{P}\mathcal{L} \times \mathbb{P}\mathcal{L} \mid \exists u^c \in U^T \wedge \exists u^s \in Support \bullet (T_{test} = \{(id, \langle e_1, e_2, \dots, e_N \rangle) \in \mathcal{L}\} \mid \exists 1 \leq j \leq N \bullet e_j.user = u^c \wedge \exists 1 \leq k \leq N \bullet e_k.user = u^s\} \wedge T_{ref} = \mathcal{L} \setminus T_{test})\}$	Partition the log to examine those support attendants who dealt with the clients identified in P6.1 ;
\mathcal{P}^a	$(R_{=?}^{expensive}[\text{F End}], \alpha)$	Evaluate the reward associated with “Expensive” tickets at a confidence level of $(1 - \alpha)$;
CP	$(<)$	Check to see if tickets processed by this support attendant is less “expensive” than those for other attendants;
CR	$\forall u \in U^T \bullet perm'(u^c) = perm(u^c) \setminus \{\text{Open}\}$	If so then the client should have their ability to open new tickets removed.

In this table I have a custom column type which can have a width set and is 'ragged right'. I also define a row background colour. Both of these are defined in the document header as:

```
\newcolumntype{R}[1]{>{\raggedright\let\newline\\\arraybackslash\hspace{0pt}}m{#1}}  
  
\definecolor{Gray}{gray}{0.9}
```

7 Language snippets

In order to support unusual languages I tend to use the listings package by including `\{listings}` and a `languageDef.tex` file which I include in the main file header. The language definition included with this file includes some keyword formatting for PRISM. I then include the program as a file in the overleaf project and include it as shown in the snippet below. Note that the `minipage` is optional.

```

/*
Example Comment
*/
// other comment
probabilistic

param double y = 4050 5938 2;
param double x = 5723 4 4452;
param double w = 9784 4;
param double z = 2467 10 7395;
param double k = 9964 6;
module M1
    q : [0..9] init 0;

    [] q=0 -> y1:(q'=1) + y2:(q'=3) + (1-y1-y2):(q'=7);
    [] q=1 -> 0.2:(q'=1) + 0.55:(q'=2) + 0.25:(q'=8);
    [] q=2 -> 0.7:(q'=5) + 0.3:(q'=8);
    [] q=3 -> x1:(q'=8) + x2:(q'=9) + (1-x1-x2):(q'=4);
    [] q=4 -> w1:(q'=8) + (1-w1):(q'=9);
    [] q=5 -> z1:(q'=6) + z2:(q'=9) + (1-z1-z2):(q'=8);
    [] q=6 -> k1:(q'=8) + (1-k1):(q'=9);
    [] q=7 -> 1:(q'=7);
    [] q=8 -> 1:(q'=8);
    [] q=9 -> 1:(q'=9);
endmodule

rewards "cost"
    q=1 : 1;
    q=2 : 2;
    q=3 : 1;
    q=4 : 1;
    q=5 : 1;
    q=6 : 4;
endrewards

rewards "time"
    q=4 : 4;
    q=6 : 7;
endrewards

```

Listing 1: FACT model for a web application

Listing 2: Python file to generate PGF graphs

```

1  import matplotlib.pyplot as plt
2  import numpy as np
3
4  # Data for plotting
5  t = np.arange(0.0, 2.0, 0.01)
6  s = 1 + np.sin(2 * np.pi * t)
7
8  fig, ax = plt.subplots()
9  ax.plot(t, s)
10
11 ax.set(xlabel='time (s)', ylabel='voltage (mV)',
12        title='About as simple as it gets, folks')
13 ax.grid()
14
15 fig.savefig("test.png")
16 fig.savefig("test.pdf", bbox_inches='tight')
17 plt.show()
18
19 # Now do the PGF work
20
21 import matplotlib
22 matplotlib.use("pgf")
23 matplotlib.rcParams.update({
24     "pgf.texsystem": "pdflatex",
25     'font.family': 'serif',
26     'text.usetex': True,
27     'pgf.rcfonts': False,
28 })
29
30
31
32 # Data for plotting
33 t = np.arange(0.0, 2.0, 0.01)
34 s = 1 + np.sin(2 * np.pi * t)
35
36 fig, ax = plt.subplots()
37 ax.plot(t, s)
38
39 ax.set(xlabel='time (s)', ylabel='voltage (mV)',
40        title='Some Latex  $e^2 \sum_{i=0}^n s^i$ ')
41 ax.grid()
42
43 plt.rcParams.update({'font.size': 18, "text.usetex": True})
44
45 plt.savefig('test.pgf', bbox_inches='tight', pad_inches=0.2)

```
