




Base de datos programacion




son datos que usan en un programa llamado studio 3t que sirve para crear datos en el programa



Cuando ejecutamos add document el documento los datos se añaden y se cierra los datos se guardan pero si se ubica add & continue el dato se que da aun para escribir o agregar mas datos





quedan los tres datos guardados cuando cierra la pestaña por que fueron guardados en run.



Son los ejercicios de bases de datos ahora usando un array

Sobre datos del docente:





Studio 3T for MongoDB - Full product trial

File Edit Database Collection Index Document GridFS View Help

Connect Collection IntelliShell SQL Aggregate Query Profiler Compare Schema Reschema

enjoy a 30-day full product trial. Once the trial is complete, you will be switched to Studio 3T Free or you can switch now or disabling the trial in My License (in the Help Menu).

Open connections

Search open aa

IntelliShell: con... x IntelliShell: con... x compañeros x docentes x

localhost:27017 > universidad

New Load script AI Helper Visual Query Builder

```
1 db.insertMany(
2
3
4   { "id": "0004", "nombre": "juan", "Apellidos": "zamora",
5     "edad": NumberInt(48), "casado": true, "Estatura": NumberInt(174)
6
7
8
9   { "id": "0004", "nombre": "matias", "Apellidos": "Guzman",
10     "edad": NumberInt(18), "casado": false, "Estatura": NumberInt(150)
11
12
13
14
```

Lin 10, Col 26 No errors

Raw shell output

Restart the MongoDB Shell Use legacy shell Clear raw shell output

```
16 // - "cls" clears the raw shell output tab
17 // - Run Shell Queries via Studio 3T for full access to que
18 // -----
19
20 Current Mongosh Log ID: 66a1b3db1c9c02b33b072f89
21 Using Mongosh: 2.2.5
22
23 For mongosh info see: https://docs.mongodb.com/mongodb-shell/
24
25 >
26 > universidad
27
```

Se ejecuta

Studio 3T for MongoDB - Full product trial

File Edit Database Collection Index Document GridFS View Help

Connect

Collection

IntelliShell

SQL

Aggregate

Query Profiler

Compare

Schema

Reschema

Enjoy a 30-day full product trial. Once the trial is complete, you will be switched to Studio 3T Free or you can switch now by disabling the trial in My License (in the Help Menu).

Search open

conexion local lo

admin

config

local

universidad

Collections

persona

docente

Views (0)

GridFS Buck

System (0)

block

Collections

compañ

Index

Colle

Views (0)

GridFS Buck

System (0)

personas localho

admin

config

local

universidad

Collections

persona

Index

Colle

Views (0)

GridFS Buck

System (0)

localhost:27017 > universidad

New Load script AI Helper Visual Query Builder

1 os.insertMany(
2
3
4 i : "0004", nombre : "juan", Apellidos:"zamora",
5 : NumberInt(48), casado : true, Estatura : NumberInt(174)
6
7
8
9 i : "0004", nombre : "matias", Apellidos: "Guzman",
10 : NumberInt(18), casado : false, Estatura : NumberInt(150
11
12
13
14

Lin 10, Col 26 No errors

Raw shell output Shell Output (Documents)

50 Documents 1 to 1 Tree View

Key	Value	Type
✓ (1)	{ 2 fields }	Document
acknowledged	true	Bool
> insertedIds	{ 2 fields }	Object

0 items selected 00:00:00.122