


1 | ROOF PLAN | SCALE: 3/16" = 1'-0"





## NOTES

- I. FLASH ROOFING MEMBRANE PENETRATIONS USING PREFABRICATED BOOTS, FITTED COVERINGS AND OTHER ACCESSORIES AS REQUIRED BY THE ROOFING MANUFACTURER.
- 2. ROOFING SHALL BE CLASS "A" RATED, 60-MIL TPO WHITE MEMBRANE COOL ROOF APPLICATION. SINGLE PLY ROOFING SYSTEM SHALL BE FULLY ADHERED ON 2" RIGID INSULATION ON PLYWOOD DECKING. CONTRACTOR SHALL PROVIDE (20) YEAR LABOR & MATERIAL WARRANTY & SHALL INSTALL PER MANUFACTURER SPECIFICATIONS, RECOMMENDATIONS & STANDARD DETAIL INSTALLATION.
- 3. CRICKET SHALL BE PROVIDED FOR ALL ROOF EQUIPMENT. PROVIDE 3% POSITIVE SLOPE TO ROOF DRAIN @ ALL CRICKETS & ASSOCIATED VALLEYS.
- 4. CONTRACTOR SHALL VERIFY THAT ALL AREAS ARE PROVIDED WITH POSITIVE ROOF DRAINAGE (2% MIN. TYPICAL ENTIRE ROOF).
- 5. VERIFY MECHANICAL UNIT WEIGHTS WITH SITE SPECIFIC MECHANICAL UNIT SPECIFICATIONS.
- 6. CONCRETE ROOF TILE TO BE EAGLE ROOFING (EAGLELITE), DESIGNER SERIES, CAPISTRANO, COLOR: "SAN JUAN BLEND" #LMC 8404, ROOF TILE SHALL BE INSTALLED ON (2) LAYERS #30 FELT UNDERLAYMENT. INSTALLATION SHALL BE AS REQUIRED & RECOMMENDED BY THE TILE MANUFACTURER.

## LEGEND

0 0 ROOF & OVERFLOW DRAIN, SEE DTL. 2 ON SHT. A5.3

SLOPE DOWN

Architects

MIArchitects, Inc.

ARCHITECTURE
PLANNING
MANAGEMENT
DESIGN
2221 OLYMPIC BLVD.,
SUITE 100
WALNUT CREEK, CA
94595
925-287-1174 Tel

WALNUT CREEK, CA
94595
925-287-1174 Tel
925-943-1581 Fax
925-878-9875 Cell
muthana@miarchitect.com
www.miarchitect.com

NOT FOR ONSTRUCTION

NAME TO A MANAGE T

ONVENIENCE STORE & COTOT FIRST STREET
VERMORE, OA 94551



- ISSUED FOR CONSTRUCTION

02-16-16 ISSUED FOR PLAN CHECK

12-27-13 ISSUED FOR PLANNING

CONVENIENCE STORE ROOF PLAN & NOTES

PROJECT #: 13-3903

DRAWN: BM CHECKED: MII

SCALE: AS NOTED DATE: 07-30-15

A1.5

SHEET

-3903 Livermore\Dwg's\Permitting\13—3903—A1.5.dwg modified by miauser2 at Fe