


S:\1-Projects\13-3903 Livermore\dwg's\Permitting\13-3903-A1.2.dwg modified by mbauser2 at Feb 16, 2016 - 12:57pm




1 REFLECTED CEILING PLAN  
3/16" = 1'-0"

GRAPHIC SCALE: 3/16" = 1'-0"



## WINDOW SCHEDULE

SCALE: 1/4" = 1'-0"



NOTE: CONTRACTOR SHALL VERIFY ALL STOREFRONT ROUGH OPENINGS IN FIELD PRIOR TO ORDERING.  
(T) = TEMPERED GLASS

## CEILING PLAN SYMBOLS


- 2' x 4' RECESSED (LAY-IN) LIGHT FIXTURE
- 2' x 2' RECESSED (LAY-IN) LIGHT FIXTURE
- SURFACE MOUNTED LIGHT FIXTURE
- WALL MOUNTED LIGHT FIXTURE
- RECESSED DOWNLIGHT W/ LENS (INDOOR)
- CEILING / WALL MOUNTED ILLUMINATED EXIT SIGN
- SURFACE-MOUNTED COOLER LIGHT (BY COOLER MANUFACTURER)
- WALL OR CEILING MOUNTED OCCUPANCY SENSOR
- CEILING MOUNTED DAYLIGHT SENSOR
- RECESSED LIGHT FIXTURE, MOUNTED IN SOFFIT
- EXTERIOR WALL SCONCE
- CEILING / WALL MOUNTED EMERGENCY LIGHTING (OUTDOOR)
- AIR SUPPLY GRILL
- AIR RETURN AND/OR RELIEF AIR GRILL
- EXHAUST AIR GRILL

## NOTES

- SEE ELECTRICAL AND MECHANICAL DRAWINGS FOR FIXTURE SPECIFICATIONS.
- ALL DIMENSIONS ARE FROM FACE OF FINISH.
- MAKE ALL CEILING GRIDS LEVEL WITHIN A TOLERANCE OF ONE IN 1000 AND STRAIGHT WITHIN A TOLERANCE OF ONE IN 1000.
- FOR ROOM CEILING HEIGHTS SEE ROOM FINISH SCHEDULE SHEET A1.3.
- LIGHTING IN THE RESTROOM, OVER EQUIPMENT WASHING AREAS, FOOD HANDLING OR FOOD PREPARATION AREAS, OR OPEN FOOD STORAGE AREAS SHALL BE OF SHATTERPROOF CONSTRUCTION OR SHALL BE PROTECTED WITH SHATTERPROOF SHIELDS AND SHALL BE READILY CLEANABLE.
- LIGHTING FIXTURES INSTALLED IN A SUSPENDED CEILING SHALL BE FASTENED TO THE CEILING FRAMING MEMBER AT ALL FOUR CORNERS WITH SCREWS AND ATTACHED # 12 CEILING WIRES TO THE LIGHT FIXTURE AT DIAGONALLY OPPOSITE CORNERS AND TO THE STRUCTURAL CEILING.
- CONTRACTOR TO VERIFY THAT LIGHTING LEVELS ARE A MINIMUM OF 50 FOOT-CANDLES OF LIGHT IN ALL AREAS OF FOOD PREPARATION & 20 FOOT-CANDLES OF LIGHT IN THE RESTROOMS AT A DISTANCE 30 INCHES ABOVE THE FLOOR.
- LIGHTING LEVELS IN THE WALK-IN COOLER SHALL BE A MINIMUM OF 10-FOOT CANDLES AT A DISTANCE OF 30 INCHES ABOVE THE FLOOR.

## DOOR TYPES

SCALE: 1/4" = 1'-0"



(T) = TEMPERED GLASS



Architects

M I Architects, Inc.  
ARCHITECTURE  
PLANNING  
MANAGEMENT  
DESIGN  
2221 OLYMPIC BLVD.,  
SUITE 100  
WALNUT CREEK, CA  
94595  
925-287-1174 Tel  
925-943-1581 Fax  
925-878-9875 Cell  
muthana@miarchitect.com  
www.miarchitect.com

NOT FOR  
CONSTRUCTION

CHEVRON GAS STATION,  
CONVENIENCE STORE & CARWASH  
4707 FIRST STREET  
LIVERMORE, CA 94551



ISSUED FOR CONSTRUCTION  
02-16-16  
ISSUED FOR PLAN CHECK  
12-21-13  
ISSUED FOR PLANNING

NO.	DATE	DESCRIPTION
1		
2		
3		
4		
5		

C-STORE REFLECTED CEILING  
PLAN, DOOR & WINDOW SCHEDULES  
PROJECT #: 13-3903  
DRAWN: BM CHECKED: MI  
SCALE: AS NOTED DATE: 07-30-15

A1.2

SHEET OF