Report Generated by Test Manager

Title: Helicopter outer loop test

Author: bpotter

Date: 11-May-2020 08:13:37

Test Environment

Platform: PCWIN64 MATLAB: (R2019b)

Summary

Name	Outcome	Duration (Seconds)
□ <u>HeliLoopTest</u>	6⊘	625.311
Helicopter Pitch Control Test	2	191.61
■ SmallPositiveStep	•	96.111
■ <u>SmallNegativeStep</u>	Ø	95.491
Helicopter Roll Control Test	2	226.588
■ <u>SmallPositiveStep</u>	②	99.637
■ SmallNegativeStep	②	126.941
Helicopter Yaw Control Test	2	207.054
■ SmallPositiveStep	Ø	101.658
■ <u>SmallNegativeStep</u>	•	105.389

HeliLoopTest

Test Result Information

Result Type: Test File Result

Parent: None

Start Time: 11-May-2020 08:03:11 End Time: 11-May-2020 08:13:37 Outcome: Total: 6, Passed: 6

Test Suite Information

Name: HeliLoopTest

Back to Report Summary

Helicopter Pitch Control Test

Test Result Information

Result Type: Test Suite Result Parent: HeliLoopTest

Start Time: 11-May-2020 08:03:11 End Time: 11-May-2020 08:06:23 Outcome: Total: 2, Passed: 2

Test Suite Information

Name: Helicopter Pitch Control Test

Back to Report Summary

SmallPositiveStep

Test Result Information

Result Type: Test Case Result

Parent: <u>Helicopter Pitch Control Test</u>

Start Time: 11-May-2020 08:03:11 End Time: 11-May-2020 08:04:47

Outcome: Passed

Description:

Pitch step of +1 degree to determine tracking, overshoot and rise time.

Test Case Information

Name: SmallPositiveStep Type: Simulation Test

Test Case Requirements

Description: SR_6: Attitude Rate Tracking Performance (HelicopterSystemR

equirements#10)

Document: HelicopterSystemRequirements.slreqx

Simulation

System Under Test Information

Model: HelicopterSystem

Simulation Mode: normal

Override SIL or PIL Mod 0

e:

Configuration Set: Configuration

Start Time: 0 Stop Time: 10

Checksum: 3383442402 366368657 4220001915 2971470468

Simulink Version: 10.0 Model Version: 1.24 Model Author: bpotter

Date: Mon May 11 06:42:30 2020

User ID: bpotter

Model Path: C:\Users\bpotter\MATLAB\Projects\ARP DO Proje

ct\work\HelicopterSystem.slx

Machine Name: AH-BPOTTER

Solver Name: ode23t

Solver Type: Variable-Step

Max Step Size: 0.001


Simulation Start Time: 2020-05-11 08:03:13 Simulation Stop Time: 2020-05-11 08:04:46

Platform: PCWIN64

Name	Data Type	Units	Sample Time	Interp	Sync	Link to Plot
ahrs.theta	double	deg	0.01	zoh	union	<u>Link</u>
ahrs.phi	double	deg	0.01	zoh	union	<u>Link</u>
ahrs.psi	double	deg	0.01	zoh	union	<u>Link</u>


ahrs.q	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.p	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.r	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.valid	boolean		0.01	zoh	union	<u>Link</u>

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.theta	double	deg	0.01	zoh	union
ahrs.phi	double	deg	0.01	zoh	union




Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.psi	double	deg	0.01	zoh	union
ahrs.q	double	deg/sec	0.01	zoh	union




Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.p	double	deg/sec	0.01	zoh	union
ahrs.r	double	deg/sec	0.01	zoh	union



Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync	
ahrs.valid	boolean		0.01	zoh	union	



Simulation Logs:

Model 'Heli_inner_loop' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'HeliLibrary' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'Heli_outer_loop' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'AHRS_voter' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the **Upgrade Advisor**.

Back to Report Summary

Diagnostic Docord:	
Diagnostic Record: Outcome:	Passed
Event:	VerificationPassed
VerificationPassed in custom	criteria of sltest.testmanager.TestCase.
Framework Diagnostic:	
verifyGreaterThanOrEqua	l passed.
Actual Value:	
0.881806736396267	
Minimum Value (Inclusive):
0.630000000000000	
Diagnostic Record: Outcome:	Passed

Event: VerificationPassed				
VerificationPassed in custo	om criteria of sltest.testmanager.TestCase.			
Framework Diagnostic:				
verifyLessThanOrEqual	passed.			
Actual Value: 0.992867301573914 Maximum Value (Inclusi 1.10000000000000000	ve):			
Diagnostic Record:				
Outcome: Event:	Passed VerificationPassed			
VerificationPassed in custo	om criteria of sltest.testmanager.TestCase.			
Framework Diagnostic:				
verifyGreaterThanOrEqu	ual passed.			
Actual Value: 0.985401195159140 Minimum Value (Inclusi ^o 0.95000000000000000	ve):			
Diagnostic Record:				
Outcome: Event:	Passed VerificationPassed			
VerificationPassed in custo	om criteria of sltest.testmanager.TestCase.			

Framework Diagnostic:

verifyLessThanOrEqual passed.

Actual Value:

0.992867301573914

Maximum Value (Inclusive):

1.0500000000000000

SmallNegativeStep

Test Result Information

Result Type: Test Case Result

Parent: Helicopter Pitch Control Test

Start Time: 11-May-2020 08:04:47 End Time: 11-May-2020 08:06:23

Outcome: Passed

Description:

Pitch step of -1 degree to determine tracking, overshoot and rise time.

Test Case Information

Name: SmallNegativeStep Type: Simulation Test

Test Case Requirements

Description: SR_6: Attitude Rate Tracking Performance (HelicopterSystemR

equirements#10)

Document: HelicopterSystemRequirements.slreqx

Simulation

System Under Test Information

Model: HelicopterSystem

Simulation Mode: normal

Override SIL or PIL Mod 0

e:

Configuration Set: Configuration

Start Time: 0 Stop Time: 10

Checksum: 3383442402 366368657 4220001915 2971470468

Simulink Version: 10.0 Model Version: 1.24 Model Author: bpotter

Date: Mon May 11 06:42:30 2020

User ID: bpotter

Model Path: C:\Users\bpotter\MATLAB\Projects\ARP_DO_Proje

ct\work\HelicopterSystem.slx

Machine Name: AH-BPOTTER

Solver Name: ode23t

Solver Type: Variable-Step


Max Step Size: 0.001

Simulation Start Time: 2020-05-11 08:04:50 Simulation Stop Time: 2020-05-11 08:06:22

Platform: PCWIN64


Name	Data Type	Units	Sample Time	Interp	Sync	Link to Plot
ahrs.theta	double	deg	0.01	zoh	union	<u>Link</u>
ahrs.phi	double	deg	0.01	zoh	union	<u>Link</u>
ahrs.psi	double	deg	0.01	zoh	union	<u>Link</u>
ahrs.q	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.p	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.r	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.valid	boolean		0.01	zoh	union	Link

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.theta	double	deg	0.01	zoh	union
ahrs.phi	double	deg	0.01	zoh	union




Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.psi	double	deg	0.01	zoh	union
ahrs.q	double	deg/sec	0.01	zoh	union




Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.p	double	deg/sec	0.01	zoh	union
ahrs.r	double	deg/sec	0.01	zoh	union



Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.valid	boolean		0.01	zoh	union



Simulation Logs:

Model 'Heli inner loop' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'HeliLibrary' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'Heli outer loop' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'AHRS_voter' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Back to Report Summary

Diagnostic Record:	mormation
Outcome:	Passed
Event:	VerificationPassed
VerificationPassed in custor	m criteria of sltest.testmanager.TestCase.
Framework Diagnostic:	
verifyLessThanOrEqual p	assed.
Actual Value:	
-0.882521629273300	
Maximum Value (Inclusiv	/e):
-0.630000000000000	
Diagnostic Record:	
Outcome:	Passed

Event:	VerificationPassed
VerificationPassed in custo	om criteria of sltest.testmanager.TestCase.
Framework Diagnostic:	
verifyGreaterThanOrEq	ual passed.
Actual Value: -0.993757742802861 Minimum Value (Inclusi -1.1000000000000000	ive):
Diagnostic Record:	
Outcome: Event:	Passed VerificationPassed
	om criteria of sltest.testmanager.TestCase.
verifyGreaterThanOrEq	ual passed.
Actual Value: -0.993757742802861 Minimum Value (Inclusi -1.05000000000000000	ive):
Diagnostic Record: Outcome:	Passed
Event:	VerificationPassed
VerificationPassed in custo	om criteria of sltest.testmanager.TestCase.

Framework Diagnostic:

verifyLessThanOrEqual passed.

Actual Value:

-0.986261619680272

Maximum Value (Inclusive):

-0.9500000000000000

Helicopter Roll Control Test

Test Result Information

Result Type: Test Suite Result Parent: HeliLoopTest

Start Time: 11-May-2020 08:06:23 End Time: 11-May-2020 08:10:10 Outcome: Total: 2, Passed: 2

Test Suite Information

Name: Helicopter Roll Control Test

Back to Report Summary

SmallPositiveStep

Test Result Information

Result Type: Test Case Result

Parent: <u>Helicopter Roll Control Test</u>

Start Time: 11-May-2020 08:06:23 End Time: 11-May-2020 08:08:03

Outcome: Passed

Description:

Roll step of +1 degree to determine tracking, overshoot and rise time.

Test Case Information

Name: SmallPositiveStep

Type: Simulation Test

Test Case Requirements

Description: SR_6: Attitude Rate Tracking Performance (HelicopterSystemR

equirements#10)

Document: HelicopterSystemRequirements.slreqx

Simulation

System Under Test Information

Model: HelicopterSystem

Simulation Mode: normal

Override SIL or PIL Mod 0

e:

Configuration Set: Configuration

Start Time: 0 Stop Time: 10

Checksum: 3383442402 366368657 4220001915 2971470468

Simulink Version: 10.0 Model Version: 1.24 Model Author: bpotter

Date: Mon May 11 06:42:30 2020

User ID: bpotter

Model Path: C:\Users\bpotter\MATLAB\Projects\ARP_DO_Proje

ct\work\HelicopterSystem.slx

Machine Name: AH-BPOTTER

Solver Name: ode23t

Solver Type: Variable-Step

Max Step Size: 0.001


Simulation Start Time: 2020-05-11 08:06:25 Simulation Stop Time: 2020-05-11 08:08:01

Platform: PCWIN64

Name	Data Type	Units	Sample Time	Interp	Sync	Link to Plot
ahrs.theta	double	deg	0.01	zoh	union	<u>Link</u>
ahrs.phi	double	deg	0.01	zoh	union	Link
ahrs.psi	double	deg	0.01	zoh	union	Link
ahrs.q	double	deg/sec	0.01	zoh	union	Link


ahrs.p	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.r	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.valid	boolean		0.01	zoh	union	<u>Link</u>

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.theta	double	deg	0.01	zoh	union
ahrs.phi	double	deg	0.01	zoh	union




Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.psi	double	deg	0.01	zoh	union
ahrs.q	double	deg/sec	0.01	zoh	union




Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.p	double	deg/sec	0.01	zoh	union
ahrs.r	double	deg/sec	0.01	zoh	union



Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync	
ahrs.valid	boolean		0.01	zoh	union	



Simulation Logs:

Model 'Heli_inner_loop' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'HeliLibrary' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'Heli_outer_loop' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'AHRS_voter' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the **Upgrade Advisor**.

Back to Report Summary

Diagnostic Record:	inormation
Outcome:	Passed
Event:	VerificationPassed
VerificationPassed in custom	criteria of sltest.testmanager.TestCase.
Framework Diagnostic:	
verifyGreaterThanOrEqua	l passed.
Actual Value:	
0.933628343025303	
Minimum Value (Inclusive):
0.630000000000000	
Diagnostic Record: Outcome:	Passed

Event: VerificationPassed			
VerificationPassed in custo	om criteria of sltest.testmanager.TestCase.		
Framework Diagnostic:			
verifyLessThanOrEqual	passed.		
Actual Value: 0.989066344717431 Maximum Value (Inclus 1.10000000000000000	ive):		
Diagnostic Record:			
Outcome:	Passed		
Event:	VerificationPassed		
	om criteria of sltest.testmanager.TestCase.		
Framework Diagnostic:			
verifyGreaterThanOrEq	ual passed.		
Actual Value:			
0.987707809474005			
Minimum Value (Inclusi	ive):		
0.950000000000000			
Diagnostic Record:			
Outcome:	Passed		
Event:	VerificationPassed		
VerificationPassed in custo	om criteria of sltest.testmanager.TestCase.		

Framework Diagnostic:

verifyLessThanOrEqual passed.

Actual Value:

0.989066344717431

Maximum Value (Inclusive):

1.0500000000000000

SmallNegativeStep

Test Result Information

Result Type: Test Case Result

Parent: Helicopter Roll Control Test

Start Time: 11-May-2020 08:08:03 End Time: 11-May-2020 08:10:10

Outcome: Passed

Description:

Roll step of -1 degree to determine tracking, overshoot and rise time.

Test Case Information

Name: SmallNegativeStep Type: Simulation Test

Test Case Requirements

Description: SR_6: Attitude Rate Tracking Performance (HelicopterSystemR

equirements#10)

Document: HelicopterSystemRequirements.slreqx

Simulation

System Under Test Information

Model: HelicopterSystem

Simulation Mode: normal

Override SIL or PIL Mod 0

e:

Configuration Set: Configuration

Start Time: 0 Stop Time: 10

Checksum: 3383442402 366368657 4220001915 2971470468

Simulink Version: 10.0 Model Version: 1.24 Model Author: bpotter

Date: Mon May 11 06:42:30 2020

User ID: bpotter

Model Path: C:\Users\bpotter\MATLAB\Projects\ARP_DO_Proje

ct\work\HelicopterSystem.slx

Machine Name: AH-BPOTTER

Solver Name: ode23t

Solver Type: Variable-Step


Max Step Size: 0.001

Simulation Start Time: 2020-05-11 08:08:08 Simulation Stop Time: 2020-05-11 08:10:09

Platform: PCWIN64


Name	Data Type	Units	Sample Time	Interp	Sync	Link to Plot
ahrs.theta	double	deg	0.01	zoh	union	<u>Link</u>
ahrs.phi	double	deg	0.01	zoh	union	<u>Link</u>
ahrs.psi	double	deg	0.01	zoh	union	<u>Link</u>
ahrs.q	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.p	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.r	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.valid	boolean		0.01	zoh	union	Link

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.theta	double	deg	0.01	zoh	union
ahrs.phi	double	deg	0.01	zoh	union




Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.psi	double	deg	0.01	zoh	union
ahrs.q	double	deg/sec	0.01	zoh	union




Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.p	double	deg/sec	0.01	zoh	union
ahrs.r	double	deg/sec	0.01	zoh	union



Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync	
ahrs.valid	boolean		0.01	zoh	union	



Simulation Logs:

Model 'Heli inner loop' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'HeliLibrary' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'Heli outer loop' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'AHRS_voter' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Back to Report Summary

Diagnostic Record:	mormation
Outcome:	Passed
Event:	VerificationPassed
VerificationPassed in custor	n criteria of sltest.testmanager.TestCase.
Framework Diagnostic:	
verifyLessThanOrEqual p	assed.
Actual Value:	
-0.934539778757834	
Maximum Value (Inclusiv	re):
-0.630000000000000	
Diagnostic Record:	
Outcome:	Passed

Event:	VerificationPassed
VerificationPassed in cust	om criteria of sltest.testmanager.TestCase.
 Framework Diagnostic:	
verifyGreaterThanOrEq	[ual passed.
Actual Value: -0.989788113388627 Minimum Value (Inclus -1.10000000000000000	ive):
Diagnostic Record:	
Outcome: Event:	Passed VerificationPassed
 Framework Diagnostic:	om criteria of sltest.testmanager.TestCase.
verifyGreaterThanOrEq	լual passed.
Actual Value: -0.989788113388627 Minimum Value (Inclus -1.05000000000000000	ive):
Diagnostic Record:	Dagged
Outcome: Event:	Passed VerificationPassed
VerificationPassed in cust	om criteria of sltest.testmanager.TestCase.

Framework Diagnostic:

verifyLessThanOrEqual passed.

Actual Value:

-0.988596189185296

Maximum Value (Inclusive):

-0.9500000000000000

Helicopter Yaw Control Test

Test Result Information

Result Type: Test Suite Result Parent: HeliLoopTest

Start Time: 11-May-2020 08:10:10 End Time: 11-May-2020 08:13:37 Outcome: Total: 2, Passed: 2

Test Suite Information

Name: Helicopter Yaw Control Test

Back to Report Summary

SmallPositiveStep

Test Result Information

Result Type: Test Case Result

Parent: <u>Helicopter Yaw Control Test</u>

Start Time: 11-May-2020 08:10:10 End Time: 11-May-2020 08:11:51

Outcome: Passed

Description:

Yaw step of +1 degree/sec to determine tracking, overshoot and rise time.

Test Case Information

Name: SmallPositiveStep

Type: Simulation Test

Test Case Requirements

Description: SR_6: Attitude Rate Tracking Performance (HelicopterSystemR

equirements#10)

Document: HelicopterSystemRequirements.slreqx

Simulation

System Under Test Information

Model: HelicopterSystem

Simulation Mode: normal

Override SIL or PIL Mod 0

e:

Configuration Set: Configuration

Start Time: 0 Stop Time: 10

Checksum: 3383442402 366368657 4220001915 2971470468

Simulink Version: 10.0 Model Version: 1.24 Model Author: bpotter

Date: Mon May 11 06:42:30 2020

User ID: bpotter

Model Path: C:\Users\bpotter\MATLAB\Projects\ARP_DO_Proje

ct\work\HelicopterSystem.slx

Machine Name: AH-BPOTTER

Solver Name: ode23t

Solver Type: Variable-Step

Max Step Size: 0.001


Simulation Start Time: 2020-05-11 08:10:13 Simulation Stop Time: 2020-05-11 08:11:51

Platform: PCWIN64

Name	Data Type	Units	Sample Time	Interp	Sync	Link to Plot
ahrs.theta	double	deg	0.01	zoh	union	Link
ahrs.phi	double	deg	0.01	zoh	union	Link
ahrs.psi	double	deg	0.01	zoh	union	Link
ahrs.q	double	deg/sec	0.01	zoh	union	<u>Link</u>


ahrs.p	double	deg/sec	0.01	zoh	union	Link
ahrs.r	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.valid	boolean		0.01	zoh	union	<u>Link</u>

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.theta	double	deg	0.01	zoh	union
ahrs.phi	double	deg	0.01	zoh	union




Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.psi	double	deg	0.01	zoh	union
ahrs.q	double	deg/sec	0.01	zoh	union




Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.p	double	deg/sec	0.01	zoh	union
ahrs.r	double	deg/sec	0.01	zoh	union



Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync	
ahrs.valid	boolean		0.01	zoh	union	



Back to Report SummaryBack to Signal Summary

Simulation Logs:

Model '<u>ActuatorLoop</u>' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the <u>Upgrade Advisor</u>.

Model 'Heli inner loop' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'HeliLibrary' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'Heli outer loop' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'AHRS_voter' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Back to Report Summary

Custom Criteria Result Information

Diagnostic Record:	
Outcome:	Passed
Event:	VerificationPassed
VerificationPassed in custon	n criteria of sltest.testmanager.TestCase.
Framework Diagnostic:	
verifyGreaterThanOrEqua	al passed.
Actual Value:	
0.952014944111883	
Minimum Value (Inclusive	e):
0.630000000000000	
Diagnostic Record:	
Outcome:	Passed

Event: VerificationPassed					
VerificationPassed in cu	stom criteria of sltest.testmanager.TestCase.				
Framework Diagnostic	2:				
verifyLessThanOrEqu	al passed.				
Actual Value: 1.008413488220990 Maximum Value (Incl 1.10000000000000000	asive):				
Diagnostic Record:					
Outcome:	Passed				
Event:	VerificationPassed				
VerificationPassed in cu	stom criteria of sltest.testmanager.TestCase.				
 Framework Diagnostic	C:				
verifyGreaterThanOrE	Equal passed.				
Actual Value:					
0.991509418234075					
Minimum Value (Inclu	ısive):				
0.9500000000000000					
Diagnostic Record:					
Outcome:	Passed				
Event:	VerificationPassed				
VerificationPassed in cu	stom criteria of sltest.testmanager.TestCase.				

Framework Diagnostic:

verifyLessThanOrEqual passed.

Actual Value:

1.008413488220990

Maximum Value (Inclusive):

1.0500000000000000

SmallNegativeStep

Test Result Information

Result Type: Test Case Result

Parent: Helicopter Yaw Control Test

Start Time: 11-May-2020 08:11:51 End Time: 11-May-2020 08:13:37

Outcome: Passed

Description:

Yaw step of -1 degree/sec to determine tracking, overshoot and rise time.

Test Case Information

Name: SmallNegativeStep Type: Simulation Test

Test Case Requirements

Description: SR_6: Attitude Rate Tracking Performance (HelicopterSystemR

equirements#10)

Document: HelicopterSystemRequirements.slreqx

Simulation

System Under Test Information

Model: HelicopterSystem

Simulation Mode: normal

Override SIL or PIL Mod 0

e:

Configuration Set: Configuration

Start Time: 0 Stop Time: 10

Checksum: 3383442402 366368657 4220001915 2971470468

Simulink Version: 10.0 Model Version: 1.24 Model Author: bpotter

Date: Mon May 11 06:42:30 2020

User ID: bpotter

Model Path: C:\Users\bpotter\MATLAB\Projects\ARP_DO_Proje

ct\work\HelicopterSystem.slx

Machine Name: AH-BPOTTER

Solver Name: ode23t

Solver Type: Variable-Step

Max Step Size: 0.001


Simulation Start Time: 2020-05-11 08:11:54 Simulation Stop Time: 2020-05-11 08:13:36

Platform: PCWIN64

Simulation Output


Name	Data Type	Units	Sample Time	Interp	Sync	Link to Plot
ahrs.theta	double	deg	0.01	zoh	union	<u>Link</u>
ahrs.phi	double	deg	0.01	zoh	union	<u>Link</u>
ahrs.psi	double	deg	0.01	zoh	union	<u>Link</u>
ahrs.q	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.p	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.r	double	deg/sec	0.01	zoh	union	<u>Link</u>
ahrs.valid	boolean		0.01	zoh	union	Link

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.theta	double	deg	0.01	zoh	union
ahrs.phi	double	deg	0.01	zoh	union




Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.psi	double	deg	0.01	zoh	union
ahrs.q	double	deg/sec	0.01	zoh	union




Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.p	double	deg/sec	0.01	zoh	union
ahrs.r	double	deg/sec	0.01	zoh	union



Back to Report SummaryBack to Signal Summary

Name	Data Type	Units	Sample Time	Interp	Sync
ahrs.valid	boolean		0.01	zoh	union



Back to Report SummaryBack to Signal Summary

Simulation Logs:

Model '<u>ActuatorLoop</u>' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the <u>Upgrade Advisor</u>.

Model 'Heli inner loop' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'HeliLibrary' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'Heli outer loop' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Model 'AHRS_voter' was last saved using an old version (9.3, R2019a) of Simulink. For advice on upgrading this model to the current version of Simulink, see the Upgrade Advisor.

Back to Report Summary

Custom Criteria Result Information

Diagnostic Record:	
Outcome:	Passed
Event:	VerificationPassed
VerificationPassed in custom	 criteria of sltest.testmanager.TestCase.
Framework Diagnostic:	
verifyLessThanOrEqual pa	assed.
Actual Value:	
-0.951928510017004	
Maximum Value (Inclusive	e):
-0.630000000000000	
Diagnostic Record:	
Outcome:	Passed

Event:	VerificationPassed
VerificationPassed in custo	om criteria of sltest.testmanager.TestCase.
Framework Diagnostic:	
verifyGreaterThanOrEq	ual passed.
Actual Value: -1.007925771450630 Minimum Value (Inclusi -1.1000000000000000	ve):
Diagnostic Record:	
Outcome: Event:	Passed VerificationPassed
VerificationPassed in custo	om criteria of sltest.testmanager.TestCase.
 Framework Diagnostic:	
verifyGreaterThanOrEq	ual passed.
Actual Value: -1.007925771450630 Minimum Value (Inclusi -1.0500000000000000	ve):
Diagnostic Record:	
Outcome: Event:	Passed VerificationPassed
VerificationPassed in custo	om criteria of sltest.testmanager.TestCase.

Framework Diagnostic:	
verifyLessThanOrEqual passed.	
Actual Value: -0.991871691970436 Maximum Value (Inclusive): -0.950000000000000	
