

Baker White Inc.

6111 Hwy 10 NW Suite 300
Ramsey, MN 55303

Carbonyl Assay Samples Received 07/23/2014

Product Name
Spring Peach - 0mg

Analysis Report (0714-177)

GC / MS Analysis For
Diacetyl
2,3-Pentanedione (aka: Acetyl propionyl)



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385



Company:	Baker White Inc.
Sample Condition:	Samples received in good condition.
Notes: <i>Chain of custody verified.</i>	

Method / Parameter	Analyte(s)
GC / MS Analysis	Diacetyl
	2,3-Pentanedione <i>(aka: Acetyl propionyl)</i>

Summary of Method:

A measured volume of sample is combined with a volume of acetonitrile. A known amount of internal standard (Butanedione-d6) is added and the vial is capped and mixed thoroughly to combine. An aliquot is then analyzed quantitatively against a linear calibration curve using a GC/MS equipped with a mass selective detector. In this analysis, the limit of detection is 0.34 ug/mL for 'Diacetyl' and 0.41 ug/mL for '2,3-Pentanedione'.

Company	Baker White Inc.	# Samples	1
Analyst	01	Sample(s) Received	07/23/2014
Parameters	GC / MS Analysis	Client Project:	T1
Job #	0714-177		

Enthalpy Code	Sample Name	Client's Sample ID	Diacetyl (ug/mL)	2,3-Pentanedione (ug/mL)
0714-177-26	Spring Peach-0mg		Not Detected	Not Detected

QC Notes:

'Diacetyl' and '2,3-Pentanedione' were not detected above the minimum detection limit.

I certify that to the best of my knowledge all analytical data presented in this report:

- Have been checked for completeness
- Are accurate, error-free, and legible
- Have been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized.

This analytical report was prepared in Portable Document Format (.PDF) and contains 2 pages.

QA Review Performed by - Emil W. Stewart

Report Issued: 09/26/2014



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385

Baker White Inc.

6111 Hwy 10 NW Suite 300
Ramsey, MN 55303

Carbonyl Assay Samples Received 07/23/2014

Product Name
Strawberry Breeze - 0mg

Analysis Report (0714-177)

GC / MS Analysis For
Diacetyl
2,3-Pentanedione (aka: Acetyl propionyl)



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385



Company:	Baker White Inc.
Sample Condition:	Samples received in good condition.
Notes: <i>Chain of custody verified.</i>	

Method / Parameter	Analyte(s)
GC / MS Analysis	Diacetyl
	2,3-Pentanedione <i>(aka: Acetyl propionyl)</i>

Summary of Method:

A measured volume of sample is combined with a volume of acetonitrile. A known amount of internal standard (Butanedione-d6) is added and the vial is capped and mixed thoroughly to combine. An aliquot is then analyzed quantitatively against a linear calibration curve using a GC/MS equipped with a mass selective detector. In this analysis, the limit of detection is 0.34 ug/mL for 'Diacetyl' and 0.41 ug/mL for '2,3-Pentanedione'.

Company	Baker White Inc.	# Samples	1
Analyst	01	Sample(s) Received	07/23/2014
Parameters	GC / MS Analysis	Client Project:	T1
Job #	0714-177		

Enthalpy Code	Sample Name	Client's Sample ID	Diacetyl (ug/mL)	2,3-Pentanedione (ug/mL)
0714-177-27	Strawberry Breeze-0mg		Not Detected	Not Detected

QC Notes:

'Diacetyl' and '2,3-Pentanedione' were not detected above the minimum detection limit.

I certify that to the best of my knowledge all analytical data presented in this report:

- Have been checked for completeness
- Are accurate, error-free, and legible
- Have been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized.

This analytical report was prepared in Portable Document Format (.PDF) and contains 2 pages.

Emil W. Stewart
QA Review Performed by - Emil W. Stewart

Report Issued: 09/26/2014



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385

Baker White Inc.

6111 Hwy 10 NW Suite 300
Ramsey, MN 55303

Carbonyl Assay Samples Received 07/23/2014

Product Name
Strawberry Fields - 0mg

Analysis Report
(0714-177)

GC / MS Analysis For
Diacetyl
2,3-Pentanedione (aka: Acetyl propionyl)



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385



Company:	Baker White Inc.
Sample Condition:	Samples received in good condition.
Notes: <i>Chain of custody verified.</i>	

Method / Parameter	Analyte(s)
GC / MS Analysis	Diacetyl
	2,3-Pentanedione <i>(aka: Acetyl propionyl)</i>

Summary of Method:

A measured volume of sample is combined with a volume of acetonitrile. A known amount of internal standard (Butanedione-d6) is added and the vial is capped and mixed thoroughly to combine. An aliquot is then analyzed quantitatively against a linear calibration curve using a GC/MS equipped with a mass selective detector. In this analysis, the limit of detection is 0.34 ug/mL for 'Diacetyl' and 0.41 ug/mL for '2,3-Pentanedione'.

Company	Baker White Inc.	# Samples	1
Analyst	01	Sample(s) Received	07/23/2014
Parameters	GC / MS Analysis	Client Project:	T1
Job #	0714-177		

Enthalpy Code	Sample Name	Client's Sample ID	Diacetyl (ug/mL)	2,3-Pentanedione (ug/mL)
0714-177-28	Strawberry Fields-0mg		Not Detected	Not Detected

QC Notes:

'Diacetyl' and '2,3-Pentanedione' were not detected above the minimum detection limit.

I certify that to the best of my knowledge all analytical data presented in this report:

- Have been checked for completeness
- Are accurate, error-free, and legible
- Have been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized.

This analytical report was prepared in Portable Document Format (.PDF) and contains 2 pages.

QA Review Performed by - Emil W. Stewart

Report Issued: 09/26/2014



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385

Baker White Inc.

6111 Hwy 10 NW Suite 300
Ramsey, MN 55303

Carbonyl Assay Samples Received 07/23/2014

Product Name
Summer Tea - 0mg

Analysis Report (0714-177)

GC / MS Analysis For
Diacetyl
2,3-Pentanedione (aka: Acetyl propionyl)



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385



Company:	Baker White Inc.
Sample Condition:	Samples received in good condition.
Notes: <i>Chain of custody verified.</i>	

Method / Parameter	Analyte(s)
GC / MS Analysis	Diacetyl
	2,3-Pentanedione <i>(aka: Acetyl propionyl)</i>

Summary of Method:

A measured volume of sample is combined with a volume of acetonitrile. A known amount of internal standard (Butanedione-d6) is added and the vial is capped and mixed thoroughly to combine. An aliquot is then analyzed quantitatively against a linear calibration curve using a GC/MS equipped with a mass selective detector. In this analysis, the limit of detection is 0.34 ug/mL for 'Diacetyl' and 0.41 ug/mL for '2,3-Pentanedione'.

Company	Baker White Inc.	# Samples	1
Analyst	01	Sample(s) Received	07/23/2014
Parameters	GC / MS Analysis	Client Project:	T1
Job #	0714-177		

Enthalpy Code	Sample Name	Client's Sample ID	Diacetyl (ug/mL)	2,3-Pentanedione (ug/mL)
0714-177-29	Summer Tea-0mg		Not Detected	Not Detected

QC Notes:

'Diacetyl' and '2,3-Pentanedione' were not detected above the minimum detection limit.

I certify that to the best of my knowledge all analytical data presented in this report:

- Have been checked for completeness
- Are accurate, error-free, and legible
- Have been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized.

This analytical report was prepared in Portable Document Format (.PDF) and contains 2 pages.

QA Review Performed by - Emil W. Stewart

Report Issued: 09/26/2014



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385

Baker White Inc.

6111 Hwy 10 NW Suite 300
Ramsey, MN 55303

Carbonyl Assay Samples Received 07/23/2014

Product Name
Very Cherry - 0mg

Analysis Report (0714-177)

GC / MS Analysis For
Diacetyl
2,3-Pentanedione (aka: Acetyl propionyl)



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385



Company:	Baker White Inc.
Sample Condition:	Samples received in good condition.
Notes: <i>Chain of custody verified.</i>	

Method / Parameter	Analyte(s)
GC / MS Analysis	Diacetyl
	2,3-Pentanedione <i>(aka: Acetyl propionyl)</i>

Summary of Method:

A measured volume of sample is combined with a volume of acetonitrile. A known amount of internal standard (Butanedione-d6) is added and the vial is capped and mixed thoroughly to combine. An aliquot is then analyzed quantitatively against a linear calibration curve using a GC/MS equipped with a mass selective detector. In this analysis, the limit of detection is 0.34 ug/mL for 'Diacetyl' and 0.41 ug/mL for '2,3-Pentanedione'.

Company	Baker White Inc.	# Samples	1
Analyst	01	Sample(s) Received	07/23/2014
Parameters	GC / MS Analysis	Client Project:	T1
Job #	0714-177		

Enthalpy Code	Sample Name	Client's Sample ID	Diacetyl (ug/mL)	2,3-Pentanedione (ug/mL)
0714-177-31	Very Cherry-0mg	-	Not Detected	Not Detected

QC Notes:

'Diacetyl' and '2,3-Pentanedione' were not detected above the minimum detection limit.

I certify that to the best of my knowledge all analytical data presented in this report:

- Have been checked for completeness
- Are accurate, error-free, and legible
- Have been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized.

This analytical report was prepared in Portable Document Format (.PDF) and contains 2 pages.

QA Review Performed by - Emil W. Stewart

Report Issued: 09/26/2014



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385

Baker White Inc.

6111 Hwy 10 NW Suite 300
Ramsey, MN 55303

Carbonyl Assay Samples Received 07/23/2014

Product Name
Voltage - 0mg

Analysis Report
(0714-177)

GC / MS Analysis For
Diacetyl
2,3-Pentanedione (aka: Acetyl propionyl)



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385



Company:	Baker White Inc.
Sample Condition:	Samples received in good condition.
Notes: <i>Chain of custody verified.</i>	

Method / Parameter	Analyte(s)
GC / MS Analysis	Diacetyl
	2,3-Pentanedione <i>(aka: Acetyl propionyl)</i>

Summary of Method:

A measured volume of sample is combined with a volume of acetonitrile. A known amount of internal standard (Butanedione-d6) is added and the vial is capped and mixed thoroughly to combine. An aliquot is then analyzed quantitatively against a linear calibration curve using a GC/MS equipped with a mass selective detector. In this analysis, the limit of detection is 0.34 ug/mL for 'Diacetyl' and 0.41 ug/mL for '2,3-Pentanedione'.

Company	Baker White Inc.	# Samples	1
Analyst	01		
Parameters	GC / MS Analysis		
Job #	0714-177		

Enthalpy Code	Sample Name	Client's Sample ID	Diacetyl (ug/mL)	2,3-Pentanedione (ug/mL)
0714-177-32	Voltage-0mg	-	Not Detected	Not Detected

QC Notes:

'Diacetyl' and '2,3-Pentanedione' were not detected above the minimum detection limit.

I certify that to the best of my knowledge all analytical data presented in this report:

- Have been checked for completeness
- Are accurate, error-free, and legible
- Have been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized.

This analytical report was prepared in Portable Document Format (.PDF) and contains 2 pages.

QA Review Performed by - Emil W. Stewart

Report Issued: 09/26/2014



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385

Baker White Inc.

6111 Hwy 10 NW Suite 300
Ramsey, MN 55303

Carbonyl Assay Samples Received 07/23/2014

Product Name
Wind Chill - 0mg

Analysis Report (0714-177)

GC / MS Analysis For
Diacetyl
2,3-Pentanedione (aka: Acetyl propionyl)



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitola Drive Durham, NC 27713-4385



Company:	Baker White Inc.
Sample Condition:	Samples received in good condition.
Notes: <i>Chain of custody verified.</i>	

Method / Parameter	Analyte(s)
GC / MS Analysis	Diacetyl
	2,3-Pentanedione <i>(aka: Acetyl propionyl)</i>

Summary of Method:

A measured volume of sample is combined with a volume of acetonitrile. A known amount of internal standard (Butanedione-d6) is added and the vial is capped and mixed thoroughly to combine. An aliquot is then analyzed quantitatively against a linear calibration curve using a GC/MS equipped with a mass selective detector. In this analysis, the limit of detection is 0.34 ug/mL for 'Diacetyl' and 0.41 ug/mL for '2,3-Pentanedione'.

Company	Baker White Inc.	# Samples	1
Analyst	01	Sample(s) Received	07/23/2014
Parameters	GC / MS Analysis	Client Project:	T1
Job #	0714-177		

Enthalpy Code	Sample Name	Client's Sample ID	Diacetyl (ug/mL)	2,3-Pentanedione (ug/mL)
0714-177-34	Wind Chill-0mg	-	Not Detected	Not Detected

QC Notes:

'Diacetyl' and '2,3-Pentanedione' were not detected above the minimum detection limit.

I certify that to the best of my knowledge all analytical data presented in this report:

- Have been checked for completeness
- Are accurate, error-free, and legible
- Have been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized.

This analytical report was prepared in Portable Document Format (.PDF) and contains 2 pages.

QA Review Performed by - Emil W. Stewart

Report Issued: 09/26/2014



Enthalpy Analytical, Inc.

Phone: (919) 850 - 4392 / Fax: (919) 850 - 9012 / www.enthalpy.com
800-1 Capitol Drive Durham, NC 27713-4385